


## **Exam4Test 000-078 Exams**

### **IBM eServer BladeCenter**



**Practice Exam:** 000-078

**Exam Number/Code:** 000-078

**Exam Name:** eServer BladeCenter

**Questions and Answers:** 148 Q&As

### **Exam Description**

**Order :** [000-078 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-078 Exam.

Exam4Test **Practice Exams** for 000-078 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **IBM certifications I** exam and get your **IBM certifications I Certification**.

We guarantee your success in the first attempt. If you do not pass the **IBM certifications I** "000-078" (eServer BladeCenter) on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test IBM certifications I 000-078 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of IBM certifications I 000-078 exam provides everything which you need to pass your exam. The IBM certifications I Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "000-078 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first eServer BladeCenter( IBM certifications I ) exam try, but also save your valuable time.

Comprehensive questions with complete details about 000-078 exam.

000-078 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real IBM certifications I exam. 000-078 exam questions updated on regular basis.

Like actual IBM certifications I Certification exams, 000-078 exam preparation is in multiple-choice questions (MCQs); Tested by many real IBM certifications I exams before publishing.

Try free IBM certifications I exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 000-078 Exam: 100% Guarantee to Pass Your 000-078 exam and get your IBM certifications I Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your IBM certifications I Certification.

Exam4Test professional provides IBM certifications I 000-078 the newest Q&A, completely covers 000-078 test original topic. With our completed IBM certifications I resources, you will minimize your IBM certifications I cost and

be ready to pass your 000-078 test on Your First Try, 100% Money Back Guarantee included!

## **000-078 Exam Study Guide**

000-078 exam is regarded as one of the most favourite [IBM certifications / Certifications](#). Many IT professionals prefer to add 000-078 exam among their credentials. Exam4Test not only caters you all the information regarding the 000-078 exam but also provides you the excellent 000-078 study guide which makes the certification exam easy for you.

## **Exam4Test Engine Features**

Comprehensive questions and answers about 000-078 exam

000-078 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-078 exam questions updated on regular basis

Same type as the certification exams, 000-078 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-078 exam demo before you decide to buy it in Exam4Test.com

## **Exam4Test Help You Pass Any IT Exam**

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-078

Title : eServer BladeCenter

1. A customer requires 10/100/1000 Ethernet Switch Modules for a BladeCenter chassis. For the future, they would like to explore the capability of upgrading to layers 4-7. Which of the following modules will allow them to perform a field upgrade to layers 4-7?

- A. Nortel Networks Layer 2-7 GB Ethernet Switch Module
- B. IBM BladeCenter 4-port Gigabit Ethernet Switch Module
- C. Nortel Networks L2/3 Copper GbE Switch Module for IBM eServer BladeCenter
- D. IBM BladeCenter 4-port Cisco Systems Intelligent Gigabit Ethernet Switch Module

Answer: C

2. An administrator is creating a Microsoft Windows Native Install image with IBM Remote Deployment Manager (RDM) 4.20. During the creation of the image, the task fails. What is the most likely cause of the failure?

- A. The computer name is invalid.
- B. The Windows product ID is incorrect.
- C. The size of the image has exceeded 2GB.
- D. The source files are not on the RDM server.

Answer: C

3. A customer wants to set up a 512 node (HPC Cluster) BladeCenter environment for an extremely high bandwidth application. Which of the following is the most appropriate switch module to interconnect the multiple chassis needed?

- A. Topspin Infiniband Switch Module
- B. BladeCenter Copper Pass-thru Module
- C. BladeCenter Optical Pass-thru Module

D. Nortel Networks Layer 2-7 GbE Switch Module

Answer: A

4. Which TWO of the following hardware alerts can be sent to each blade server's IBM Director agent?

A. Fan Alert

B. Virus Alert

C. Voltage alert

D. Intruder Alert

E. Temperature alert

F. Power Supply failure

Answer: CE

5. A customer plans to deploy an IBM BladeCenter Chassis. It will contain:

Two Nortel Networks Layer 2-7 GB Ethernet Switch Modules

Two Brocade Enterprise Fibre Channel Switch Modules

Redundant Management Modules

How many copper RJ45 and fibre ports are on the back of the chassis?

A. 8 copper RJ45 ports and 4 fibre channel ports

B. 8 copper RJ45 ports and 12 fibre channel ports

C. 10 copper RJ45 ports and 4 fibre channel ports

D. 10 copper RJ45 ports and 12 fibre channel ports

Answer: C

6. A customer has a BladeCenter with three HS20 blades that will be accessing one network segment and a mix of three HS20 blades and two HS40 blades that will be accessing a different LAN segment. What is the minimum number of switch modules and VLAN IDs required?

A. One Ethernet switch module and two VLAN IDs

B. Two Ethernet switch modules and no VLAN IDs

C. Two Ethernet switch modules and two VLAN IDs

D. One Ethernet switch module and eight VLAN IDs

Answer: A

7. A customer has a small 100Mb LAN network and wants to add five servers to their network in a new BladeCenter chassis. The customer has small application servers, each with their own internal hard drives. Each server requires access to two different LAN segments. The customer is considering installing a SAN; however that will be a future project. Which of the following would best satisfy the customer's requirements?

A. Two Optical Pass-thru Modules

B. Two BladeCenter 4-port Gigabit Ethernet Switch Modules

C. Two Copper Pass-thru Modules, two Optical Pass-thru Modules

D. Two Optical Pass-thru Modules, Fibre Channel Switch Modules

Answer: B

8. After a completed installation of Microsoft Windows Server 2003 Standard Edition on an HS20 8843 blade server, there is no network connectivity. Which of the following should be done to resolve this problem?

A. Apply Windows 2003 Service Pack 1.

B. Install the Broadcom network driver.

C. Enable the Network adapter from the Management Module Web Interface.

D. Change Ethernet adapters duplex mode to auto within network settings.

Answer: B

9. A customer would like to add five HS20 8843 blades into an existing BladeCenter Chassis with two HS20 8832 and 1800W power supplies. Which of the following is the most cost-efficient solution without introducing any downtime?

A. Add a 2000w power supply kit and place the new Blades in slots 7 through 11

B. Add additional 1800w power supplies and put the five HS20 8843 into slots 7 through 11

- C. Replace the 1800w with 2000w power supplies and place the new blades in slots 3 through 7
- D. Replace the 1800w power supplies with 2000w power supplies and add an additional 2000w power supply kit

Answer: A

10. An administrator has created a customized Linux Native Install operating system image to deploy to the blades. When the administrator creates a task that uses this image, the installation fails. Which of the following is the most likely cause?

- A. boot.ini is incorrectly configured
- B. All packages and package groups had been selected
- C. Only the required packages and package groups were installed
- D. The packages and package groups present in the modified comps file were not selected

Answer: D

11. What is an important benefit of using a switch compliant to IEEE 802.1Q?

- A. The switch allows multiple proprietary protocols to forward traffic between switches.
- B. The switch allows use of logical groups within a switch in order to control broadcast traffic.
- C. The switch can combine physical links into one point-to-point logical link for increased bandwidth.
- D. The switch discovers a loop-free network (tree) and provides a single physical path between any two stations.

Answer: B

12. A customer requires six HS20 blade servers in a new BladeCenter Chassis. Each blade requires redundant paths to two separate network segments. Which hardware is necessary to meet these requirements?

- A. Four Copper Pass-thru Modules
- B. Four Gigabit Ethernet Switches Modules
- C. Two Copper Pass-thru Modules and a Gigabit Ethernet Daughter Card in each blade
- D. Four Gigabit Ethernet Switch Modules and a Gigabit Ethernet Daughter Card in each blade

Answer: D

13. A customer has a BladeCenter with eight HS20 blades, two Nortel L2/L3 Ethernet switches, and no redundant KVM/Management Module. There are three VLANs set up in the chassis. The customer cannot ping from an external workstation to the blades. Which of the following is most likely the cause of the problem?

- A. The Nortel L4-7 upgrade was not installed.
- B. The Management Module internal interface is disabled.
- C. Firmware should have been updated on each of the Nortel switches.
- D. Tagging is not enabled for all ports on the switch modules and the external switches.

Answer: D

14. A customer is replacing several existing servers and is consolidating them into a BladeCenter solution. The following servers are being considered for consolidation:

Two Microsoft SQL server two-node clusters, with each node containing four processors and hot swap SCSI drives

Two Physical Microsoft Active Directory Servers

22 Physical Citrix servers ? Three Physical Web servers

One Physical Virtual Center and VMotion server

Eight Physical VMware ESX servers

Which of the following configurations will best satisfy the requirements?

- A. Three BladeCenter Chassis, two Fibre modules, eight Ethernet Modules
- B. Three BladeCenter Chassis, four Fibre modules, eight Ethernet Modules
- C. Four BladeCenter Chassis, two Fibre modules, four Ethernet Modules
- D. Four BladeCenter Chassis, four Fibre modules, eight Ethernet Modules

Answer: D

15. A customer needs a BladeCenter solution that will host VMware ESX version 2.5 servers. The BladeCenter will be populated with HS20 blades with the appropriate I/O adapter, sufficient power modules and two Ethernet modules.

They will also be implementing Virtual Center and VMotion. Which of the following BladeCenter options is required to

complete the solution?

- A. Copper Pass-thru Module
- B. TopSpin Switch Module
- C. Cisco Switch Module
- D. Fibre Switch Module

Answer: D

16. Which of the following can be used to update firmware on all Ethernet switch module options?

- A. FTP
- B. TFTP
- C. Web Browser
- D. Management Module

Answer: B

17. A customer wants a new BladeCenter chassis installed with redundant power sources. What is the minimum PDU configuration, recommended by IBM, to support a single chassis fully populated with 2000W power supplies?

- A. 2 Rack PDUs - 100-127Vac, 15a
- B. 1 Front End PDU - 208Vac, 30a, single-phase
- C. 2 Front End PDUs - 208Vac, 30a, single-phase
- D. 2 Enterprise PDUs - 208Vac, 60a, single-phase

Answer: C

18. Microsoft Windows Server 2003 is installed on several blades configured with static IP addresses, gateway and DNS information. None of the blades are able to ping the gateway or other servers in the same subnet within the chassis. The "Show icon in notification area when connected" box in the Network property shows connection to the network. Which of the following will resolve the problem?

- A. Correct the DNS address.
- B. Correct the subnet mask.
- C. Correct the gateway address.
- D. Connect the network cable to the router.

Answer: B

19. After installing a new BladeCenter, IBM Director has successfully discovered the new chassis. Which of the following tasks must first be performed before launching the Deployment Wizard in IBM Director?

- A. Update the BladeCenter Management Module firmware
- B. Enable the Ethernet switch ports for external management
- C. Select "Request Access" to the Management Module
- D. Move the Management Module Ethernet port to a management VLAN

Answer: C

20. What is the default network address of the Management Module and any modules placed in an I/O module bay?

- A. 192.0.0.x
- B. 192.16.70.x
- C. 192.168.0.x
- D. 192.168.70.x

Answer: D

[More 000-078 Information](#)

#### **Related 000-078 Exams**

[000-223](#) *IBM System p Administrator*

[000-377](#) *Test 000-377, IBM WebSphere Application Server Network Deployment V7.0, Core Administration*

<u>000-974</u>	<i>Power Systems Technical Support for i</i>
<u>000-417</u>	<i>IBM Web Sphere Information Analyzer v8.0</i>
<u>000-913</u>	<i>informix 4gl development</i>
<u>000-015</u>	<i>IBM Maximo Asset Management V7.1 Implementation</i>
<u>000-316</u>	<i>IBM Web Sphere Integration Developer V6.1</i>
<u>000-665</u>	<i>Architecture design of soa solution</i>
<u>000-872</u>	<i>ibm tivoli storage manager v5.2 implementation</i>
<u>000-667</u>	<i>IBM Test 667, Architectural Design of SOA Solutions</i>
<u>000-908</u>	<i>Tivoli Monitoring V6.2 Implementation</i>
<u>000-286</u>	<i>test286,application development wweb sphere studio,v5.0</i>
<u>000-111</u>	<i>IBM Distributed Systems Storage Solutions Version 7</i>
<u>000-669</u>	<i>SOA Fundamentals (2008)</i>
<u>000-431</u>	<i>IBM Tivoli Storage Manager V5.5 Administration</i>
<u>000-995</u>	<i>IBM Web Sphere Process Server V6.1.System Administration</i>
<u>000-011</u>	<i>IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation</i>
<u>000-992</u>	<i>Test992,IBM Web Sphere MQ V6.0. System Administration</i>
<u>000-017</u>	<i>Foundations of Tivoli process automation engine V7.1</i>
<u>000-973</u>	<i>Power Systems Sales for the IBM I Operating System</i>

**Other IBM Exams**

<u>000-204</u>	<u>000-664</u>	<u>000-741</u>	<u>000-430</u>	<u>COG-135</u>	<u>000-355</u>	<u>000-645</u>	<u>000-896</u>
<u>000-229</u>	<u>000-m25</u>	<u>000-417</u>	<u>000-296</u>	<u>000-074</u>	<u>000-R01</u>	<u>000-027</u>	<u>000-077</u>
<u>000-807</u>	<u>000-M22</u>	<u>000-443</u>	<u>000-514</u>				