

### **Exam4Test 000-257 Exams**

*IBM test 257,ent apdevwwibm rtnl apdev for wbsph software v6.0*



**Practice Exam:** 000-257

**Exam Number/Code:** 000-257

**Exam Name:** test 257,ent apdevwwibm rtnl apdev for wbsph software v6.0

**Questions and Answers:** 98 Q&As

### **Exam Description**

Order : [000-257 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-257 Exam.

Exam4Test **Practice Exams** for 000-257 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **IBM certifications III** exam and get your *IBM certifications III Certification*.

We guarantee your success in the first attempt. If you do not pass the **IBM certifications III** "000-257" (test 257,ent apdevwwibm rtnl apdev for wbsph software v6.0 on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test IBM certifications III 000-257 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of IBM certifications III 000-257 exam provides everything which you need to pass your exam. The IBM certifications III Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "000-257 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first test 257,ent apdevwwibm rtnl apdev for wbsph software v6.0( IBM certifications III ) exam try, but also save your valuable time.

Comprehensive questions with complete details about 000-257 exam.

000-257 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real IBM certifications III exam. 000-257 exam questions updated on regular basis.

Like actual IBM certifications III Certification exams, 000-257 exam preparation is in multiple-choice questions (MCQs). Tested by many real IBM certifications III exams before publishing.

Try free IBM certifications III exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 000-257 Exam: 100% Guarantee to Pass Your 000-257 exam and get your IBM certifications III Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your IBM certifications III Certification.

original topic. With our completed IBM certifications III resources, you will minimize your IBM certifications III cost and be ready to pass your 000-257 test on Your First Try, 100% Money Back Guarantee included!

## **000-257 Exam Study Guide**

000-257 exam is regarded as one of the most favourite [IBM certifications III Certifications](#). Many IT professionals prefer to add 000-257 exam among their credentials. Exam4Test not only caters you all the information regarding the 000-257 exam but also provides you the excellent 000-257 study guide which makes the certification exam easy for you.

## **Exam4Test Engine Features**

Comprehensive questions and answers about 000-257 exam

000-257 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-257 exam questions updated on regular basis

Same type as the certification exams, 000-257 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-257 exam demo before you decide to buy it in Exam4Test.com

## **Exam4Test Help You Pass Any IT Exam**

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-257

Title : Test 257,ent apdewwwibm rnl apdev for wbsph software v6.0

1. Which of the following is an advantage of using the Snippets view to generate code for invoking a method on a Session Bean?

- A. The Service Locator pattern is used and the home is cached.
- B. The Service Locator pattern is used and individual bean instances are cached.
- C. The generated code does not require try-catch blocks to handle errors.
- D. The bean on which the method is invoked can be determined at runtime.

Answer: A

2. When creating a message-driven bean, which interface, if any, can be generated?

- A. The home interface
- B. The remote interface
- C. The listenerPort interface
- D. No interface can be generated

Answer: D

3. A web module defines a J2EE security role, Managers. Using the appropriate deployment descriptor editor, the developer then binds this role to the User Registry user, supervisors. What file would need to be explored to find this specified association?

- A. application.xml
- B. web.xml
- C. ibm-application-bnd.xmi
- D. ibm-web-bnd.xmi

Answer: C

4. A developer runs a Web service client in an unmanaged environment using a generated Java proxy. The client throws an Exception indicating that it failed to create an InitialContext. The same proxy class used in a managed environment works fine. If the developer did not modify the generated code, what is a likely cause of the problem?
- A. The security context for the JNDI manager cannot be propagated in an unmanaged environment.
  - B. The transaction context can not be propagated in an unmanaged environment.
  - C. The Web service being invoked uses the SOAP over JMS binding.
  - D. Java proxies generated by the wizard can only be run in a managed environment.

Answer: C

5. A developer is creating a client to invoke a secured Web service. The service requires that the body of the SOAP request be encrypted. What type of element in the WS Extension page of the client's Deployment Descriptor should the developer configure?
- A. Integrity
  - B. Confidentiality
  - C. Security Token
  - D. Timestamp

Answer: B

6. Which of the following EJB components can be used as the basis for bottom-up Web services development in Rational Application Developer?
- A. Message-driven bean
  - B. Stateful session bean
  - C. Stateless session bean
  - D. Container-managed entity bean

Answer: C

7. While configuring a datasource in the EAR deployment descriptor editor, the drop-down boxes that allow a JAAS authentication alias to be specified are empty. How can the JAAS authentication alias be configured in order for it to be visible in the drop down box?
- A. Add a J2EE security role with associated users in the EAR deployment descriptor editor.
  - B. Add the required JAAS authentication alias in the EAR deployment descriptor editor.
  - C. Add the JAAS authentication alias to the datasource reference in the EJB deployment descriptor editor.
  - D. Use the WebSphere V6 administrative console to add the JAAS authentication alias.

Answer: B

8. A developer can assign container-managed relationship (CMR) fields by:
- A. Coding the `ejbCreate()` method.
  - B. Coding the `ejbPostCreate()` method.
  - C. Mapping the primary key to the foreign key.
  - D. Generating the code with the relationship wizard.

Answer: B

9. If a developer wants to create a Web service that must conform to all supported WS-I profiles, the developer should
- A. Set the WS-I Compliance preferences to "Require compliance" before creating the Web service.
  - B. Set the WS-I Compliance preferences to "Suggest compliance" before creating the Web service and disable related warnings in the Problems view.
  - C. Use the New WS-I Compliant Web Service wizard to create the Web service.
  - D. Check the "Require WS-I compliance" checkbox in the New Web Service wizard.

Answer: A

10. A developer is creating a CMP EJB using an existing database and has begun generating the RDB to EJB mapping by creating a new backend folder. The next step the developer should take is to:

- A. Specify attributes for the EJB.
- B. Map attributes to columns.
- C. Create a bottom up mapping.
- D. Create a top down mapping.

Answer: C

11. A stateless session EJB has been created that uses EJB inheritance. A developer is testing the newly created child EJB using the Universal Test Client (UTC). The developer has invoked the create method on the child EJB's home interface and is now working with a reference to the child EJB's remote component interface. When the developer expands the child EJB's remote component interface reference within the UTC, the methods inherited from the parent EJB are not displayed. What should the developer do in order to be able to see the inherited methods?

- A. Select "Load Class" under the "Utilities" section of the Universal Test Client and load the parent EJB's remote component interface.
- B. Select "Cast Class" under the "Utilities" section of the Universal Test Client and cast the reference to the parent EJB's remote component interface.
- C. Select "Method Visibility" under the child EJB's remote component interface. On the screen that appears, enable the checkbox beside the parent EJB's remote component interface.
- D. Use the JNDI Explorer to find the parent EJB's home interface, invoke the associated create method, and then cast the remote component interface that is returned to the child EJB's remote component interface type.

Answer: C

12. Which method in an entity bean would a developer have to code business logic in, if the bean contains references to resources that cannot be serialized?

- A. `ejbRemove()`
- B. `ejbStore()`
- C. `ejbPassivate()`
- D. `ejbFindByPrimaryKey()`

Answer: C

13. The relationship fields for a 1:1 container-managed relationship EJB must be of the same type as:

- A. The local interface of the related EJB.
- B. The remote interface of the related EJB.
- C. The primary key of the underlying table.
- D. The foreign key of the underlying table.

Answer: A

14. A developer is implementing security requirements for a Web module. Which HTTP Methods would be the MOST likely to cover these requirements?

- A. GET and POST
- B. GET and PUT
- C. GET, POST and PUT
- D. GET, POST, PUT and DELETE

Answer: A

15. In an enterprise application EJB\_A invokes a method on EJB\_B. How must the EJB run-as security identity be configured in the EJB deployment descriptor for the current setting to allow EJB\_A to invoke EJB\_B?

- A. Set run-as on EJB\_A to role\_A.
- B. Set run-as on EJB\_A to role\_B.
- C. Set run-as on EJB\_B to role\_A.
- D. Set run-as on EJB\_B to role\_B.

Answer: B

16. A client uses a generated Java proxy to make a call to a Web service. Invoking the method on the proxy results in a RemoteException. What is a likely cause?

- A. The server hosting the Web service is unavailable.
- B. An application exception was thrown by the Web service.
- C. A handler on the client was configured incorrectly.
- D. The client was run in an unmanaged environment.

Answer: A

17. A developer wants to use form-based authentication to secure resources in a Web application. In the Web deployment descriptor editor, the developer has set the Authentication method to FORM and configured appropriate security roles. What additional entries need to be configured to protect the resources?

- A. Specify a Login page and create a Security Constraint defining the URL patterns of the resources to be secured and appropriate Authorized roles.
- B. Specify Login and Error pages and create a Security Constraint defining the URL patterns of the resources to be secured and appropriate Authorized roles.
- C. Specify Login and Error pages.
- D. Specify a Login page.

Answer: B

18. A developer has two J2EE applications that are loosely coupled via Web services. The two applications are designated as the service application and the client application. The Web service is referenced and called from a Web module in the client application. In which set of files would a developer configure JAX-RPC handlers?

- A. The service application's webservices.xml and the service application's web.xml files
- B. The client application's webservices.xml and the service application's ejb-jar.xml files
- C. The client application's webservices.xml and the service application's web.xml files
- D. The service application's webservices.xml and the client application's web.xml files

Answer: D

19. An application uses container-managed persistence EJBs to update a DB2 database. If database support for handling collisions is required, which of the following access intent policies will provide the best performance?

- A. wsOptimisticUpdate
- B. wsPessimisticUpdate-WeakestLockAtLoad
- C. wsPessimisticUpdate
- D. wsPessimisticUpdate-Exclusive

Answer: B

20. A developer is working with read-only EJBs that will have exclusive access to the data store. The BEST way to provide better response time at the expense of increased memory utilization is to use the bean cache section of the EJB deployment descriptor to set:

- A. Activate at ONCE and load at ACTIVATION.
- B. Activate at ONCE and load at TRANSACTION.
- C. Activate at TRANSACTION and load at ONCE.
- D. Activate at TRANSACTION and load at TRANSACTION.

Answer: A

[More 000-257 Information](#)

#### **Related 000-257 Exams**

000-100 ENTERPRISE TECHNICAL SUPPORT FOR AIX AND LINUX

000-330 Power Systems Technical Support for AIX and Linux

000-418 IBM Web sphere Datastage V.8.0

000-101 Virtualization Technical Support for AIX and Linux

000-136 Rational Application Developer v7

000-R18 IBM SurePOS ACE V5 Technical Professional

000-433 IBM Tivoli Storage Manager V5.5 Implementation

COG-480 IBM Cognos 8 Planning Professional

000-210 IBM Storage Networking Solutions,Version 4

000-019 IBM Tivoli Network Manager IP Edition V3.8 Implementation

000-314 IBM WebSphere Message Broker V6.1. System Administration

000-960 IBM Storage Sales Exam

COG-300 IBM Cognos TM1 Analyst

000-M15 IBM Rational Quality Mgt Technical Sales Mastery Test v1

000-114 Storage Implementation Entry/Mid Range DS Series

000-432 IBM Tivoli Storage Manager V5.5 Operator

000-071 ibm eserver x series technical principle v5

000-255 test 255.dev.wibm rational appdev-web sphere software v6

000-209 SVC/Virtullization V.1

000-419 IBM InfoSphere QualityStage v8 Examination

#### **Other IBM Exams**

<u>000-232</u>	<u>000-200</u>	<u>000-010</u>	<u>000-938</u>	<u>000-904</u>	<u>000-441</u>	<u>000-873</u>	<u>000-937</u>
<u>000-855</u>	<u>000-M06</u>	<u>LOT-828</u>	<u>000-016</u>	<u>000-084</u>	<u>000-642</u>	<u>000-J02</u>	<u>000-746</u>
<u>000-285</u>	<u>000-R18</u>	<u>000-M09</u>	<u>000-432</u>				