

Exam4Test 000-287 Exams

IBM test287,enterprise appl.dev.with websphere studio v5.0



Practice Exam: 000-287

Exam Number/Code: 000-287

Exam Name: test287,enterprise appl.dev.with websphere studio v5.0

Questions and Answers: 104 Q&As

Exam Description

Order : [000-287 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-287 Exam.

Exam4Test **Practice Exams** for 000-287 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **Certified Enterprise Developer** exam and get your *Certified Enterprise Developer Certification*.

We guarantee your success in the first attempt. If you do not pass the **Certified Enterprise Developer** "000-287" (test287,enterprise appl.dev.with websphere studio v5.0 on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test Certified Enterprise Developer 000-287 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of Certified Enterprise Developer 000-287 exam provides everything which you need to pass your exam. The Certified Enterprise Developer Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "000-287 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first test287,enterprise appl.dev.with websphere studio v5.0(Certified Enterprise Developer) exam try, but also save your valuable time.

Comprehensive questions with complete details about 000-287 exam.

000-287 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real Certified Enterprise Developer exam. 000-287 exam questions updated on regular basis.

Like actual Certified Enterprise Developer Certification exams, 000-287 exam preparation is in multiple-choice questions (MCQs). Tested by many real Certified Enterprise Developer exams before publishing.

Try free Certified Enterprise Developer exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 000-287 Exam: 100% Guarantee to Pass Your 000-287 exam and get your Certified Enterprise Developer Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your Certified Enterprise Developer Certification.

Exam4Test professional provides Certified Enterprise Developer 000-287 the newest Q&A, completely covers 000-287 test original topic. With our completed Certified Enterprise Developer resources, you will minimize your Certified Enterprise Developer cost and be ready to pass your 000-287 test on Your First Try, 100% Money Back Guarantee included!

000-287 Exam Study Guide

000-287 exam is regarded as one of the most favourite [Certified Enterprise Developer Certifications](#). Many IT professionals prefer to add 000-287 exam among their credentials. Exam4Test not only caters you all the information regarding the 000-287 exam but also provides you the excellent 000-287 study guide which makes the certification exam easy for you.

Exam4Test Engine Features

Comprehensive questions and answers about 000-287 exam

000-287 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-287 exam questions updated on regular basis

Same type as the certification exams, 000-287 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-287 exam demo before you decide to buy it in Exam4Test.com

Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-287

Title : Test287,enterprise appl.dev.with websphere studio v5.0

1. Which of the following happen when an enterprise application is published to server test environments in WebSphere Studio Application Developer, V5 ?

- A. The application projects are built.
- B. The application projects are rebuilt.
- C. The server configuration is copied to the server location.
- D. An enterprise application (EAR file) is exported to the local file system.

Answer: C

2. A developer discovers that an exception being thrown from a business method on an entity bean does not cause the transaction to rollback; a rollback was expected. What would correct this problem?

- A. Ensure that the business method throws an instance of javax.jts.TransactionRolledbackException.
- B. Ensure that the business method marks the current transaction for rollback by calling the setRollbackOnly() method on the EJBContext.
- C. Call rollback() on the current UserTransaction object.
- D. Call rollback() on the EJBContext.
- E. call setRollbackOnly() on the UserTransaction object.

Answer: B

3. Examination of the logs of a production web application have revealed that some servlets, which form part of an internal testing framework, are being invoked by external users, even though the test servlets are not mapped to URL:

in the web.xml file. Which of the following would be the BEST way to fix this problem?

- A. Uncheck the "Serve servlets by classname" checkbox in the Extensions page of the Web Deployment Descriptor editor.
- B. Check the "Only serve mapped servlets" checkbox in the Servlets page of the Web Deployment Descriptor editor.
- C. Add mappings for the test servlets to the web.xml file.
- D. Remove the classnames for the test servlets from the MANIFEST.MF file for the web application.

Answer: A

4. A production web application contains many servlets, each representing one operation, which a user can perform in the application. The developer responsible for the application finds that it is hard to maintain and provides few opportunities for reuse of classes. Which of the following would be the BEST way to address these shortcomings?

- A. Replace the many servlets with a single servlet and use objects implementing the Command design pattern to manage request processing.
- B. Relocate the business logic to reside in the servlet classes, to reduce the number of classes in the application.
- C. Add a single servlet to receive requests from the user and then use a rules-based mechanism for deciding which of the many servlets to forward the request to.
- D. Move the controller logic from the servlets to the JSPs, to reduce the number of addressable resources in the application.

Answer: A

5. A developer is writing a task() method, in a session bean, which makes use of several entity beans to perform a task. The session bean must record the invocation of the task using a LogEntry entity bean. The log entry must NOT be made if the task fails. Assume that the LogEntry bean is configured with 'Supports'. In order to GUARANTEE this behavior, the task() method of the session bean should be configured as:

- A. bean-managed transaction and explicitly begin an UserTransaction before creating the LogEntry instance and performing the task logic. Finally, have the task() method commit or rollback the transaction based on the success/failure of the task.
- B. 'Supports'. Within the task() method, create the LogEntry instance and perform the task logic. Finally, have the task method() call sessionContext.setRollBackOnly() if the task logic fails.
- C. 'RequiresNew'. Within the method, create the LogEntry instance and perform the task logic. Finally, have the task() method call sessionContext.setRollBackOnly() if the task fails.
- D. 'Mandatory'. Within the method, create the LogEntry instance and perform the task logic. Finally, have the task() method call sessionContext.setRollBackOnly() if the task fails.

Answer: AC

6. A servlet, which extends HttpServlet, needs to read various initialization parameters relating to a database, such as the database name, user ID and password. The servlet contains the following code to read the database.dbname parameter:

```
String dbname = getInitParameter("database.dbname");
```

Where MUST the value of this parameter be entered?

- A. In a file called database.properties, located in the WEB-INF directory within the web module.
- B. In a file called database.dbname.properties, located in the WEB-INF directory within the web module.
- C. In the web deployment descriptor for the web module, in an init-param element within the servlet element.
- D. In the web deployment descriptor for the web module, in an env-entry element.

Answer: C

7. Part of the "page template", to be returned to the browser as a result of executing a JSP, is HTML which is update daily, e.g., a "Press Releases" section. This is BEST done using which of the following tags?

- A. `<%@ forward file="/pages/press_releases.html" %>`
- B. `<%@ include file="/pages/press_releases.html" %>`
- C. `<jsp:include page="/pages/press_releases.html" />`
- D. `<jsp:forward page="/pages/press_releases.html" />`

Answer: C

8. A servlet has saved an instance of a `com.ibm.ShoppingCart` bean to the session object. The shopping cart information has to be displayed using a JSP page. Which JSP tags would allow for accessing the bean from the JSP page?

- A. `<jsp:useBean id="cart" class="com.ibm.ShoppingCart" />`;
- B. `<jsp:useBean id="cart" scope="session" class="com.ibm.ShoppingCart" />`;
- C. `<jsp:useBean id="cart" scope="session" type="com.ibm.ShoppingCart" />`;
- D. `<jsp:useBean id="cart" scope="request" type="com.ibm.ShoppingCart" />`;

Answer: BC

9. Which of the following tasks MUST be completed before a JSP custom tag implementation class can be used in a JSP?

- A. The definition of the tag must be added to the tag library descriptor.
- B. The tag library URI must be specified in a `taglib` directive.
- C. Custom tags must be enabled in the web deployment descriptor.
- D. The mapping for the custom tag must be defined in the web deployment descriptor.
- E. The `taglib` module must be placed in the web application's `lib` directory.

Answer: AB

10. While developing an EJB for an EJB 2.0 compliant server, a developer runs into a problem. Whenever the method `ejbContext.getUserTransaction()` is called, an `IllegalStateException` is thrown. Which of the following are possible causes for this behavior?

- A. The bean is an entity bean.
- B. The bean is a session bean.
- C. A transaction has not been started.
- D. Container-managed transaction demarcation is being used.

Answer: AD

11. Refer to the exhibit to answer the question. A JSP, `productlist.jsp`, contains a link for each available product which sends information about the product to `AddItemToBasketServlet` as parameters of the HTTP POST request. During testing, the developer finds that the application behaves correctly, adding an item to the basket and returning the client to the product list to select more items. After deployment to the production environment, however, users find that the system fails to correctly record items when "shopping for several items at the same time". Which of the following is the BEST way to fix this problem?

- A. Synchronize the `addItem` method of the `Basket` class.
- B. Enable persistent sessions in the server configuration.
- C. Use URL rewriting for storage of the session ID.
- D. Synchronize the `doPost` method of `AddItemToBasketServlet`.

Answer: A

12. Given that the following JSP page directive has been defined in the JSP page, which implicit objects are available for use in JSP scriptlets and expressions?

```
(%@ page isThreadSafe="true" isErrorPage="true" errorPage="error.html" %)
```

- A. `request`
- B. `error`
- C. `page`
- D. `in`
- E. `out`

Answer: ACE

13. Refer to the exhibit to answer the question. The servlet filter, `IntegerFilter`, is used to retrieve a parameter from the HTTP request, convert it to an `Integer` object and store this object in the `HttpServletRequest` object for later use within a servlet. During stress testing the filter is found to mix up numbers obtained from different simultaneous requests. Which of the following is the BEST way to fix the problem?

- A. Make `theInteger` a local variable of the `doFilter` method.

- B. Synchronize the doFilter method of the filter class.
- C. Add SingleThreadModel to the implements clause of the class definition.
- D. Place the call to setAttribute in a synchronized block.

Answer: A

14. The following code fragment shows the creation of a session object within a servlet (request is an object of type HttpServletRequest, flag is a boolean value):

```
HttpSession session = request.getSession(flag);
```

Which of the following statements are TRUE after this line of code has been executed?

- A. If flag is true, session always contains a reference to a new HttpSession object.
- B. If flag is true and no HttpSession object currently exists for this client, session contains a reference to a new HttpSession object.
- C. If flag is false and no HttpSession object currently exists for this client, session is null.
- D. If flag is false and no HttpSession object currently exists for this client, an exception is thrown.
- E. If flag is false, a new HttpSession object cannot be created because the session manager's maximum limits have been reached.

Answer: BC

15. In order to access the com.ibm.sample.EmployeeServlet servlet, any of the following URLs can be used:

<http://www.sample.ibm.com/Emp/EmpSearch>

<http://employees.ibm.com/Emp/EmpSearch>

<http://employees.ibm.com/Emp/servlet/com.ibm.sample.EmployeeServlet>

Which statements must be TRUE based on this information?

- A. The "File serving enabled" attribute is set in the deployment descriptor of the web module.
- B. The web application context root is /Emp.
- C. The servlet path is /Emp/EmpSearch.
- D. The "Serve Servlets by classname" attribute is set in the WebSphere extension section of the web module deployment descriptor.
- E. The Virtual Host configuration contains an alias that maps to "employees.ibm.com".

Answer: BDE

16. Which of the following resources/tools are provided by WebSphere Studio Application Developer, V5 to test and deploy enterprise applications in WebSphere Application Server, V5?

- A. Server Projects
- B. Local Server
- C. Server and Server Configurations
- D. WebConsole

Answer: AC

17. A developer is writing a session bean which makes use of several entity beans to perform a task. The session bean must record the invocation of the task using a LogEntry entity bean. The log entry must be made regardless of the success of the task. What supports BEST this behavior?

- A. Provide two distinct operations on the session bean that would be invoked in sequence by the client code; one for creating the LogEntry and one for performing the task.
- B. Use 'RequiresNew' transaction attribute on the LogEntry bean to ensure that the creation of the LogEntry occurs on a separate transaction.
- C. Use 'Mandatory' transaction attribute on the LogEntry bean to ensure that the creation of the LogEntry occurs on a separate transaction.
- D. Have the task session bean invoke a createLogEntry() method on another session bean to ensure that the LogEntry is created outside the task transaction.

Answer: B

18. Customer and Address are BMP entity beans. The ejbCreate method for Customer is passed values for the properties of the Customer's address and it is necessary to ensure that an Address Entity is created as part of the

same transaction that creates the Customer. Assuming the Address requires a reference to the Customer and there are no foreign key constraints enforced by the database, the BEST way to create the Address is to:

- A. Insert the Address data into the address table in the ejbCreate method of Customer.
- B. Insert the Address data into the address table in the ejbPostCreate method of Customer.
- C. Invoke the create() method of AddressHome from the ejbCreate method of Customer.
- D. Invoke the create() method of AddressHome from the ejbPostCreate method of Customer.

Answer: D

19. Which of the following statements are TRUE with regard to setting the "Access Intent" attribute to "wsOptimisticRead" on methods of an entity EJB?

- A. The ejbStore method ALWAYS gets called whenever any EJB method is called.
- B. The ejbLoad method gets called once in a transaction whenever the EJB methods are called.
- C. The ejbStore method does NOT get called whenever the EJB method is called.
- D. The ejbStore method gets called whenever the ejbActivate method is called.

Answer: BC

20. A developer of a self-service payroll application needs to connect to the payroll database. The name of the database is different in each of the development, staging and production environments. If the developer has to make the code portable across each of the environments, what is the BEST way to implement this?

- A. Create a property file for each of the environments and define a property called "payroll_db" which maps to the physical database. For each of the environments, publish the environment specific property file. In the application code use this property to connect to the database.
- B. Declare a resource reference called "payroll_db" in the deployment descriptor. While deploying the application in WebSphere, bind the resource to a JDBC Connection factory in the target environment. In the application code use the resource reference to retrieve a connection from the factory.
- C. Define a Web Application context parameter called "payroll_db". While deploying the application in WebSphere, initialize this property with the name of the physical database in the target environment. In the application code use the Servlet API to lookup the value of the database and connect to it.
- D. Define an environment variable for the database name. Make the code choose a database name based on the environment variable.

Answer: B

[More 000-287 Information](#)

Related 000-287 Exams

[000-287](#) *test287,enterprise appl.dev.with websphere studio v5.0*

Other IBM Exams

000-921	000-296	000-316	000-389	000-M06	000-136	000-016	000-637
000-908	LOT-834	000-217	000-887	000-646	000-514	000-632	000-206
000-440	000-356	000-541	000-555				