

Exam4Test 000-734 Exams***IBM DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows***

Practice Exam: 000-734

Exam Number/Code: 000-734

Exam Name: DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows

Questions and Answers: 102 Q&As

Exam Description

Order : [000-734 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-734 Exam.

Exam4Test **Practice Exams** for 000-734 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **IBM certifications II** exam and get your **IBM certifications II Certification**.

We guarantee your success in the first attempt. If you do not pass the **IBM certifications II** "000-734" (DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test IBM certifications II 000-734 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of IBM certifications II 000-734 exam provides everything which you need to pass your exam. The IBM certifications II Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "000-734 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first DB2 9 Advanced DB Administrator for Linux,UNIX,and Windows(IBM certifications II) exam try, but also save your valuable time.

Comprehensive questions with complete details about 000-734 exam.

000-734 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real IBM certifications II exam. 000-734 exam questions updated on regular basis.

Like actual IBM certifications II Certification exams, 000-734 exam preparation is in multiple-choice questions (MCQs). Tested by many real IBM certifications II exams before publishing.

Try free IBM certifications II exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 000-734 Exam: 100% Guarantee to Pass Your 000-734 exam and get your IBM certifications II Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your IBM certifications II Certification.

Exam4Test professional provides IBM certifications II 000-734 the newest Q&A, completely covers 000-734 test

original topic. With our completed IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-734 test on Your First Try, 100% Money Back Guarantee included!

000-734 Exam Study Guide

000-734 exam is regarded as one of the most favourite [IBM certifications II Certifications](#). Many IT professionals prefer to add 000-734 exam among their credentials. Exam4Test not only caters you all the information regarding the 000-734 exam but also provides you the excellent 000-734 study guide which makes the certification exam easy for you.

Exam4Test Engine Features

Comprehensive questions and answers about 000-734 exam

000-734 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-734 exam questions updated on regular basis

Same type as the certification exams, 000-734 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-734 exam demo before you decide to buy it in Exam4Test.com

Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-734

Title : DB2 9 Advanced DB Administrator for Linux, UNIX, and Windows

1. A database administrator would like to examine repartitioning options for a partitioned database named PRODDb. A workload has been captured on the system (Windows) and is stored in a file named WORKLOAD.SQL. What is the proper command to run the Design Advisor so that it will evaluate the information stored in the file and give advice on re-partitioning?

- A. db2advis -d proddb -i workload.sql -P
- B. db2advis -d proddb -i workload.sql -partitioning
- C. db2advis -d proddb -i workload.sql -m P
- D. db2advis -d proddb -i workload.sql -m ALL

Answer: C

2. In which two environments would intra-partition parallelism be used? (Choose two.)

- A. Single database partition, single processor
- B. Single database partition, multiple processors
- C. Multiple database partitions, single processor
- D. Multiple database partitions, multiple processors

Answer: BD

3. A batch application executes a large number of update statements. The service level agreement for the application states that the application must complete its work as quickly as possible to ensure that dependent workloads can start on time. What is one way to help the application complete quickly?

- A. Code the application to issue a LOCK TABLE statement.
- B. Code the application to issue a LOCK ROW statement.

C. Decrease the number of I/O servers.

D. Increase the locklist parameter.

Answer: A

4. Which procedure will successfully configure the memory areas within a database, including buffer pools, to use the Self Tuning Memory Manager (STMM)?

A. 1) Set the SELF_TUNING_MEM database configuration parameter to ON.

2) Set the relevant configuration parameters within the database configuration file to AUTOMATIC.

3) Use the ALTER BUFFERPOOL command to change the size of all buffer pools to AUTOMATIC.

B. 1) Set the SELF_TUNING_MEM database configuration parameter to ON.

2) Use the ALTER BUFFERPOOL command to change the size of all buffer pools to AUTOMATIC.

C. 1) Set the SELF_TUNING_MEM database configuration parameter to ON.

Answer: A

5. Given a SHEAPTHRES value of 2560, in which two cases will a SHEAPTHRES_SHR value of 1024 be meaningful? (Choose two.)

A. INTRA_PARALLEL NO

B. MAX_CONNECTIONS 2000, MAX_COORDAGENTS 100

C. MAX_AGENTS 100, MAX_CONNECTIONS 2000

D. MAX_CONNECTIONS 500, MAX_COORDAGENTS 1000

E. INTRA_PARALLEL YES

Answer: BE

6. Which data organization schemes are supported?

A. PARTITION BY HASH and ORGANIZE BY

B. PARTITION BY RANGE and ORGANIZE BY KEY SEQUENCE

C. PARTITION BY HASH and ORGANIZE BY KEY SEQUENCE

D. PARTITION BY RANGE and ORGANIZE BY

Answer: D

7. Which server houses the database partitions in the AIX BCU V2.1?

A. IBM System p5 570

B. IBM System p5 575

C. IBM System p5 590

D. IBM System p5 595

Answer: B

8. Which registry variable should be set to keep the buffer pools in memory on AIX and Linux?

A. DB2_KEEP_BP

B. DB2_PINNED_BP

C. DB2MEMDISCLAIM

D. DB2MEMMAXFREE

Answer: B

9. A database administrator wants to design a multi-partition database that can take advantage of both intra-partition parallelism and inter-partition parallelism. Which configuration will allow the use of these types of parallelism while using the least number of hardware components (servers, processors)?

A. one server having at least two processors

B. two servers having one processor and one logical database partition

C. one server having four processors and two logical database partitions

D. two servers each having four processors and two logical database partitions

Answer: C

10. Table TAB1 was created using the following statement:

CREATE TABLE tab1 (c1 INT, c2 INT, c3 INT, c4 INT, c5 INT);

If column C1 is unique and queries typically access columns C1 and C2 together, which statement(s) will create index(es) that will provide optimal query performance?

- A. CREATE UNIQUE INDEX xtab1 ON tab1 (c1) INCLUDE (c2);
- B. CREATE UNIQUE INDEX xtab1 ON tab1 (c1);
CREATE INDEX xtab2 ON tab1 (c3) INCLUDE (c2);
- C. CREATE UNIQUE INDEX xtab1 ON tab1 (c2, c1);
- D. CREATE UNIQUE INDEX xtab1 ON tab1 (c2) INCLUDE (c1);

Answer: A

11. When is the connection concentrator enabled?

- A. When the value of MAX_CONNECTIONS is greater than the value of MAX_COORDAGENTS.
- B. When the value of MAX_AGENTS is greater than the value of MAX_CLIENTS.
- C. When the value of NUM_AGENTS is greater than the value of MAX_AGENTS.
- D. When the value of NUM_CONNECTIONS is greater than the value of NUM_COORDAGENTS.

Answer: A

12. Which action(s) will cause a compression dictionary to be removed from a table?

- A. Set the table COMPRESS attribute to NO.
- B. Set the table COMPRESS attribute to NO; run REORG against the table.
- C. Set the table COMPRESS attribute to NO; run INSPECTRESETDICTIONARY against the table.
- D. Set the table COMPRESS attribute to NO; run RUNSTATS against the table.

Answer: B

13. What would indicate intra-partition parallelism in an Optimizer Plan?

- A. BTQ
- B. LTQ
- C. IP
- D. DTQ

Answer: B

14. If the ADD DBPARTITIONNUM command is used to add a new database partition to an existing DB2 instance, which statement is correct?

- A. All existing databases in the instance are expanded to the new database partition but data cannot be stored on the new partition until it has been added to a partition group.
- B. Database partition groups within existing databases will automatically include the new database partition and will redistribute their existing data to the new partition.
- C. Any single partition databases within the instance will automatically become multi-partition databases once the new partition is added to the instance.
- D. A database administrator would need to modify the db2nodes.cfg file to complete the addition of the new partition to the instance.

Answer: A

15. Which statement is true about clustering indexes in a DPF environment?

- A. The partitioning key columns should be added to all indexes with the INCLUDE option.
- B. It is not possible to have a clustering index in a DPF environment.
- C. The index columns should be prefixed by the partitioning key columns.
- D. The partitioning key columns should be added immediately after the column in the index with the highest cardinality.

Answer: C

16. If the sort heap threshold parameter SHEAPTHRES_SHR is set to a value of 0, what will happen?

- A. All sorts will be done in a temporary table space.
- B. The shared sort memory allocation will be calculated by DB2.

- C. No shared memory is allocated for sorting.
- D. All sorts will be done in shared memory.

Answer: D

17. A database administrator needs to update a table named TRANSACT by removing February 2005 data and replacing it with February 2007 data. What are the proper steps, in the correct order, required to accomplish this?

- A. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table
4) SET INTEGRITY FOR transact
- B. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '01/01/2007' ENDING '02/28/2007' FROM new table
4) SET INTEGRITY FOR transact
- C. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table
4) RUNSTATS ON TABLE transact
- D. 1) ALTER TABLE transact DETACH PARTITION feb05 INTO newtable
2) LOAD FROM transact.del OF DEL REPLACE INTO newtable
3) ALTER TABLE transact ATTACH PARTITION feb07 STARTING '02/01/2007' ENDING '02/28/2007' FROM new table
4) REORG TABLE transact

Answer: A

18. Table TAB1 was created using the following statement:

```
CREATE TABLE tab1 (c1 INT, c2 INT, c3 INT, c4 INT, c5 INT);
```

If column C1 is unique and queries typically access columns C1, C2 and C3 together, which statement(s) will create index(es) that will provide optimal query performance?

- A. CREATE UNIQUE INDEX xtab1 ON tab1 (c1);
CREATE INDEX xtab2 ON tab1 (c2) INCLUDE (c3);
- B. CREATE UNIQUE INDEX xtab1 ON tab1 (c1) INCLUDE (c2, c3);
- C. CREATE UNIQUE INDEX xtab1 ON tab1 (c3, c2, c1);
- D. CREATE UNIQUE INDEX xtab1 ON tab1 (c2) INCLUDE (c1, c3);

Answer: B

19. A database administrator needs to create a table with key columns C1 (i.e. YearDay), C2, and C This table needs to be partitioned by column C1 with three months per data partition. Additionally, data needs to be organized by columns C2 and C3, so that all rows within any three month date range are clustered together based on 12 months of data. Which CREATE TABLE statement will accomplish this objective?

- A. CREATE TABLE tab1
(c1 INT,
c2 CHAR(2),
c3 INT,
c4 CHAR(2))
PARTITION BY RANGE (c2) (STARTING 200601 ENDING 200612 EVERY 3)
ORGANIZE BY DIMENSIONS (c2, c3))
- B. CREATE TABLE tab1
(c1 INT,
c2 CHAR(2),
c3 INT,
c4 CHAR(2))
PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)
ORGANIZE BY DIMENSIONS (c2, c3))
- C. CREATE TABLE tab1

(c1 INT,
c2 CHAR(2),
c3 INT,
c4 CHAR(2))
PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)
ORGANIZE BY DIMENSIONS (c2))
D. CREATE TABLE tab1
(c1 INT,
c2 CHAR(2),
c3 INT,
c4 CHAR(2))
PARTITION BY RANGE (c1) (STARTING 200601 ENDING 200612 EVERY 3)
ORGANIZE BY DIMENSIONS (c3))
Answer: B

20. When a database administrator chooses the dimensions for an MDC table, which two characteristics should be considered? (Choose two.)

- A. the query transaction rate
- B. numeric data versus character data
- C. extent size
- D. the cardinality of the candidate columns
- E. prefetch size

Answer: CD

[More 000-734 Information](#)

Related 000-734 Exams

[000-903](#) IBM Tivoli Netcool/xSM

[000-926](#) IBM Certified Deployment Professional-Maximo V6 ITSM

[000-253](#) Test253. IBM Web S.App.Svr.Network Deveoyment V6.1.Core Admn

[000-331](#) Power Systems Sales for AIX and Linux

[000-798](#) ibm tivoli monitoring for transaction perf v5.2 implement

[000-833](#) Object Oriented Analysis and Design-Part1(Analysis)

[000-351](#) ibm eserver i5 iseries single system adminsitration v5r3

[000-918](#) System Administration for IBM Informix Dynamic Server V11

[000-664](#) Test664.SOA Fundamentals

[000-021](#) IBM Tivoli Workload Scheduler V8.5 Implementation

[000-484](#) enterprise connectivity with j2ee v1.3

[000-807](#) Test 807, Web Services Dev for IBM Web Sphere App Server V6.1

[000-792](#) ibm tivoli access mgr for business integration v3.9.1 implmn

[000-647](#) Rational Performance Tester

[000-568](#) test 568,ibm host on-demand v5.0 and screen customizer v2.0

[000-635](#) rational-fundamentals of rational rose

[000-750](#) ibm certified specialist retail store solution sales

[000-806](#) IBM Test 806, IBM Web Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn

[000-971](#) System i Administrator V5.07.11

[000-284](#) Test 284, IBM Wbs. DataPower SOA Appliances, Fimware v3.6.0

Other IBM Exams

<u>000-908</u>	<u>000-514</u>	<u>000-232</u>	<u>000-972</u>	<u>000-217</u>	<u>000-274</u>	<u>000-061</u>	<u>000-112</u>
<u>000-060</u>	<u>000-101</u>	<u>000-R03</u>	<u>000-P01</u>	<u>000-M15</u>	<u>000-703</u>	<u>000-913</u>	<u>000-349</u>
<u>000-258</u>	<u>000-046</u>	<u>000-113</u>	<u>000-440</u>				