

Exam4Test 000-806 Exams

IBM IBM Test 806, IBM WebSphere Ap Svr Ntwk Deploy V6.1 Adv Admn



Practice Exam: 000-806

Exam Number/Code: 000-806

Exam Name: IBM Test 806, IBM WebSphere Ap Svr Ntwk Deploy V6.1 Adv Admn

Questions and Answers: 52 Q&As

Exam Description

Order : [000-806 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-806 Exam.

Exam4Test **Practice Exams** for 000-806 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **IBM certifications II** exam and get your **IBM certifications II Certification**.

We guarantee your success in the first attempt. If you do not pass the **IBM certifications II** "000-806" (IBM Test 806, IBM WebSphere Ap Svr Ntwk Deploy V6.1 Adv Admn) on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test IBM certifications II 000-806 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of IBM certifications II 000-806 exam provides everything which you need to pass your exam. The IBM certifications II Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "000-806 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first IBM Test 806, IBM WebSphere Ap Svr Ntwk Deploy V6.1 Adv Admn(IBM certifications II) exam try, but also save your valuable time.

Comprehensive questions with complete details about 000-806 exam.

000-806 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real IBM certifications II exam. 000-806 exam questions updated on regular basis.

Like actual IBM certifications II Certification exams, 000-806 exam preparation is in multiple-choice questions (MCQs). Tested by many real IBM certifications II exams before publishing.

Try free IBM certifications II exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 000-806 Exam: 100% Guarantee to Pass Your 000-806 exam and get your IBM certifications II Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your IBM certifications II Certification.

Exam4Test professional provides IBM certifications II 000-806 the newest Q&A, completely covers 000-806 test

original topic. With our completed IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-806 test on Your First Try, 100% Money Back Guarantee included!

000-806 Exam Study Guide

000-806 exam is regarded as one of the most favourite [IBM certifications II Certifications](#). Many IT professionals prefer to add 000-806 exam among their credentials. Exam4Test not only caters you all the information regarding the 000-806 exam but also provides you the excellent 000-806 study guide which makes the certification exam easy for you.

Exam4Test Engine Features

Comprehensive questions and answers about 000-806 exam

000-806 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-806 exam questions updated on regular basis

Same type as the certification exams, 000-806 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-806 exam demo before you decide to buy it in Exam4Test.com

Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-806

Title : IBM Test806, IBM WebSphere Ap Svr Ntwk Deploy V6.1 Adv Admn

1. Which statement is true about designing highly available infrastructures based on WebSphere Application Server ND V6.1 clusters?

A. A stand-alone server topology provides the greatest amount of process isolation and therefore is the most effective building block in combination with other stand-alone servers for building a highly resilient cluster based infrastructure.

B. A horizontal scaling topology provides the greatest opportunity to implement efficient use of single machine processing power so that should there be a failover in that environment, there will be sufficient capacity available for the remaining nodes to pick up the workload from the failed node.

C. A vertical scaling topology provides the greatest opportunity to implement efficient use of machine processing power so that should there be failover in that environment, there is sufficient capacity available for the remaining cluster members to pick up the workload from the failed cluster member.

D. A horizontal scaling topology provides the greatest amount of process isolation and therefore is the most effective building block in combination with other stand-alone servers for building a highly resilient cluster based infrastructure.

Answer: C

2. A junior administrator wants to configure a JDBC datasource for an application that will run on a cluster. The cluster members run on several different operating systems. What should a senior administrator instruct the junior administrator to do when creating the most manageable working configuration?

A. Configure a single JDBC provider at the cluster level and a datasource for each member at the server level

B. Configure a single JDBC provider at the cluster level using WebSphere variables. Configure the WebSphere variables at the node level for each cluster member then configure a single datasource at the cluster level

C. Configure a single JDBC provider at the cluster level, configure WebSphere variables at the server level for each

cluster member and configure a single datasource at the cluster level using the WebSphere variables

D. Configure a JDBC provider and a datasource at the server level for each cluster member

Answer: B

3. Where is the file-based repository that is built into WebSphere stored?

A. <WAS_HOME>profiles<profileName>configcells<cellName>bultinFileRegistry.xml

B. <WAS_HOME>profiles<profileName>configcells<cellName>fileRegistry.props

C. <WAS_HOME>profiles<profileName>configcells<cellName>fileRegistry.properties

D. <WAS_HOME>profiles<profileName>configcells<cellName>fileRegistry.xml

Answer: D

4. Refer to the exhibit.

Which security delegation method is NOT supported in WebSphere Application Server ND V6.1 under any circumstances?

A. Switch to default WebSphere internal identity credentials

B. Switch to some other specified identity's credentials

C. Switch to server1's credentials

D. Keep the client credentials

Answer: A

5. What can be configured in the Application Server Toolkit (AST) to create an enhanced EAR file?

A. Datasources, JVM arguments and shared libraries

B. Datasources, JAAS authentication and JVM arguments

C. Class loader policies, JVM arguments and JAAS authentication

D. Datasources, class loader policies and shared libraries

Answer: D

6. An administrator is creating a plan for securing communication with a WebSphere Application Server ND V6.1. The plan consists of using SSL and making client certificate authentication mandatory. Which security concerns, as they relate to communication with the application server, have not been addressed by the plan?

A. Authentication

B. Data integrity

C. Data confidentiality

D. Authorization

Answer: D

7. To improve scalability of a cluster bus member, an administrator proposes adding messaging engines to the cluster. Which valid concern cannot be resolved through configuration?

A. Multiple messaging engines starting on the same cluster member; a review of available resources on the cluster members must be conducted to determine if this can be tolerated

B. Duplicate messages may actually decrease the scalability of the application; the application developers must be consulted to determine the performance impact

C. Message order not being preserved; the application developers must be consulted to determine whether or not this will cause application errors

D. Additional load on the deployment manager as it directs messages to the partitioned destinations; a review of available resources on the deployment manager must be conducted to determine if this can be tolerated

Answer: C

8. An administrator is configuring a cluster bus destination on a cluster with five members on five different physical machines. The administrator will configure two messaging engines which may be run on any of the five cluster members. What is the simplest configuration for the messaging engines' data stores that still ensures proper fail over

A. A file-based data store in the config directory that is kept in sync on all cluster members by the deployment manager

B. A single remote database accessible by all cluster members with one schema to be shared by the messaging

engines

C. A single remote database accessible by all cluster members with two schemas

D. Two remote databases accessible by all cluster members

Answer: C

9. What is one action that must be taken to allow the administrative console application to be accessed via the Web server?

A. Change admin_host virtual host group to include Web server port 80 (default)

B. Open port 80 on the firewall

C. Stop and restart the node agent

D. Change the deployment manager master configuration file and force the updates to all nodes

Answer: A

10. A WebSphere Application Server ND V6.1 administrator has been asked to set up cache replication for an application. The application team wants to make sure it does not lose any cache data that is generated. What would make losing cache data least likely to happen?

A. Full group replication

B. Enable disk offload

C. Push only

D. Flush to disk

Answer: B

11. The lexically lowest named server in a cell, server A, is an application server that happens to be started and stopped frequently. An administrator is planning to greatly increase the number of application servers and clusters in the cell. The administrator will also be adding a large number of destinations to the default messaging provider. Which action should the administrator take to prevent any scaling problems when adding the servers and destinations?

A. Create a cluster of several application servers using server A as a template

B. Add server A to a replication domain to replicate session information

C. Configure the DefaultCoreGroup's preferred coordinator servers to prefer servers other than server A

D. Move any default messaging provider messaging engines and destinations from server A to other servers in the cell

Answer: C

12. Which statement most accurately states considerations that need to be taken when configuring a Web server farm that fronts a cluster of WebSphere application servers for the purpose of evenly distributing workload?

A. A server weight value of less than one notifies the plugin that this application server must continue to receive an equal share of the new incoming requests.

B. The number of Web servers in the configuration must be exactly identical to the maximum number of cluster members that can ever be active and receiving incoming requests at one time.

C. When all server weights have been set to an equal value in the plugin configuration file, the weighting of the round robin approach for workload load distribution is effectively turned off.

D. When the number of active Web servers in the configuration exceeds the number of application servers that are accepting incoming traffic, the excess Web servers will be placed in standby mode to conserve resources.

Answer: C

13. WebSphere administrative security is just enabled when suddenly, several of the deployed Java client applications fail with "security exceptions". Which configuration file should be investigated first?

A. sas.server.props

B. sas.client.props

C. wsjass_client.conf

D. ws-security.xml

Answer: B

14. A WebSphere Application Server ND V6.1 administrator recently added a new cluster member. When the administrator checked the status of the servers in the cluster, they noticed the cluster showing a state of partially

started. What does that mean?

- A. All cluster members are running, but the node agents have not been started.
- B. At least one of the cluster members is running.
- C. The cluster was not started by the deployment manager.
- D. The cluster was created, however the servers were never stopped then restarted cleanly.

Answer: B

15. A WebSphere Application Server ND V6.1 environment is installed and configured but no fixes are applied. The environment consists of multiple nodes, application servers as well as several Web servers. SSL is used to secure communication between the Web servers and the application servers. The "Dynamically update the run time when SSL configuration changes occur" setting is enabled. The environment functions correctly for about 10 months. Then, the Web server plugins lose the ability to communicate with the application servers.

What should the senior administrator suspect is most likely to be causing the problem.

- A. No one has registered the product and the trial license has expired after 300 days.
- B. The SSL Certificate Expiration Monitor has updated the application servers' SSL certificates, but the new certificates have not been propagated to the plugins.
- C. Due to the lack of fix applications, known bugs have caused the application servers' configuration directories to be corrupted.
- D. The plugin has not been updated with fixes to handle the change in daylight savings time and this has caused communication with the application servers to fail.

Answer: B

16. An application with EJBs is deployed on a cluster. The workload for the application has increased. To keep up with the increased workload, the administrator has added more application servers to the cluster. However, this has resulted in some cluster members being overloaded and others being idle. Which exception to the WLM routing policy might be causing this problem?

- A. Preferred servers that are set servers in the cluster's replication domain
- B. Transaction Affinity caused by the application's runtime behavior
- C. The Preferred Server Only property is enabled in the cluster's coregroup
- D. Session affinity caused by the application's runtime behavior

Answer: B

17. What is the default base entry value for the built-in, file-based repository for the federated repository?

- A. o=WIMFileBasedRealm
- B. o=defaultWIMFileBasedRealm
- C. o=defaultWIMFileBasedRepository
- D. o=defaultWIMFileBaseEntry

Answer: B

18. When enabling failover for Stateful Session Beans (SFSBs), the WebSphere EJB container will set the activation policy to activate at transaction boundary for:

- A. all EJBs in the EJB container.
- B. all Servlets, JSPs and EJBs.
- C. all stateless session beans.
- D. all SFSB.

Answer: D

19. Which list is the most accurate description of the duties and benefits provided by a WebSphere Application Server ND V6.1 Trust Association Interceptor (TAI) module?

- A. Extract the user's credential information from the request
validate user authorizations
eliminate additional user authentication calls
- B. Validate the trust of the perimeter authentication service
extract user credentials

- eliminate additional user authentication calls
- C. Extract the user's credential information from the request
validate trust relationship with perimeter authentication service
eliminate additional user authorization calls
- D. Validate the trust of the perimeter authentication service
validate user authorizations
eliminate additional user authentication calls
- Answer: B

20. Which list of activities most accurately describes the duties that must be performed by the perimeter authentication service as a part of interfacing with its corresponding Trust Association Interceptor (TAI) module in targeted WebSphere Application Servers ND V6.1?
- A. Perform user authentication, establish a trust relationship with the WebSphere application server(s) and verify user role authorization(s)
- B. Verify user role authorization(s), perform user authentication, establish a trust relationship with the WebSphere application server(s) and extract user credential information from the requests
- C. Perform user authentication, establish a trust relationship with the WebSphere application server(s) and insert user credential information into HTTP requests
- D. Verify user role authorization(s), perform user authentication and insert user credential information into HTTP requests
- Answer: C

[More 000-806 Information](#)

Related 000-806 Exams

- [000-903](#) IBM Tivoli Netcool/xSM
-
- [000-926](#) IBM Certified Deployment Professional-Maximo V6 ITSM
-
- [000-253](#) Test253. IBM Web S.App.Svr.Network Development V6.1.Core Admn
-
- [000-331](#) Power Systems Sales for AIX and Linux
-
- [000-798](#) ibm tivoli monitoring for transaction perf v5.2 implement
-
- [000-833](#) Object Oriented Analysis and Design-Part1 (Analysis)
-
- [000-351](#) ibm eserver i5 iseries single system adminsitration v5r3
-
- [000-918](#) System Administration for IBM Informix Dynamic Server V11
-
- [000-664](#) Test664.SOA Fundamentals
-
- [000-021](#) IBM Tivoli Workload Scheduler V8.5 Implementation
-
- [000-484](#) enterprise connectivity with j2ee v1.3
-
- [000-807](#) Test 807, Web Services Dev for IBM Web Sphere App Server V6.1
-
- [000-792](#) ibm tivoli access mgr for business integration v3.9.1 implmn
-
- [000-647](#) Rational Performance Tester
-
- [000-568](#) test 568,ibm host on-demand v5.0 and screen customizer v2.0
-
- [000-635](#) rational-fundamentals of rational rose
-
- [000-806](#) IBM Test 806, IBM Web Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn
-
- [000-750](#) ibm certified specialist retail store solution sales
-
- [000-971](#) System i Administrator V5.07.11
-
- [000-284](#) Test 284, IBM Wbs. DataPower SOA Appliances, Fimware v3.6.0
-

Other IBM Exams

- [000-714](#) [000-439](#) [000-102](#) [000-484](#) [000-770](#) [000-M03](#) [000-992](#) [000-730](#)

000-083 000-M24 000-134 000-387 000-M23 000-021 LOT-701 COG-400
COG-145 000-853 000-917 000-255