

Exam4Test 000-866 Exams

IBM ibm eserver iseries technical solutions design v5r3



Practice Exam: 000-866

Exam Number/Code: 000-866

Exam Name: *ibm eserver iseries technical solutions design v5r3*

Questions and Answers: 128 Q&As

Exam Description

Order : [000-866 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-866 Exam.

Exam4Test **Practice Exams** for 000-866 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **IBM certifications III** exam and get your *IBM certifications III Certification*.

We guarantee your success in the first attempt. If you do not pass the **IBM certifications III** "000-866" (ibm eserver iseries technical solutions design v5r3) on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test IBM certifications III 000-866 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of IBM certifications III 000-866 exam provides everything which you need to pass your exam. The IBM certifications III Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "000-866 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first ibm eserver iseries technical solutions design v5r3(IBM certifications III) exam try, but also save your valuable time.

Comprehensive questions with complete details about 000-866 exam.

000-866 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real IBM certifications III exam. 000-866 exam questions updated on regular basis.

Like actual IBM certifications III Certification exams, 000-866 exam preparation is in multiple-choice questions (MCQs). Tested by many real IBM certifications III exams before publishing.

Try free IBM certifications III exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 000-866 Exam: 100% Guarantee to Pass Your 000-866 exam and get your IBM certifications III Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your IBM certifications III Certification.

Exam4Test professional provides IBM certifications III 000-866 the newest Q&A, completely covers 000-866 test

original topic. With our completed IBM certifications III resources, you will minimize your IBM certifications III cost and be ready to pass your 000-866 test on Your First Try, 100% Money Back Guarantee included!

000-866 Exam Study Guide

000-866 exam is regarded as one of the most favourite [IBM certifications III Certifications](#). Many IT professionals prefer to add 000-866 exam among their credentials. Exam4Test not only caters you all the information regarding the 000-866 exam but also provides you the excellent 000-866 study guide which makes the certification exam easy for you.

Exam4Test Engine Features

Comprehensive questions and answers about 000-866 exam

000-866 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-866 exam questions updated on regular basis

Same type as the certification exams, 000-866 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-866 exam demo before you decide to buy it in Exam4Test.com

Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-866

Title : IBM Eserver Iseries Techincal Solutions Design V5R3

1. In an OS/400 Logical Partitioning (LPAR) environment with a primary partition running V5R2 on a POWER4 processor, which of the following operating system combinations are supported as secondary partitions?

- A. OS/400 V5R1, OS/400 V5R2, and Linux
- B. OS/400 V5R2, AIX, and Linux
- C. OS/400 V5R1 and OS/400 V5R2
- D. OS/400 V5R2 and Linux

Answer: D

2. A customer is building a new machine with five LPARs. Equipment will be POWER5, and the OS will be i5/OS. Three of the LPARs will have significant data transfer between them utilizing the virtual LAN. Performance of the data transfer is critical. Which of the following should be taken into consideration when designing the LPAR environment?

- A. All of the IOP/IOAs running disk storage must be on the "short" side of the Multi Adapter Bridge Boundary.
- B. The IOP/IOA combinations of the LPARs must be the same to optimize disk utilization.
- C. The HSL configuration must be all HSL-2 (RIO-G) and utilize the shortest cable possible.
- D. The amount of memory in the base pool of each of the LPARs involved in data transfer must be higher than usual.

Answer: D

3. An iSeries administrator is attempting to download PTFs via the IBM FTP server but is unable to get an Internet connection. The administrator can PING any address in the private network but cannot PING any Internet sites. Which of the following is a probable cause of the problem?

- A. A default route to an Internet gateway is not configured.
- B. The iSeries needs to have a dedicated Ethernet IOA for Internet.

- C. The iSeries Firewall is not active.
- D. The iSeries FTP server is not running.

Answer: A

4. Which of the following is a benefit of attaching an xSeries to an iSeries with the Integrated xSeries Adapter?

- A. The xSeries can share the DASD of the iSeries.
- B. The xSeries can share the system console of the iSeries.
- C. OS/400 users can access Windows applications from twinax terminals.
- D. The xSeries can share the DASD of a Linux Partition with file update capability.

Answer: A

5. A customer has installed Lotus Domino on an iSeries system. What command must be part of their backup strategy to ensure that their Lotus Domino data files are backed up?

- A. SAV
- B. SAVLIB
- C. SAVDLO
- D. SAVDTAD

Answer: A

6. A customer with a fully utilized iSeries Model 800 Value Edition (300/25 CPW) would like to implement WebSphere Portal on the iSeries. What is the minimum eServer i5 520 processor that meets the requirements?

- A. i5 520 Express Edition 500/30 CPW
- B. i5 520 Value Edition 1000/60 CPW
- C. i5 520 Enterprise Edition 2400 CPW
- D. i5 520 Standard Edition 3300 CPW

Answer: C

7. A customer has an i825 with the following features installed: ? 1 FC #2757 disk controller ? 1 FC #9793 Integrated Modem ? 1 FC #4746 Twinaxial workstation IOA ? 2 FC #2844 64MB IOPs ? 1 FC #5712 PCI-X Tape IOA ? 1 FC #4710 Integrated xSeries Server with a 10/100 Ethernet IOA Due to growth in the load on the existing xSeries server, the customer needs an additional Integrated xSeries Server. What must be added to install the second Integrated xSeries Server?

- A. FC #2844 64MB IOP
- B. FC #5034 Migration Tower
- C. FC #5094, #5095, or #0588 PCI-X Expansion Tower
- D. FC #5094, #5095, or #0588 PCI-X Expansion Tower and a #2844 64MB IOP

Answer: C

8. A hospital is planning to migrate all of its applications to an iSeries. There is a strict requirement for system availability 24 hours a day, 7 days a week, including holidays. Which of the following solutions should be recommended?

- A. Two iSeries systems with ObjectConnect/400
- B. One iSeries system with mirrored disk storage
- C. Two iSeries systems and a third-party high availability software solution
- D. Two iSeries systems and DataPropagator Relational Capture and Apply for iSeries

Answer: C

9. A customer running V5R3 needs to have weekly access to a 250GB database history file on their iSeries. Which of the following would provide an economical method for storing this data?

- A. Disk Mirroring
- B. Object Connect
- C. Disk compression with 35.16GB drives
- D. RAID-5 with a FC 2757 RAID controller and 70.56GB drives

Answer: D

10. Which of the following allows the iSeries to continue operating even with a failed disk?

- A. Cross Site mirroring
- B. RAID-5
- C. Compression
- D. Single level storage

Answer: B

11. A customer currently has a non-IBM rack and wants to use it for their new eServer i5 520. What needs to be done prior to installation?

- A. Contact the local IBM CE to get approval to use.
- B. Validate that it is a industry standard rack.
- C. Document it is a standard relay rack.
- D. Verify it is a standard open frame rack.

Answer: A

12. What is the maximum number of OS/400 and/or Linux partitions that can be configured on a single processor of an i810?

- A. 4
- B. 10
- C. 16
- D. 32

Answer: B

13. A customer is installing a new LAN and wants to use TCP/IP. They intend to connect to the Internet at some time in the future. Why would they want to use Class A addresses in the range of 10.0.0.0 to 10.255.255.255 for the internal network?

- A. Class A addresses in this range can be routed to the Internet.
- B. IP addresses in this range are not used as a host IP address on the Internet.
- C. The governing body for IP addressing (InterNIC) requires internal networks use this address range.
- D. It is easier to set up IP addresses in this range and provides a wide range of options for future expansion.

Answer: B

14. Which no-charge function of OS/400 provides iSeries file and printer sharing through Windows Network Neighborhood?

- A. Net.Data
- B. NetServer
- C. iSeries Navigator
- D. Integrated File System

Answer: B

15. A customer is evaluating a new eServer i5 520 and plans to implement Logical Partitioning (LPAR). The customer will have three logical partitions, two i5/OS partitions, and one Linux partition. What is the minimum number of processors the system must have to support this configuration?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: A

16. A company's policy requires the following for its Internet connection: ? Protection against SYN floods ? Protection against address spoofing ? No inbound traffic on any port not specifically opened ? Translation of private addresses used internally to public addresses Which of the following will best meet the requirements?

- A. Remote access server

- B. Proxy server
 - C. Router
 - D. Firewall
- Answer: D

17. A business partner is developing a proposal to upgrade a customer's installed i825. The business partner is unable to access the customer's PM/400e data on the Web. What is the most likely reason for this problem?

- A. The business partner is not at the Premier level.
- B. The business partner does not have the latest software or service pack required to query the online database.
- C. The database record may be in use, and the business partner needs to try again later.
- D. The customer has not authorized the business partner to view the data.

Answer: D

18. A customer with a Model 830 and a FC #5079 1.8M I/O Expansion tower attached plans to migrate to a new eServer i5 520. The #5079 has 8.58GB 10K RPM and 17.54GB 10K RPM disk units. The customer is unsure whether they should migrate the #5079 to the new 520. What are the configuration considerations for optimum I/O performance?

- A. HSL-2, PCI-X adapters, 15K RPM disk units
- B. Cross Site Mirroring, HMC, SPD attachment
- C. Virtualization, LPAR, hot swappable disk units
- D. RAID-5 IOP redundancy, POWER5, rack mountable

Answer: A

19. A customer has an i820 running V5R2, processor feature #2435 (600 CPW) with interactive feature #1522 (70 CPW). Currently, 50 CPW interactive and 540 batch CPW are being used. A Webfaced application is being added that uses 120 CPW. What changes are needed to meet the new requirements?

- A. Upgrade to i5/OS V5R3.
- B. Upgrade the processor to feature #2436 (1100 CPW).
- C. Upgrade the existing processor interactive feature to #1524 (240 CPW).
- D. Install the Webfacing V5R1 PRPQ to eliminate the interactive component of Webfacing.

Answer: B

20. A customer has a Model 720 with thirty-five 8.58GB disk drives with RAID protection running heavy OLTP. The Business Partner proposed an upgrade to an i810. What should be recommended as the best performing disk configuration?

- A. Add four 70.56GB drives RAID-protected
- B. Use the 810's single load source drive and attach the 720 as a migration tower
- C. Add a 7116 Expansion unit and use twelve 35.16GB drives
- D. Order one new 2757 PCI-X RAID controller and migrate all the old 8.58GB to a 5094 Expansion Tower

Answer: C

[More 000-866 Information](#)

Related 000-866 Exams

[000-100](#) ENTERPRISE TECHNICAL SUPPORT FOR AIX AND LINUX

[000-330](#) Power Systems Technical Support for AIX and Linux

[000-418](#) IBM Web sphere Datastage V.8.0

[000-101](#) Virtualization Technical Support for AIX and Linux

[000-136](#) Rational Application Developer v7

[000-R18](#) IBM SurePOS ACE V5 Technical Professional

[000-433](#) IBM Tivoli Storage Manager V5.5 Implementation

COG-480 IBM Cognos 8 Planning Professional

000-210 IBM Storage Networking Solutions,Version 4

000-019 IBM Tivoli Network Manager IP Edition V3.8 Implementation

000-314 IBM WebSphere Message Broker V6.1. System Administration

000-960 IBM Storage Sales Exam

COG-300 IBM Cognos TM1 Analyst

000-M15 IBM Rational Quality Mgt Technical Sales Mastery Test v1

000-114 Storage Implementation Entry/Mid Range DS Series

000-432 IBM Tivoli Storage Manager V5.5 Operator

000-071 ibm eserver x series technical principle v5

000-255 test 255.dev.wibm rational appdev-web sphere software v6

000-209 SVC/Virtullization V.1

000-419 IBM InfoSphere QualityStage v8 Examination

Other IBM Exams

<u>000-258</u>	<u>000-792</u>	<u>COG-125</u>	<u>000-973</u>	<u>000-716</u>	<u>000-637</u>	<u>000-399</u>	<u>COG-105</u>
<u>000-921</u>	<u>000-071</u>	<u>000-M20</u>	<u>000-150</u>	<u>005-002</u>	<u>000-077</u>	<u>000-M30</u>	<u>000-911</u>
<u>000-715</u>	<u>000-631</u>	<u>000-906</u>	<u>000-541</u>				