

Exam4Test 000-918 Exams

IBM System Administration for IBM Informix Dynamic Server V11



Practice Exam: 000-918

Exam Number/Code: 000-918

Exam Name: System Administration for IBM Informix Dynamic Server V11

Questions and Answers: 282 Q&As

Exam Description

Order : [000-918 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-918 Exam.

Exam4Test **Practice Exams** for 000-918 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **IBM certifications II** exam and get your **IBM certifications II Certification**.

We guarantee your success in the first attempt. If you do not pass the **IBM certifications II** "000-918" (System Administration for IBM Informix Dynamic Server V11 on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test IBM certifications II 000-918 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of IBM certifications II 000-918 exam provides everything which you need to pass your exam. The IBM certifications II Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "000-918 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first System Administration for IBM Informix Dynamic Server V11(IBM certifications II) exam try but also save your valuable time.

Comprehensive questions with complete details about 000-918 exam.

000-918 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real IBM certifications II exam. 000-918 exam questions updated on regular basis.

Like actual IBM certifications II Certification exams, 000-918 exam preparation is in multiple-choice questions (MCQs). Tested by many real IBM certifications II exams before publishing.

Try free IBM certifications II exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 000-918 Exam: 100% Guarantee to Pass Your 000-918 exam and get your IBM certifications II Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your IBM certifications II Certification.

Exam4Test professional provides IBM certifications II 000-918 the newest Q&A, completely covers 000-918 test

original topic. With our completed IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-918 test on Your First Try, 100% Money Back Guarantee included!

000-918 Exam Study Guide

000-918 exam is regarded as one of the most favourite [IBM certifications II Certifications](#). Many IT professionals prefer to add 000-918 exam among their credentials. Exam4Test not only caters you all the information regarding the 000-918 exam but also provides you the excellent 000-918 study guide which makes the certification exam easy for you.

Exam4Test Engine Features

Comprehensive questions and answers about 000-918 exam

000-918 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-918 exam questions updated on regular basis

Same type as the certification exams, 000-918 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-918 exam demo before you decide to buy it in Exam4Test.com

Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-918

Title : System Administration for IBM Informix Dynamic Server V11

1. Which command would be used to monitor disk activity per chunk?

- A. onstat -g iog
- B. onstat -d
- C. onstat -g iof
- D. onstat -F

Answer: C

2. A user wants to save SQL explain output to the file: /tmp/myexplain.out. Which syntax should be used?

- A. set explain on file to /tmp/myexplain.out
- B. set explain on file /tmp/myexplain.out
- C. set explain file /tmp/myexplain.out
- D. set explain file to /tmp/myexplain.out

Answer: D

3. Which two parameters influence the total size of the resident portion of shared memory? (Choose two.)

- A. RESIDENT
- B. BUFFERS
- C. LOCKS
- D. SHMBASE
- E. PHYSBUFF

Answer: CE

4. Click the Exhibit button.

exhibit Missing

In the exhibit, how does an IDS database administrator or programmer ensure that only committed data will be seen and that no locking errors will occur?

- A. Change user 1 isolation level to dirty read.
- B. Change user 2 isolation level to dirty read.
- C. Change user 1 isolation level to committed read last committed.
- D. Change user 2 isolation level to committed read last committed.

Answer: D

5. You detected excessive memory usage that might be caused by a memory leak in the application. Which two commands would be useful in this scenario? (Choose two.)

- A. onstat -u
- B. onstat -g sql -r 120
- C. onstat -g ses -r 60
- D. onstat -g mgm
- E. onstat -g mem

Answer: CE

6. Both standard and temporary dbspaces are listed in the DBSPACETEMP configuration parameter or environment variable. Which rule applies?

- A. Sort, backup, implicit, and non-logging explicit temporary tables are created in temporary dbspaces if adequate space exists.
- B. Backup, implicit, and non-logging explicit temporary tables are created in temporary dbspaces if adequate space exists. Sort temporary tables are specified by the PSORT_DBTEMP environment variable.
- C. Sort, backup, implicit, and non-logging explicit temporary tables are created in all available dbspaces if adequate space exists.
- D. Explicit temporary tables created without the WITH NO LOG option are created in the root dbspace.

Answer: A

7. Given the following message log information:

15:56:29 Physical Recovery Started at Page (1:1210).

15:56:29 Physical Recovery Complete: 147 Pages Examined, 10 Pages Restored.

15:56:29 Logical Recovery Started.

15:56:29 10 recovery worker threads will be started.

15:56:32 Logical Recovery has reached the transaction cleanup phase.

15:56:32 Logical Recovery Complete.

5 Committed, 2 Rolled Back, 0 Open, 0 Bad Locks

What would be the reason for the difference in 'Pages Examined' and 'Pages Restored' during physical recovery?

- A. The database server might physically log a page image multiple times between checkpoints.
- B. The physical recovery restores only the first logged page image.
- C. It is an expected behavior.
- D. The physical log size is too large.

Answer: A

8. You are receiving an error when trying to drop a chunk that you think is empty. Which command will show you if any object is still allocating part of the chunk?

- A. oncheck -pe
- B. onstat -d
- C. oncheck -cD
- D. oncheck -cc

Answer: A

9. What will the setting "SQLTRACE level=LOW,ntraces=2000,size=2,mode=global" within the Informix onconfig file

record?

- A. statement statistics, statement text, and list of table names
- B. statement text, host variables, and statement iterators
- C. statement statistics, statement text, and statement iterators
- D. statement text, statement iterators, and database name

Answer: C

10. An IDS server has its LRU_MIN_DIRTY set to 1 and its LRU_MAX_DIRTY set to 2. Occasionally the checkpoint blocks user transactions from doing updates to the database for too long. How should the database administrator correct this situation?

- A. Set onconfig parameter AUTO_CKPT to 1 and follow any advice in online.log.
- B. Increase the number of page cleaners (i.e. flushers).
- C. Increase the buffer pool size.
- D. Set the onconfig parameter RTO_SERVER_RESTART to "on".

Answer: A

11. Which type of backup and restore (BAR) utility would be suited for restoring a single table from a level 0 backup to a specific point in time?

- A. onbar
- B. ontape
- C. archecker
- D. onarchive

Answer: C

12. When determining the physical log size, what should you consider?

- A. RTO_SERVER_RESTART configuration parameter
- B. DYNAMIC_LOGS configuration parameter
- C. PHYSBUFF configuration parameter
- D. LOGFILES configuration parameter

Answer: A

13. An Informix database server has been configured with the following parameters:

BAR_MAX_BACKUP 5
BAR_NB_XPORT_COUNT 4
BAR_XFER_BUF_SIZE 10

How many data buffers will be created during an onbar parallel backup attempt?

- A. 50
- B. 20
- C. 40
- D. 25

Answer: B

14. Which memory area is used for log records for smart objects?

- A. virtual portion of shared memory
- B. logical log buffers
- C. /tmp
- D. DBSPACETEMP

Answer: B

15. A database administrator uses the following onconfig parameters:

TAPEDEV = /foo/resdev

How will this affect ontape backup?

- A. ontape will use the directory /foo/resdev if it exists for storage space backup.
- B. ontape will use the definitions for TAPEBLK from the file /foo/resdev.

- C. ontape will write an informational message to the file /foo/resdev.
- D. ontape will use the definitions for TAPESIZE from the file /foo/resdev.

Answer: A

16. Click the Exhibit button.

Given the sqexplain output in the exhibit, which SQL statement will make the est_rows column accurate?

exhibit Missing

- A. update statistics high for table
- B. update statistics high for systables
- C. update statistics high for table orders
- D. update statistics high for table customer

Answer: A

17. Which two protocols are used on a Linux platform for IPC connections? (Choose two.)

- A. fast fiber
- B. shared memory
- C. stream pipe
- D. named pipe
- E. local loopback

Answer: BC

18. Which two statements are true for an hierarchical routing topology when setting up SQLHOSTS server group? (Choose two.)

- A. Root and nonroot servers only need to maintain their leaf node server groups.
- B. Root and nonroot servers must each maintain all server groups within the enterprise.
- C. Enterprise Replication will transmit exactly the SQLHOSTS information, there is no need to maintain them.
- D. Each leaf server must have SQLHOSTS information only for itself and its parent.
- E. SQLHOSTS entries for nodes that do not directly connect are not required.

Answer: BD

19. Given the following 'onstat -g arc' information:

IBM Informix Dynamic Server Version 11.10.FC1 -- On-Line -- Up 45:18:13 -- 38912 Kbytes

num DBSpace Q Size Q Len Buffer partnum size scanner

Dbspaces - Archive Status

name number level date log log-position

rootdbs 1 0 02/11/2007.22:01 43 0x5338c

1 02/14/2007.22:01 66 0x1b2e8

2 02/16/2007.22:01 75 0x1d2e8

db1 2 0 02/14/2007.22:01 43 0x5338c

1 02/14/2007.22:01 66 0x1b2e8

2 02/16/2007.22:01 75 0x1d2e8

On February 16, 2007, at 1:00 PM, a chunk in dbspace bs1 encountered hardware failure.

Which method will restore all of the data, to the point of failure, to a replacement disk drive?

- A. a level 0 and 2 restore followed by a logical log restore
- B. a level 0 and 1 restore only
- C. a level 0 and 1 restore followed by a logical log restore
- D. a level 0, 1, and 2 restore followed by a logical log restore

Answer: C

20. The table called "state" has lock mode set to row within an unbuffered logged database. The onconfig file has USELASTCOMMITTED 'COMMITTED READ' set. One user session has run the following:

```
begin work;
```

```
select * from state where code = "AK";
```

```
update state set sname = "ALASKA" where code = "AK";
```

The results from the SQL select statement run by user one was:

AK Alaska

Session two runs the following (session one is still connected):

set isolation to dirty read;

select * from state where code = "AK";

What will session two see when they run the above SQL statements?

- A. AK and Alaska
- B. AK and ALASKA
- C. Error code 244 and isam 107.
- D. The session waits until user one is finished processing.

Answer: B

[More 000-918 Information](#)

Related 000-918 Exams

[000-903](#) IBM Tivoli Netcool/xSM

[000-926](#) IBM Certified Deployment Professional-Maximo V6 ITSM

[000-253](#) Test253. IBM Web S.App.Svr.Network Development V6.1.Core Admn

[000-331](#) Power Systems Sales for AIX and Linux

[000-798](#) ibm tivoli monitoring for transaction perf v5.2 implement

[000-833](#) Object Oriented Analysis and Design-Part1(Analysis)

[000-351](#) ibm eserver i5 iseries single system adminsitration v5r3

[000-918](#) System Administration for IBM Informix Dynamic Server V11

[000-664](#) Test664.SOA Fundamentals

[000-021](#) IBM Tivoli Workload Scheduler V8.5 Implementation

[000-484](#) enterprise connectivity with j2ee v1.3

[000-807](#) Test 807, Web Services Dev for IBM Web Sphere App Server V6.1

[000-792](#) ibm tivoli access mgr for business integration v3.9.1 implmn

[000-647](#) Rational Performance Tester

[000-568](#) test 568,ibm host on-demand v5.0 and screen customizer v2.0

[000-635](#) rational-fundamentals of rational rose

[000-806](#) IBM Test 806, IBM Web Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn

[000-971](#) System i Administrator V5.07.11

[000-750](#) ibm certified specialist retail store solution sales

[000-705](#) business intelligence solutions v8.1

Other IBM Exams

[000-442](#)

[000-286](#)

[000-299](#)

[COG-310](#)

[000-385](#)

[000-117](#)

[000-257](#)

[000-142](#)

[000-568](#)

[LOT-980](#)

[000-962](#)

[000-964](#)

[000-330](#)

[000-217](#)

[000-528](#)

[000-m25](#)

[000-112](#)

[LOT-828](#)

[000-961](#)

[000-314](#)