


## **Exam4Test 000-927 Exams**

### **IBM IBM Tivoli Netcool/Proviso V4.4.1 Administration**



**Practice Exam:** 000-927

**Exam Number/Code:** 000-927

**Exam Name:** IBM Tivoli Netcool/Proviso V4.4.1 Administration

**Questions and Answers:** 106 Q&As

#### **Exam Description**

**Order :** [000-927 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-927 Exam.

Exam4Test **Practice Exams** for 000-927 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **IBM certifications I** exam and get your **IBM certifications I Certification**.

We guarantee your success in the first attempt. If you do not pass the **IBM certifications I "000-927"** (IBM Tivoli Netcool/Proviso V4.4.1 Administration on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test IBM certifications I 000-927 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of IBM certifications I 000-927 exam provides everything which you need to pass your exam. The IBM certifications I Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "000-927 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first IBM Tivoli Netcool/Proviso V4.4.1 Administration( IBM certifications I ) exam try, but also save your valuable time.

Comprehensive questions with complete details about 000-927 exam.

000-927 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real IBM certifications I exam. 000-927 exam questions updated on regular basis.

Like actual IBM certifications I Certification exams, 000-927 exam preparation is in multiple-choice questions (MCQs) Tested by many real IBM certifications I exams before publishing.

Try free IBM certifications I exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 000-927 Exam: 100% Guarantee to Pass Your 000-927 exam and get your IBM certifications I Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your IBM certifications I Certification.

Exam4Test professional provides IBM certifications I 000-927 the newest Q&A, completely covers 000-927 test

original topic. With our completed IBM certifications I resources, you will minimize your IBM certifications I cost and be ready to pass your 000-927 test on Your First Try, 100% Money Back Guarantee included!

## **000-927 Exam Study Guide**

000-927 exam is regarded as one of the most favourite [IBM certifications I Certifications](#). Many IT professionals prefer to add 000-927 exam among their credentials. Exam4Test not only caters you all the information regarding the 000-927 exam but also provides you the excellent 000-927 study guide which makes the certification exam easy for you.

## **Exam4Test Engine Features**

Comprehensive questions and answers about 000-927 exam

000-927 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-927 exam questions updated on regular basis

Same type as the certification exams, 000-927 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-927 exam demo before you decide to buy it in Exam4Test.com

## **Exam4Test Help You Pass Any IT Exam**

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-927

Title : IBM Tivoli Netcool/Proviso V4.4.1 Administration

1. Click the Exhibit button.

What is the number of total actual metric responses coming back as a result of the SNMP queries in the last hour?

A. 2765

B. 3054

C. 3272

D. 61477

Answer: C

2. Click the Exhibit button.

What is Generic~Agent in the exhibit?

A. An element property

B. A subelement family

C. A subelement property

D. An element family name

Answer: D

3. There have been a few issues when running the network discovery during the inventory process. The collector is running properly, but the discovery portion seems to stop before finishing properly. What would be the next step to diagnose the problem?

A. Restart the SNMP collector.

B. Check the TracelInventory.log file for messages.

C. Use the dccmd tool to check the status of the DataChannel.

D. Check the proviso.log for messages pertaining to the service DISC.

Answer: D

4. You have been asked to produce a report that will immediately highlight as critical any device whose utilization exceeds 75%. Which of the following parameter sets is most appropriate?

A. The threshold mode should be over, the warning level and critical level should be set to 75, and the warning time and the critical time should be set to 0.

B. The threshold mode should be under, the warning level and critical level should be set to 75, and the warning time and the critical time should be set to 0.

C. The threshold mode should be over, the warning level should be left blank and critical level should be set to 75, the warning time should be left blank, and the critical time should be set to 0.

D. The threshold mode should be under, the warning level should be left blank and critical level should be set to 75, the warning time should be left blank, and the critical time should be set to 0.

Answer: C

5. Click the Exhibit button.

Proviso has just been installed by user pvuser with group pvgroup. The administrator had created UNIX users with the following command:

```
useradd -g staff -m -d /export/home/user1 -k /etc/skel -s /bin/ksh user1
```

```
useradd -g staff -m -d /export/home/user2 -k /etc/skel -s /bin/ksh user2
```

```
useradd -g pvgroup -m -d /export/home/user3 -k /etc/skel -s /bin/ksh user3
```

The permissions were assigned through the DataMart GUI in the exhibit.

What additional steps should be carried out so that user1, user2, and user3 can have complete access to the DataMart GUI - Users Configuration?

A. Assign user2 to group1.

B. Change UNIX group of user1 and user2 to pvgroup, and assign user2 to group1.

C. Create a new group group2 with read and write permission to DataMart GUI - Users Configuration, and assign user1, user2, and user3 to group2.

D. Assuming ~/datamart is the datamart directory, change the ~/datamart/bin/userconf file permission to be executable by others through the UNIX command:

```
chmod o+x ~/datamart/bin/userconf
```

Answer: B

6. Which of the following sequences is the default operational processing logic of Proviso DataChannel components with no error conditions?

A. The File Transfer Engine, Complex Metric Engine, Loader, and Daily Loader all pick up the files every minute.

B. The File Transfer Engine picks up the files produced by the DataLoad Server every minute; the Complex Metric Engine and Loader, every hour; and the Daily Loader, once a day.

C. The File Transfer Engine and Complex Metric Engine pick up the files produced by the DataLoad Server every minute; the Loader, once an hour; and the Daily Loader, once a day.

D. The File Transfer Engine picks up the the files produced by the DataLoad Server every minute, while the Complex Metric Engine, Loader, and Daily Loader pick up the files once an hour.

Answer: C

7. Part of a formula is:

```
Dim I1 AS Integer Default * NAME Interface
```

You want to test the formula using the Formula Editor GUI and you want to test only instances 2 through 4. What would you enter in the instance field?

A. I1<1,2,3>

B. Interface<1-3>

C. Interface<2-4>

D. You cannot specify multiple instances.

Answer: C

8. What is the default behavior for a new SilverStream user that you have just created?
- A. No reporting group is assigned by default.
  - B. The top group for the current project is assigned.
  - C. The NOC Reporting group is assigned by default.
  - D. The user is assigned the same reporting group as other users within the same SilverStream group.

Answer: A

9. Which three DataView reports support the use of subelement properties? (Choose three.)

- A. Ratio Chart
- B. Detail Chart
- C. Group Summary Table
- D. Resource Planning Table
- E. Resource Summary Table
- F. DataView Analysis Report

Answer: BDE

10. An issue has been identified with a Complex Metric Engine (CME) formula that is causing the CME to fail. The CME has several days of outstanding data to process. The offending formula has been corrected, but the CME is still failing. What should be done?

- A. Deactivate the collection request for this formula.
- B. Restart the CME to force it to resynchronize with the database.
- C. Delete any files in the CME state directory and restart the CME.
- D. Apply the corrected formula to the historical version of the formula using resmgr and the frmH entity.

Answer: D

11. There are two DataChannels installed on one machine.

The configuration is:

DataChannel 1 is collecting from two SNMP DataLoads.

DataChannel 2 is collecting from two bulk collectors and one UBA collector.

If the command findvisual is run, how many visual processes should be running, excluding the administrative processes?

- A. five FTE, five CME, two LDR, two DLDR
- B. five FTE, five CME, five LDR, five DLDR
- C. one UBA, two BCOL, five FTE, five CME, two LDR, two DLDR
- D. one UBA, two BCOL, two SNMP, five FTE, five CME, two LDR, two DLDR

Answer: C

12. What is dbMgr purgePartitions used for?

- A. Delete unwanted Proviso metadata partitions older than a certain number of days.
- B. Delete unwanted Proviso metric data partitions older than a certain number of days.
- C. Delete only NRAW Proviso metric data partitions older than a certain number of days.
- D. Delete unwanted Proviso metadata and metric data partitions older than a certain number of days.

Answer: B

13. Which resmgr object type can be used to obtain all of the metric IDs used in a report?

- A. app
- B. agp
- C. appS
- D. LinkGroupAPP

Answer: A

14. You have just installed Proviso, and you are in the process of creating a DataView user. Assuming the SilverStream database instance name is PV, which steps create a DataView user?

- A. On the DataMart server, run `cd ~/datamart/bin`, and then run `./smc`.

- B. Download smc from the SilverStream server, and run the smc.exe command from a Windows workstation.
- C. On the DataMart server, run `cd ~/datamart/bin`, and then run `./SilverJRunner hostname:8080 PV DVUserEditor`.
- D. Download the SilverJRunner client from the SilverStream server, and run the `SilverJRunner.exe hostname:8080 PV DVUserEditor` command from a Windows workstation.

Answer: D

15. Given a Proviso solution with multiple DataChannel hosts, where would the proviso.log file be produced?

- A. A single log file would be produced by the DataMart host.
- B. A separate log file would be produced by each DataChannel host.
- C. A single log file would be produced by the Channel Manager host.
- D. All log messages are sent to the syslog daemon, which produces a single log file.

Answer: C

16. You have been asked to produce a report that will highlight any device whose availability is less than 100% for more than 1 hour (cumulative) in a single day. Which of the following parameter sets is the most appropriate for the associated period threshold?

- A. The threshold mode should be over, the warning level and critical level should be set to 100, and the warning time and critical time should be set to 1h.
- B. The threshold mode should be under, the warning level and critical level should be set to 100, and the warning time and critical time should be set to 1h.
- C. The threshold mode should be over, the warning level and time should be left blank, the critical level should be set to 100, and the critical time should be set to 1h.
- D. The threshold mode should be under, the warning level and time should be left blank, the critical level should be set to 100, and the critical time should be set to 1h.

Answer: D

17. When a discovery formula is tested, which part of the result line must be unique?

- A. label
- B. dbIndex
- C. invariant
- D. properties

Answer: C

18. On a UBA-based bulk collector, which Proviso applications should be running?

- A. AMGR, UBA
- B. AMGR, UBA, FTE
- C. UBA, FTE, CMGR
- D. CMGR, AMGR, UBA, FTE

Answer: A

19. What is the name of the SilverStream log file?

- A. Silver.log
- B. catalina.out
- C. agserver.log
- D. SilverServerConsole.log

Answer: D

20. ProvisoInfo Browser provides a Database Status tab. What would you expect to see within the tab if the database status is critical?

- A. "The database status is Critical" message
- B. A list of all the table spaces within Proviso
- C. A list of all the files that need extending because of critical status
- D. A list of all the table spaces that have critical utilization within Proviso

Answer: D

**Related 000-927 Exams**

|                |   |
|----------------|---|
| <u>000-223</u> | <i>IBM System p Administrator</i>   |
| <u>000-377</u> | <i>Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration</i> |
| <u>000-974</u> | <i>Power Systems Technical Support for i</i>  |
| <u>000-417</u> | <i>IBM Web Sphere Information Analyzer v8.0</i>   |
| <u>000-913</u> | <i>informix 4gl development</i>   |
| <u>000-015</u> | <i>IBM Maximo Asset Management V7.1 Implementation</i>  |
| <u>000-316</u> | <i>IBM Web Sphere Integration Developer V6.1</i>  |
| <u>000-665</u> | <i>Architecture design of soa solution</i>  |
| <u>000-872</u> | <i>ibm tivoli storage manager v5.2 implementation</i>   |
| <u>000-667</u> | <i>IBM Test 667, Architectural Design of SOA Solutions</i>  |
| <u>000-908</u> | <i>Tivoli Monitoring V6.2 Implementation</i>  |
| <u>000-286</u> | <i>test286, application development wweb sphere studio, v5.0</i>                                    |
| <u>000-111</u> | <i>IBMDistributed Systems Storage Solutions Version 7</i>   |
| <u>000-669</u> | <i>SOA Fundamentals (2008)</i>  |
| <u>000-431</u> | <i>IBM Tivoli Storage Manager V5.5 Administration</i>   |
| <u>000-995</u> | <i>IBM Web Sphere Process Server V6.1. System Administration</i>                                    |
| <u>000-011</u> | <i>IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation</i>                                   |
| <u>000-992</u> | <i>Test992, IBM Web Sphere MQ V6.0. System Administration</i>                                       |
| <u>000-017</u> | <i>Foundations of Tivoli process automation engine V7.1</i>   |
| <u>000-973</u> | <i>Power Systems Sales for the IBM I Operating System</i>   |

**Other IBM Exams**

|                |                |                |                |                |                |                |                |
|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| <u>LOT-755</u> | <u>COG-105</u> | <u>000-060</u> | <u>000-868</u> | <u>LOT-803</u> | <u>000-136</u> | <u>000-701</u> | <u>000-630</u> |
| <u>COG-142</u> | <u>000-884</u> | <u>000-M07</u> | <u>LOT-841</u> | <u>000-887</u> | <u>000-355</u> | <u>000-898</u> | <u>000-872</u> |
| <u>000-730</u> | <u>000-215</u> | <u>000-911</u> | <u>000-933</u> |                |                |                |                |