

**Exam** : **[IBM 000-935](#)**

**Title** : **IBM Tivoli Workload  
Scheduler for z/OS V8.3  
Administrationv**

**Version** : **Demo**

1. How does TWSz use the JES2 exit 7? (Choose three.)

- A. to create an IJ1 event when a job is submitted to the JES2 internal reader
- B. to create a type A5 event record when a job completes JES2 purge processing
- C. to create a type A3P event record when a job completes JES2 output processing
- D. to create a type A1 event record when a job completes JES2 conversion processing
- E. to create an SYY event record when a dataset defined as a dataset trigger is created.
- F. to create a type A4 event record when a JES2 JOE (Job Output Element) completes PRINT processing

**Answer:** BCD

2. Which statement is true about TWSz E2E jobs having predecessors on the mainframe or using special resources?

- A. All predecessors of FTA operations must be on non-reporting workstations to avoid loss of fault tolerance.
- B. This results in a loss of Fault Tolerance, because the FTA must be in communication with the mainframe to resolve these dependencies.
- C. This is not possible because once the plan is sent to the FTA from the mainframe there is no further communication between them until a new plan is sent.
- D. Special resources can be used for E2E jobs only if they represent a file defined in the home directory of the FTA on which the job is scheduled.

**Answer:** B

3. The job created by the APAR tape function (dialog option 9.9) can have which type of files as its output?

- A. tape files only, since the IBM APAR process requires tapes.
- B. any tape or disk file with the exception of zip and tar files.
- C. files smaller than 10 megabytes, otherwise they cannot be transmitted.
- D. any tape or disk files as long as all the necessary TWS files are copied

**Answer:** D

4. Which panel row command allows the user to bypass all prompts when performing a Job Level restart?

- A. RC.1
- B. FJR
- C. SJR
- D. FSR

**Answer:** B

5. In which library is the source code and JCL for compiling the TWSz JES and SMF jobtracking exits found?

- A. SEQQSAMP library
- B. SEQQTBL0 library
- C. SEQQMISC library
- D. SEQQDATA library

**Answer:** A

6. What are the four valid Restart and Cleanup (RCL) types?

- A. None, Manual, Immediate, and Automatic
- B. None, Deferred, Immediate, and Automatic
- C. None, Manual, Immediate, and Deferred
- D. None, Manual, Immediate, and Yes

**Answer:** A

7. Which external dependencies are resolved when an LTP Modify for a single application (EQQLTMOO) is run?

- A. No external dependencies are resolved.
- B. All external dependencies are resolved regardless of the application.
- C. Only those external dependencies for the specific application chosen are resolved.
- D. Only those external dependencies outside of the current planning period are resolved.

**Answer:** A

8. What is the period definition required to schedule an occurrence to run every 10 work days?

- A. a cyclic period with PERIOD TYPE A and an INTERVAL of 10
- B. a cyclic period with PERIOD TYPE W and an INTERVAL of 10
- C. a non-cyclic period with PERIOD TYPE A and an INTERVAL of 10
- D. a non-cyclic period with PERIOD TYPE W and an INTERVAL of 10

**Answer: B**

9. A job which executed before the CP EXTEND job failed to track correctly. Which statement is true about how EQQAUDIT should be set up to determine the cause of the tracking problem?

- A. EQQAUDIT must be run with SYSIN option JTX.
- B. EQQAUDIT must be run with the TRL (tracklog) SYSIN option.
- C. EQQAUDIT may be run with the JTX option as long as the "start time" coded is before the time that the CP EXTEND job was run.
- D. Since CP EXTEND has executed, option 10.1 (interactive Audit/Debug cannot be used so option 10.2 (AUDIT BATCH) must be used instead.

**Answer: B**

10. What are two special considerations when backing up the EQQADDS? (Choose two.)

- A. The EQQADDS is heavily LSR buffered, so it cannot be backed up while the TWSz controller is running.
- B. The EQQADDS is a SPANNED VSAM KSDS dataset, and cannot be backed up to a sequential dataset (such as tape) via REPRO.
- C. The EQQADDS must be maintained in synchronization with the LTP and CP. A backup should be taken any time significant changes are made to any TWSz applications.
- D. The TWSz controller automatically backs up the EQQADDS to the EQQADBKP dataset whenever the CP is backed up. Therefore, it is not necessary to ever do an EXTERNAL (outside of TWSZ controller processing) of this dataset.
- E. The EQQADDS includes both the APPLICATION DESCRIPTION records and the JCL VARIABLE TABLES. If any date-related variables are defined, the dataset must be backed up every morning at one minute after midnight.

**Answer: BC**