

## **Exam4Test 000-972 Exams**

### ***IBM ILE RPG Programmer***



**Practice Exam:** 000-972

**Exam Number/Code:** 000-972

**Exam Name:** ILE RPG Programmer

**Questions and Answers:** 70 Q&As

### ***Exam Description***

**Order :** [000-972 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-972 Exam.

Exam4Test **Practice Exams** for 000-972 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **IBM certifications I** exam and get your **IBM certifications I Certification**.

We guarantee your success in the first attempt. If you do not pass the **IBM certifications I** "000-972" (ILE RPG Programmer) on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test IBM certifications I 000-972 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of IBM certifications I 000-972 exam provides everything which you need to pass your exam. The IBM certifications I Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "000-972 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first ILE RPG Programmer( IBM certifications I ) exam try, but also save your valuable time.

Comprehensive questions with complete details about 000-972 exam.

000-972 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real IBM certifications I exam. 000-972 exam questions updated on regular basis.

Like actual IBM certifications I Certification exams, 000-972 exam preparation is in multiple-choice questions (MCQs); Tested by many real IBM certifications I exams before publishing.

Try free IBM certifications I exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 000-972 Exam: 100% Guarantee to Pass Your 000-972 exam and get your IBM certifications I Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your IBM certifications I Certification.

Exam4Test professional provides IBM certifications I 000-972 the newest Q&A, completely covers 000-972 test original topic. With our completed IBM certifications I resources, you will minimize your IBM certifications I cost and

be ready to pass your 000-972 test on Your First Try, 100% Money Back Guarantee included!

## **000-972 Exam Study Guide**

000-972 exam is regarded as one of the most favourite [IBM certifications / Certifications](#). Many IT professionals prefer to add 000-972 exam among their credentials. Exam4Test not only caters you all the information regarding the 000-972 exam but also provides you the excellent 000-972 study guide which makes the certification exam easy for you.

## **Exam4Test Engine Features**

Comprehensive questions and answers about 000-972 exam

000-972 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-972 exam questions updated on regular basis

Same type as the certification exams, 000-972 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-972 exam demo before you decide to buy it in Exam4Test.com

## **Exam4Test Help You Pass Any IT Exam**

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-972

Title : ILE RPG Programmer

1. Given the following code sample:

```
DName+++++++ETDsFrom+++To/L+++IDc.Keywords+++++++
d CustPrice pr 9 3
d Company 3 0 const
d Item 20
d Contract 10 options(*omit)
d Quantity 7 0 options(*nopass)
d MyPrice s 9 3
d MyCompany s 3 0
d MyItem s 20
d MyContract s 10
d MyQty s 7 0
```

Which of the following is a valid expression?

- A. MyPrice = CustPrice(1 : MyItem : \*omit);
- B. MyPrice = CustPrice(1 : MyItem : : MyQty);
- C. MyPrice = CustPrice(MyCompany : MyItem : \*omit : \*nopass);
- D. MyPrice = CustPrice(MyCompany : MyItem : MyContract : \*omit);

Answer: A

2. A service program comprised of 6 modules has a custom signature. A new procedure with the EXPORT keyword has been added to one of the module sources. This procedure is not yet referenced by any programs. Which of the following is the correct sequence of tasks required?

- A. Recompile \*MODULE, modify binder source, update \*SRVPGM

- B. Recompile \*MODULE, modify binder source, update \*SRVPGM, recreate dependent programs
- C. Modify binder source, update \*SRVPGM, recompile \*MODULE, recreate \*PGM objects bound to the \*SRVPGM
- D. Recompile \*MODULE, update \*SRVPGM, modify binder source, recreate \*PGM objects bound to the \*SRVPGM

Answer: A

3. Given the following code sample:

```
d NotLate PR ExtPgm('LARRY')
d RqDta 32767a
d RqLen 10i 0
d RqTyp 10i 0
```

Which of the following is the correct code to call the program Larry?

- A. call NotLate(RequestData : RequestLength : RequestType);
- B. callb NotLate(RequestData : RequestLength : RequestType);
- C. callp NotLate(RequestData : RequestLength : RequestType);
- D. C CALL 'NOTLATE'
- C PARM RequestData
- C PARM RequestLength
- C PARM RequestType

Answer: C

4. What is the purpose for the following reserved words?

```
XML_START_ELEMENT
XML_COMMENT
XML_CHARS
XML_END_ELEMENT
```

- A. Aids in parsing XML using the DOM (Document Object Model).
- B. Indicates the type of data entity to create during XML generation.
- C. Aids in interpreting the event parameter in an event handling procedure.
- D. Indicates to the parser which events your handler should be notified of.

Answer: C

5. Given the following code sample:

```
DName+++++++ETDsFrom+++To/L+++IDc.Keywords+++++++
d StartString s 50a inz('Fred, Barney, Wilma, Betty,')
d EndString s like(StartString)
d pos s 3i 0 inz
/free
dou pos >= 3;
pos += 1;
pos = %Scan(',', StartString : pos);
enddo;
pos += 1;
EndString = %replace(' Dino,' : StartString : pos : 0);
```

Upon completion, what is the value of EndString?

- A. Fred, Dino,
- B. Dino, Barney, Wilma, Betty,
- C. Fred, Barney, Wilma, Betty,
- D. Fred, Dino, Barney, Wilma, Betty,

Answer: D

6. Which of the following SQL statements, when used by itself in an RPG program, can take the place of a File Specification, a key and a CHAIN?

- A. FETCH
- B. SELECT INTO

- C. DECLARE CURSOR
- D. PREPARE STATEMENT

Answer: B

7. Given the following code sample:

```
DName+++++++ETDsFrom+++To/L+++IDc.Keywords+++++++  
D ElementsAllocateDS...  
D S 10i 0
```

Which of the following best describes ElementsAllocateDS?

- A. A syntax error
- B. A long field name
- C. A data structure
- D. A qualified field name

Answer: B

8. Given the following code sample:

```
D amount s 3 0 inz(900)  
/free  
monitor;  
amount += 100;  
on-error *program;  
amount = *hival;  
on-error *all;  
amount = *hival;  
monitor;  
amount -= 100;  
on-error *program;  
amount = 0;  
on-error *all;  
amount = 100;  
endmon;  
endmon;
```

What is the value of AMOUNT upon completion?

- A. 0
- B. 999
- C. 100
- D. 899

Answer: B

9. Given the following H-spec:

```
h datedit(*mdy)
```

Which of the following conditions tests whether a job started prior to midnight and is still running after midnight?

- A. if udate < %date();
- B. if \*date < %date();
- C. if %date(udate:\*mdy) < %date();
- D. if %date(\*date:\*mdy) < %date();

Answer: C

10. The documentation for a system API lists the following parameters:

Move Spooled File (QSPMOVSP) API

Required Parameter Group:

- 1 Function information Input Char(\*)
- 2 Length of function information Input Binary(4)
- 3 Function information format name Input Char(8)

4 Error code I/O Char(\*)

Which is a valid prototype for the call of this API?

A. d QSPMOVSP pr extpgm('QSPMOVSP')

d FuncInfo 200

d InfoLeng 4b 0

d FormatName 8

d ErrorCode 80

B. d QSPMOVSP pr

d FuncInfo 200

d InfoLeng 10i 0

d FormatName 8

d ErrorCode 80

C. d MoveSPLF pr extproc('QSPMOVSP')

d FuncInfo 200

d InfoLeng 4b 0 const

d FormatName 8 const

d ErrorCode 80

D. d MoveSPLF pr extpgm('QSPMOVSP')

d FuncInfo 200

d InfoLeng 10i 0

d FormatName 8

d ErrorCode 80

Answer: D

11. File CUSMS contains a field named CMCSNO. Which of the following file specification keywords will allow the program to recognize this field as CUSTCSNO?

A. PREFIX(CUST)

B. PREFIX(CUST:2)

C. RENAME(CM:CUST)

D. RENAME(CMCSNO:CUSTCSNO)

Answer: B

12. Given the following code sample, what value is displayed?

```
D MyDS DS
```

```
D FieldA 5A Inz('XXXXX')
```

```
/free
```

```
FieldA = 'VWXYZ';
```

```
Reset FieldA;
```

```
Dsply ('FieldA=' + FieldA);
```

```
*INLR = *On;
```

```
BegSR *InzSR;
```

```
FieldA = 'ABCDE';
```

```
EndSR;
```

A. FieldA=

B. FieldA=VWXYZ

C. FieldA=ABCDE

D. FieldA=XXXXX

Answer: C

13. Which of the following operation codes is supported in both fixed form and /Free form?

A. CALL

B. EVALR

C. ALLOC

D. EXTRCT

Answer: B

14. A trigger program has been designed to run whenever file CUSTMAST is modified. A decimal data error is encountered when trying to reference a numeric field in the old record image of CUSTMAST. The buffer contained hexadecimal '40404040'. Which of the following was found to have caused the error?

- A. The trigger program was fired by a \*DELETE event.
- B. The trigger program was fired by an \*INSERT event.
- C. The trigger program was added as a \*BEFORE trigger.
- D. The trigger program was compiled without ALWNULL(\*YES).

Answer: B

15. Which of the following is an advantage gained by using a prototype and CALLP for a program call in place of CALL and PARM operations?

- A. Ability to qualify the name of the program being called
- B. Ability to have the compiler validate the parameters being passed
- C. Ability to use a variable to contain the name of the program to be called
- D. Ability to statically bind a program object to its caller for better performance

Answer: B

[More 000-972 Information](#)

#### Related 000-972 Exams

[000-223](#) IBM System p Administrator

[000-377](#) Test 000-377, IBM WebSphere Application Server Network Deployment V7.0, Core Administration

[000-974](#) Power Systems Technical Support for i

[000-417](#) IBM WebSphere Information Analyzer v8.0

[000-913](#) informix 4gl development

[000-015](#) IBM Maximo Asset Management V7.1 Implementation

[000-316](#) IBM WebSphere Integration Developer V6.1

[000-665](#) Architecture design of soa solution

[000-872](#) ibm tivoli storage manager v5.2 implementation

[000-667](#) IBM Test 667, Architectural Design of SOA Solutions

[000-908](#) Tivoli Monitoring V6.2 Implementation

[000-286](#) test286,application development wweb sphere studio,v5.0

[000-111](#) IBM Distributed Systems Storage Solutions Version 7

[000-669](#) SOA Fundamentals (2008)

[000-431](#) IBM Tivoli Storage Manager V5.5 Administration

[000-995](#) IBM WebSphere Process Server V6.1.System Administration

[000-011](#) IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

[000-992](#) Test992,IBM WebSphere MQ V6.0. System Administration

[000-017](#) Foundations of Tivoli process automation engine V7.1

[000-973](#) Power Systems Sales for the IBM I Operating System

#### Other IBM Exams

[000-639](#)      [000-864](#)      [000-664](#)      [000-750](#)      [000-356](#)      [000-389](#)      [000-190](#)      [COG-400](#)

[000-228](#)      [000-877](#)      [000-630](#)      [000-960](#)      [LOT-980](#)      [000-771](#)      [000-921](#)      [000-773](#)

[000-299](#)      [000-512](#)      [COG-135](#)      [000-410](#)