

Exam4Test 000-995 Exams

IBM IBM WebSphere Process Server V6.1.System Administration



Practice Exam: 000-995

Exam Number/Code: 000-995

Exam Name: IBM WebSphere Process Server V6.1.System Administration

Questions and Answers: 105 Q&As

Exam Description

Order : [000-995 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-995 Exam.

Exam4Test **Practice Exams** for 000-995 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **IBM certifications I** exam and get your **IBM certifications I Certification**.

We guarantee your success in the first attempt. If you do not pass the **IBM certifications I "000-995"** (IBM WebSphere Process Server V6.1.System Administration on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test IBM certifications I 000-995 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of IBM certifications I 000-995 exam provides everything which you need to pass your exam. The IBM certifications I Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "000-995 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first IBM WebSphere Process Server V6.1.System Administration(IBM certifications I) exam try but also save your valuable time.

Comprehensive questions with complete details about 000-995 exam.

000-995 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real IBM certifications I exam. 000-995 exam questions updated on regular basis.

Like actual IBM certifications I Certification exams, 000-995 exam preparation is in multiple-choice questions (MCQs) Tested by many real IBM certifications I exams before publishing.

Try free IBM certifications I exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 000-995 Exam: 100% Guarantee to Pass Your 000-995 exam and get your IBM certifications I Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your IBM certifications I Certification.

Exam4Test professional provides IBM certifications I 000-995 the newest Q&A, completely covers 000-995 test

original topic. With our completed IBM certifications I resources, you will minimize your IBM certifications I cost and be ready to pass your 000-995 test on Your First Try, 100% Money Back Guarantee included!

000-995 Exam Study Guide

000-995 exam is regarded as one of the most favourite [IBM certifications I Certifications](#). Many IT professionals prefer to add 000-995 exam among their credentials. Exam4Test not only caters you all the information regarding the 000-995 exam but also provides you the excellent 000-995 study guide which makes the certification exam easy for you.

Exam4Test Engine Features

Comprehensive questions and answers about 000-995 exam

000-995 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-995 exam questions updated on regular basis

Same type as the certification exams, 000-995 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-995 exam demo before you decide to buy it in Exam4Test.com

Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-995

Title : IBM WebSphere Process Server V6.1.System Administration

1. A company is in the process of migrating a cluster from WebSphere Process Server V0.2 to V1. Before all of the V0.2 cluster members have been migrated, an administrator attempts to deploy a BPEL application to this mixed cluster, but the deployment fails. What is causing the failure and which action should the administrator take?

- A. Some of the WebSphere Process Server cluster members were not started. Ensure all cluster members are started.
- B. The Business Process Container on all cluster members was not started. Start all Business Process Containers first.
- C. BPEL applications cannot be deployed to a mixed version WebSphere Process Server cluster. Migrate the V6.0.2 cluster members first.
- D. The administrator did not authenticate as a user with the necessary authority. Log in as a user in the Administrator role and re-install the application.

Answer: C

2. An administrator sees the following message in the process server's SystemOut.log:

```
"java.lang.ClassCastException: com.ibm.ws.bo.bomodel.impl. DynamicBusinessObjectImpl incompatible with Java.util.Collection"
```

The administrator decides to enable server tracing to gather more detailed diagnostic data about the error message. How should the administrator enable server tracing?

- A. Specify the trace string BOCore=all.
- B. Specify the trace string com.ibm.bpe.*=finest.
- C. Use the Log Analyzer to identify which components to trace.
- D. Set the trace string as described in the IBM Support document for Business Objects.

Answer: D

3. An administrator is troubleshooting a failed event. After reading information about the event on the Failed Event Details page, the administrator examines the server's SystemOut.log and finds several error messages that seem to be related to the event. Which action should the administrator take next to gather more specific diagnostic information?

- A. Restart the server from the command line using the-trace option.
- B. Use the Failed Event Manager to resubmit the failed event with trace.
- C. Use the Failed Event Manager to resubmit the event and examine the server's SystemErr.log.
- D. Use the Business Process Choreographer Explorer to configure trace control and resubmit the event.

Answer: B

4. The installation of a business integration application using the Integrated Solutions Console failed. The administrator has saved the changes to the master configuration after a problem was reported. Before the application can be re-deployed, which step has to be performed?

- A. The application must be renamed to avoid a naming conflict during the next deployment phase.
- B. The server must be re-cycled, during the stop phase the transaction log file must be cleaned.
- C. Application relating SIB destinations and J2C activation specifications must be deleted manually.
- D. The master configuration of the server must be restored, followed by a restart of the environment.

Answer: C

5. Which application checks that a WebSphere Process Server installation has completed successfully?

- A. First Steps Console
- B. Profile Management Tool
- C. IBM Installation Manager
- D. Installation Verification Tool

Answer: D

6. An administrator finished installing WebSphere Process Server V6.1 and is preparing to configure the Business Process Choreographer container. The Business Process Choreographer container will be configured via the bpeconfig.jacl script. The database the administrator wants to use is already in use by the company for mission critical processes and confidential company information. The database administrator is ready to configure the database for the Business Process Choreographer container to use, however they are very concerned about giving Business Process Choreographer the authority to create tables in the database.

Which action should the WebSphere Process Server administrator take to ensure that the tables are created correctly?

- A. In the Business Process Choreographer Containers datasource configuration, ensure that the Create Tables option has been selected.
- B. Send the sibDDLGenerator to the database administrator to allow the generation of the createSchema.sql script to create the tables.
- C. When running the bpeconfig.jacl, set the -createDB option to no and following completion, supply the database administrator with the generated createSchema.sql script to create the tables.
- D. When running the bpeconfig.jacl, set the -createDB option to no and following completion, use the sibDDLGenerator to generate the createSchema.sql script to supply to the database administrator.

Answer: C

7. A system administrator has enabled Audit Logging and Common Event Infrastructure (CEI) Logging for both the Business Flow Manager (BFM) and the Human Task Manager (HTM). During the execution of a business process and a human task, the administrator observes the following exceptions:

CEMEM0003E: The specified emitter factory was not found in JNDI

CWWBE0013E: An error occurred during the event handling of 'processStarted' in the observer plug-in type 'com.ibm.bpe.events.sop.StateObserver2PluginImpr.

com. ibm.bpe.events.sop. exceptions. StateObserverPluginRuntimeException:

CWWBP0011E: An exception occurred while obtaining an event factory.

Which action should the system administrator take to resolve this problem?

- A. Restart the event factory.
- B. Verify CEI is installed and properly configured.
- C. Disable audit logging and enable only CEI logging for the server.
- D. Restart the Business Process Choreographer and human task containers.

Answer: B

8. A company has developed several applications containing mediation flows that utilize the message logger mediation primitive to track request and response messages flowing through their business processes. Which database will contain the messages generated by the mediation flow?

- A. Common Database (WPRCSDB)
- B. Messaging Engine Database (MEDB)
- C. Service Integration Bus Database (SIDB)
- D. Business Process Choreographer Database (BPEDB)

Answer: A

9. A company wants to create a clustered topology for a set of applications that use BPEL processes. The deployment manager has already been successfully created. The next task is to create the profile for the first node for the cluster. The administrator runs the Profile Management Tool to begin the process. After the Welcome screen, the Environment Selection panel is displayed with options.

Which option should the administrator select?

- A. Custom Profile
- B. Application server
- C. Deployment manager
- D. WebSphere Process Server
- E. WebSphere Enterprise Service Bus (WESB)
- F. Cell (deployment manager and a federated application server)

Answer: D

10. A company has deployed a business process. A system administrator wants to view the events that are generated for the application using the Common Base Event Browser. However, when the developer created the application, event generation was not enabled. Which action should the system administrator take to dynamically enable Common Event Infrastructure (CEI) events for the application?

- A. Enable the diagnostic trace service.
- B. Change the log level details to Entry and Exit.
- C. Change the WBILocationMonitor.CEI trace setting to Fine.
- D. Update the .mon file that was deployed with the application for event generation.

Answer: C

11. A company is installing WebSphere Process Server V6.1 and wants to have both WebSphere Process Server V6.1 servers and WebSphere Application Server V6.1 servers on the same machine. They have licenses and installation disks for both products. They also want to reduce the number of steps and resources required.

Which procedure accomplishes these goals?

- A. Use both WebSphere Application Server and WebSphere Process Server installers to create two installations in separate locations. The respective profiles will be created from each installation.
- B. Use the WebSphere Process Server installer from the WebSphere Process Server disks. This will install a complete version of WebSphere Application Server. Both types of profiles can be created from the resulting installation.
- C. Use the WebSphere Application Server installer first provided on the WebSphere Process Server disks. Use the WebSphere Process Server installer to add WebSphere Process Server functionality to the installation. Both types of profiles can be created from the resulting installation.
- D. Use the WebSphere Application Server installer first from the WebSphere Application Server disks. Use the WebSphere Process Server installer to add WebSphere Process Server functionality to the installation. Both types of profiles can be created from the resulting installation.

Answer: B

12. An error occurred while installing a business application using the Integrated Solutions Console. What is the recommended next step to address the problem?

- A. Stop the server and delete the wstemp directory, then re-deploy the application.
- B. Discard the changes on the master configuration and review the SystemOut.log file.
- C. Re-package the application using the serviceDeploy tool followed by a re-installation.
- D. Install the application on another set of servers to verify if this is a common issue.

Answer: B

13. While trying to use the Business Process Choreographer Explorer, a system administrator receives the following error: CWWBU0001E: "A communication error occurred when the BFMConnection function was called" Which action should the administrator take to solve this problem?

- A. Restart the server.
- B. Verify the administrative security settings.
- C. Verify the business process container is running.
- D. Launch a new Business Process Choreographer Explorer window.

Answer: C

14. A company has an existing WebSphere Interchange Server V4.2.2 system. They are considering using WebSphere Process Server V6.1 to replace WebSphere Interchange Server. Which statement describes the migration path from WebSphere Interchange Server to WebSphere Process Server?

- A. WebSphere Interchange Server V4.2.2 applications cannot be migrated to WebSphere Process Server V6.1.
- B. The WebSphere Process Server installation wizard will detect WebSphere Interchange Server and give the option to upgrade.
- C. The WebSphere Interchange Server artifacts are run through wizards to convert them to WebSphere Process Server artifacts.
- D. Use the WebSphere Interchange Server provided tooling to export the application as EAR files that can run on WebSphere Process Server.

Answer: C

15. Which tool is used to install an interim fix to the WebSphere Process Server?

- A. Update Installer
- B. IBM Support Assistant (ISA)
- C. IBM Installation Manager
- D. Launchpad and Installation wizard
- E. The install executable provided with the fix

Answer: A

[More 000-995 Information](#)

Related 000-995 Exams

[000-223](#) *IBM System p Administrator*

[000-377](#) *Test 000-377, IBM WebSphere Application Server Network Deployment V7.0, Core Administration*

[000-974](#) *Power Systems Technical Support for i*

[000-417](#) *IBM WebSphere Information Analyzer v8.0*

[000-913](#) *informix 4gl development*

[000-015](#) *IBM Maximo Asset Management V7.1 Implementation*

[000-316](#) *IBM WebSphere Integration Developer V6.1*

[000-665](#) *Architecture design of soa solution*

[000-872](#) *ibm tivoli storage manager v5.2 implementation*

<u>000-667</u>	<i>IBM Test 667, Architectural Design of SOA Solutions</i>
<u>000-908</u>	<i>Tivoli Monitoring V6.2 Implementation</i>
<u>000-286</u>	<i>test286, application development wweb sphere studio, v5.0</i>
<u>000-111</u>	<i>IBM Distributed Systems Storage Solutions Version 7</i>
<u>000-669</u>	<i>SOA Fundamentals (2008)</i>
<u>000-431</u>	<i>IBM Tivoli Storage Manager V5.5 Administration</i>
<u>000-995</u>	<i>IBM Web Sphere Process Server V6.1. System Administration</i>
<u>000-011</u>	<i>IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation</i>
<u>000-992</u>	<i>Test992, IBM Web Sphere MQ V6.0. System Administration</i>
<u>000-017</u>	<i>Foundations of Tivoli process automation engine V7.1</i>
<u>000-973</u>	<i>Power Systems Sales for the IBM I Operating System</i>

Other IBM Exams

<u>000-076</u>	<u>000-083</u>	<u>000-019</u>	<u>000-928</u>	<u>000-901</u>	<u>000-371</u>	<u>000-041</u>	<u>000-638</u>
<u>000-232</u>	<u>000-446</u>	<u>000-M01</u>	<u>000-808</u>	<u>000-444</u>	<u>000-m13</u>	<u>000-664</u>	<u>000-M08</u>
<u>000-314</u>	<u>000-M10</u>	<u>LOT-849</u>	<u>000-704</u>				