

Exam4Test 000-997 Exams

IBM Test997 WebSphere Message Broker V6.0, Solution Development



Practice Exam: 000-997

Exam Number/Code: 000-997

Exam Name: Test997 WebSphere Message Broker V6.0, Solution Development

Questions and Answers: 102 Q&As

Exam Description

Order : [000-997 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-997 Exam.

Exam4Test **Practice Exams** for 000-997 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **IBM certifications II** exam and get your **IBM certifications II Certification**.

We guarantee your success in the first attempt. If you do not pass the **IBM certifications II** "000-997" (Test997 WebSphere Message Broker V6.0, Solution Development) on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test IBM certifications II 000-997 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of IBM certifications II 000-997 exam provides everything which you need to pass your exam. The IBM certifications II Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "000-997 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first Test997 WebSphere Message Broker V6.0, Solution Development(IBM certifications II) exam try, but also save your valuable time.

Comprehensive questions with complete details about 000-997 exam.

000-997 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real IBM certifications II exam. 000-997 exam questions updated on regular basis.

Like actual IBM certifications II Certification exams, 000-997 exam preparation is in multiple-choice questions (MCQs). Tested by many real IBM certifications II exams before publishing.

Try free IBM certifications II exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 000-997 Exam: 100% Guarantee to Pass Your 000-997 exam and get your IBM certifications II Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your IBM certifications II Certification.

Exam4Test professional provides IBM certifications II 000-997 the newest Q&A, completely covers 000-997 test

original topic. With our completed IBM certifications II resources, you will minimize your IBM certifications II cost and be ready to pass your 000-997 test on Your First Try, 100% Money Back Guarantee included!

000-997 Exam Study Guide

000-997 exam is regarded as one of the most favourite [IBM certifications II Certifications](#). Many IT professionals prefer to add 000-997 exam among their credentials. Exam4Test not only caters you all the information regarding the 000-997 exam but also provides you the excellent 000-997 study guide which makes the certification exam easy for you.

Exam4Test Engine Features

Comprehensive questions and answers about 000-997 exam

000-997 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-997 exam questions updated on regular basis

Same type as the certification exams, 000-997 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-997 exam demo before you decide to buy it in Exam4Test.com

Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : IBM 000-997

Title : Test997 WebSphere Message Broker V6.0, Solution Development

1. A developer is familiar with using XPath. The developer must implement a flow that transforms a message from a Cobol copybook format into a SOAP message. Which two of the following nodes can the developer use to perform the transformation using XPath?

- A.ESQL Compute Node
- B.JavaCompute Node
- C.Mapping Node
- D.XMLTransformation Node
- E.XPath Node

Answer: BC

2. Combining which two of the following Publish/Subscribe topologies runs the risk of receiving duplicated subscription messages?

- A.Separate Broker and WebSphere MQ networks
- B.Cloned Brokers
- C.Broker Collectives
- D.Multicast Brokers
- E.Topic Ring

Answer: BC

3. Refer to Exhibit 2L04.jpg to answer question

A flow starts with an MQInput node that uses the XML parser. The message is recorded on a database using a DataInsert node. It then uses ESQL in a Filter node to test whether the message is High Priority using an appropriate

message field. The message is then routed to queues HIGH or LOW using two MQOutput nodes connected to the True and False terminals respectively. All transaction modes are set to Automatic. No Failure or Catch terminals are wired up. If an XML message is passed in without a High Priority field present, which of the following will happen?

- A. The database will be updated and the message will end up in the HIGH Queue.
- B. The database update will be rolled back and the message will end up on the Backout Queue.
- C. The database update will be rolled back and the message will block the Input Queue.
- D. The database will be updated and the message will be lost.

Answer: D

4. An organization intends to scale their WebSphere Message Broker infrastructure by adding additional blade servers. Each new blade server will run a new Message Broker instance. The queue managers that the brokers run or will belong to a single WebSphere MQ cluster. The same set of message flows will be deployed to every broker instance. Messages will be load balanced across the brokers using WebSphere MQ clustering algorithms. Which of the following statements should a flow designer remember when specifying message flows to run in such an environment?

- A. Messages sent into the flows may not arrive in the sequence in which they were sent by the originating application and may be processed by different brokers.
- B. The brokers must all share a single database, therefore each must have its own database schema.
- C. Large segmented messages will automatically be merged by the MQ cluster, so no action is required by the developer.
- D. A broker opens output queues using the MQOO_BIND_ON_OPEN option, so each broker will always send its output messages to the same instance of the cluster queue.

Answer: A

5. Which of the following is a communication pattern defined by the SOAP specification?

- A. Request response call
- B. Remote procedure call
- C. Request call
- D. Response call

Answer: B

6. An element in a message definition intended as output from a flow is a fixed length decimal type with CWF physical properties. The receiving application expects leading zeros to be included in the message. Which of the following properties would be used to accomplish this?

- A. Leading Skip Count
- B. Padding Character
- C. Byte Alignment
- D. Default Value

Answer: B

7. WebSphere Message Broker receives data over the WebSphere MQ Real-time transport, and routes it out to a backend system via HTTP. Which of the following features of an Enterprise Service Bus (ESB) does this scenario demonstrate?

- A. Assured delivery of transactions
- B. Support for multiple operating systems
- C. Support for multiple connectivity protocols
- D. Data enrichment and transformation

Answer: C

8. Which two of the following functions are provided by an Enterprise Service Bus (ESB)?

- A. The ability to abstract data from protocol and transport.
- B. The framework to build applications using web service.
- C. Enhanced support to integrate disparate applications.
- D. A platform to host J2EE applications.

E. A flow application that contains business logic.

Answer: AC

9. A developer has abstracted some common behavior of several JavaCompute Nodes into a utility class. The best way to package this class for use is in a jar file that is:

- A. placed in the jplugin directory of the Broker runtime.
- B. placed in the shared-classes directory in the Broker workpath.
- C. placed in the common-classes directory in the Broker workpath.
- D. copied into each BAR file that has a JavaCompute node that uses this class.

Answer: B

10. A message flow receives messages from a COBOL application, transforms them to XML and delivers them to multiple consumers. Participating external consumers are spread across different messaging platforms, change frequently and are selective about which messages they choose to receive. Based on this information, which of the following is the most appropriate transport node to use to send messages from the flow?

- A. JMSOutput
- B. MQOutput
- C. MQeOutput
- D. SCADAOutput

Answer: A

11. Which feature of WebSphere Message Broker enables it to distribute messages to interested service consumers within a Service Oriented Architecture?

- A. Data transformation
- B. Timeout processing nodes
- C. Publish/subscribe messaging
- D. Message parsing

Answer: C

12. A developer wants to insert content from the input message tree into a storage area in the Environment message tree. Which two of the following transformation mechanisms can be used to accomplish this?

- A. ESQL
- B. XSL Transformation
- C. Graphical Mapping
- D. Java
- E. JMSTMQTransform node

Answer: AD

13. A message flow has been written which uses the MQGet node to retrieve a message from a queue. The message retrieved from the queue is an XML message. If the retrieval is successful, the body of the retrieved message should be placed at OutputRoot.XML.ReceivedMessage. The original Properties, Body and MQMD of the message passed to the Input terminal of the MQGet node must also be copied to OutputRoot. The property "resultDataLocation" has been set to 'ResultRoot.XML' and the property "outputDataLocation" has been set to 'OutputRoot.XML.ReceivedMessage'. What else must be done on the MQGet node's properties?

- A. "Generate Mode" must be set to 'None' and "Copy Message" must be set to 'copyEntireMessage'
- B. "Generate Mode" must be set to 'Message and LocalEnvironment' and "Copy Message" must be set to 'copyHeaders'
- C. "Generate Mode" must be set to 'Message and LocalEnvironment' and "Copy Local Environment" must be set to 'copyEntireLocalEnvironment'
- D. "Generate Mode" must be set to 'Message' and "Copy Message" must be set to 'copyEntireMessage'

Answer: D

14. Which of the following statements is true about submap procedures?

- A. A submap procedure can be called from an ESQL module.

- B.A submap procedure cannot call ESQL routines.
- C.A submap procedure can be specified in a Compute node's 'ESQL Module' property.
- D.A submap procedure can only be called from a map.

Answer: A

15. A message flow is being designed to route customer orders received over the Internet. Initially, it is thought the volume of messages will be low. However, the designer of the flow wishes to ensure that multiple instances of the flow can run concurrently in the future. Which two of the following statements must be taken into consideration to allow multiple concurrent instances of the flow?

- A.Each message received at the flow's input queue must be independent of all other messages.
- B.If a shared variable is used as a counter, the BEGIN ATOMIC statement must also be used when reading and updating the shared variable.
- C.The Aggregate nodes cannot be used when multiple instances of a flow are planned.
- D.If the "Order Mode" property of the MQInput node is set to "By UserId", this guarantees that ALL messages associated with a particular UserId will be processed by the same message flow instance.
- E.Specifying "Commit by Message Group" on the MQInput node's properties causes a single message flow instance to process all messages in a group.

Answer: AB

16. In an enterprise where all Publish/Subscribe clients are using the WebSphere MQ Real-time Transport, what security mechanism is available to secure topics?

- A.Authentication Services
- B.WS-Security
- C.User Name Server
- D.Message Protection

Answer: C

17. Design requirements indicate that a message flow will run in a global transaction. The flow is initiated by an MQInput node, contains two DataInser nodes and terminates normally with an MQOutput node. One of the DataInser nodes is for message logging. All messages must be logged whether or not they are successfully processed in the message flow. What is the best way to achieve this requirement?

- A.Configure the flow and resources to run in an uncoordinated transaction.
- B.Configure the flow and resources to run in a coordinated transaction.
- C.Wire the failure terminal of the logging DataInser node so that downstream exceptions are caught by this node.
- D.Set the Transaction property of the logging DataInser node to Commit.

Answer: D

18. During a web service invocation, which of the following message elements would typically hold the payload that is being sent to the web service?

- A.SOAP-ENV:Body
- B.SOAP-ENV:Header
- C.wsdl:input
- D.xsd:data

Answer: A

19. Which two of the following are primary functions of an Enterprise Service Bus (ESB)?

- A.Messaging
- B.Routing
- C.Persistence
- D.Transformation
- E.Security

Answer: BD

20. A message flow contains both WebSphere MQ and database operations that will run in a global transaction. The

flow starts with an MQInput node, contains a DataInsert node and ends normally with an MQOutput node. If an error occurs all operations are to be rolled back and an error message written to an error queue via another MQOutput node. Since the message flow is under a global transaction, how can the error be written to an error queue without it too being rolled back?

- A. Set the Transaction Mode of the MQInput node to No.
- B. Set the Transaction Mode of the error MQOutput node to No.
- C. Wire the error MQOutput node from the catch terminal of the MQInput node.
- D. Wire a Throw node after the error MQOutput node to throw an exception.

Answer: B

[More 000-997 Information](#)

Related 000-997 Exams

000-903	<i>IBM Tivoli Netcool/xSM</i>
000-926	<i>IBM Certified Deployment Professional-Maximo V6 ITSM</i>
000-253	<i>Test253. IBM Web S.App.Svr.Ntwk Deveoyment V6.1.Core Admn</i>
000-331	<i>Power Systems Sales for AIX and Linux</i>
000-798	<i>ibm tivoli monitoring for transaction perf v5.2 implement</i>
000-833	<i>Object Oriented Analysis and Design-Part1(Analysis)</i>
000-351	<i>ibm eserver i5 iseries single system adminsitration v5r3</i>
000-918	<i>System Administration for IBM Informix Dynamic Server V11</i>
000-664	<i>Test664.SOA Fundamentals</i>
000-021	<i>IBM Tivoli Workload Scheduler V8.5 Implementation</i>
000-484	<i>enterprise connectivity with j2ee v1.3</i>
000-807	<i>Test 807, Web Services Dev for IBM Web Sphere App Server V6.1</i>
000-792	<i>ibm tivoli access mgr for business integration v3.9.1 implmn</i>
000-647	<i>Rational Performance Tester</i>
000-568	<i>test 568,ibm host on-demand v5.0 and screen customizer v2.0</i>
000-635	<i>rational-fundamentals of rational rose</i>
000-806	<i>IBM Test 806, IBM Web Sphere Ap Svr Ntwk Deploy V6.1 Adv Admn</i>
000-750	<i>ibm certified specialist retail store solution sales</i>
000-971	<i>System i Administrator V5.07.11</i>
000-705	<i>business intelligence solutions v8.1</i>

Other IBM Exams

000-936	000-646	000-M23	000-399	000-010	000-700	000-208	000-012
000-083	000-100	000-787	000-141	000-296	000-484	000-374	LOT-721
000-818	000-284	000-M06	000-557				