

Exam4Test 1Y0-614 Exams

Citrix Citrix Access Suite 4.0: Design



Practice Exam: 1Y0-614

Exam Number/Code: 1Y0-614

Exam Name: Citrix Access Suite 4.0: Design

Questions and Answers: 123 Q&As

Exam Description

Order : [1Y0-614 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 1Y0-614 Exam.

Exam4Test **Practice Exams** for 1Y0-614 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **Citrix Other Certification** exam and get your **Citrix Other Certification Certification**

We guarantee your success in the first attempt. If you do not pass the **Citrix Other Certification** "1Y0-614" (Citrix Access Suite 4.0: Design on your first attempt, send us the official result. We will give you a FULLY REFUND of you purchasing fee and send you another same value product for free.

4. Exam4Test Citrix Other Certification 1Y0-614 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of Citrix Other Certification 1Y0-614 exam provides everything which you need to pass your exam. The Citrix Other Certification Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "1Y0-614 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first Citrix Access Suite 4.0: Design(Citrix Other Certification) exam try, but also save your valuable time.

Comprehensive questions with complete details about 1Y0-614 exam.

1Y0-614 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real Citrix Other Certification exam. 1Y0-614 exam questions updated on regular basis.

Like actual Citrix Other Certification Certification exams, 1Y0-614 exam preparation is in multiple-choice questions (MCQs). Tested by many real Citrix Other Certification exams before publishing.

Try free Citrix Other Certification exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 1Y0-614 Exam: 100% Guarantee to Pass Your 1Y0-614 exam and get your Citrix Other Certification Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your Citrix Other Certification Certification.

original topic. With our completed Citrix Other Certification resources, you will minimize your Citrix Other Certification cost and be ready to pass your 1Y0-614 test on Your First Try, 100% Money Back Guarantee included!

1Y0-614 Exam Study Guide

1Y0-614 exam is regarded as one of the most favourite [Citrix Other Certification Certifications](#). Many IT professionals prefer to add 1Y0-614 exam among their credentials. Exam4Test not only caters you all the information regarding the 1Y0-614 exam but also provides you the excellent 1Y0-614 study guide which makes the certification exam easy for you.

Exam4Test Engine Features

Comprehensive questions and answers about 1Y0-614 exam

1Y0-614 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

1Y0-614 exam questions updated on regular basis

Same type as the certification exams, 1Y0-614 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 1Y0-614 exam demo before you decide to buy it in Exam4Test.com

Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Network General Corp

1Y0-614

Title : Citrix Access Suite 4.0:Design

1. If Harder Electronics decides to centralize the MfgData+ databases in New York, where should the Presentation Servers hosting the MfgData+ application be deployed?

- A. Servers hosting MfgData+ should be deployed in New York.
- B. Servers hosting the MfgData+ application should be deployed in New York, Mexico City, Shanghai and Bangalore.
- C. The MfgData+ application should be deployed in Mexico City, Shanghai and Bangalore.
- D. The Presentation Servers hosting MfgData+ should be deployed in all locations.

Answer: C

2. How should the CRM application and Excel 97 be deployed separate load managed groups?

- A. The CRM application and Excel 97 should be deployed as part of the server build. Create a load managed group for each application and assign applications to them.
- B. The CRM application and Excel 97 should be deployed by means of Installation Manager. Create a load managed group for each application and assign applications to them.
- C. The CRM application and Excel 97 should be deployed by means of the Active Directory Software Installation GPO. Create a load managed group for each application and assign applications to them.
- D. The CRM application and Excel 97 should be deployed manually. Create a load managed group for each application and assign application to them.

Answer: B

3. Harder Electronics has decided to implement all of the Access Suite 4.0 components. Where should the Web Interface server(s) and the server(s) hosting the Citrix XML Service be placed to maximize security?

- A. Web Interface and the server(s) hosting the Citrix XML Service should be placed within the DMZ
- B. Web Interface and the server(s) hosting the Citrix XML Service should be co-located on the same server(s) and placed within the DMZ.
- C. Web Interface should be placed in the DMZ, and the server(s) hosting the Citrix XML Service should be placed within the internal network.
- D. Web Interface and the server(s) hosting the Citrix XML Service should be placed within the internal network.

Answer: D

4. Harder Electronics has back-end databases that support HR+, TempoLicense, MfgData+, and Outlook. Based on the current locations of these databases, corporate office, and users, where should these database sources be moved?

- A. The HR+ database should be centralized in New York, and all other databases should be kept in their current locations.
- B. Both HR+ and the MfgData+ databases should be centralized in New York, and all other databases should be kept in their current locations.
- C. All databases should be moved to New York.
- D. All databases should be kept in their current locations.

Answer: A

5. Based upon the given environment and requirement of Harder Electronics and the design decisions you're made so far, would you recommend configuring zone preference and failover?

- A. Yes, because they currently do not have a disaster recovery plan in place.
- B. No, because they do not have site failover for back-end systems at this time.
- C. Yes, because the data centers as well as backend data sources are geographically dispersed.
- D. No, because zone preference and failover is only available when there are at least two zones in a given farm.

Answer: D

6. How should all client printers be auto created, and how should printer drivers be configured?

- A. Install key native drivers on the servers. All client printers should be auto created by means of a Citrix policy. The Universal Print Driver should be used if the native driver is not available.
- B. Create two policies, one allowing to auto create all printers using the native driver, if available, otherwise using the Universal Print Driver, and the second policy has a higher priority, and doesn't allow auto creating of any printers to the groups not requiring the printers.
- C. Install key native drivers on the servers. All client printers should be auto created by means of a Citrix policy. The Universal Print Driver should be used if the native driver is not available, and Windows drivers will be installed as needed.
- D. Create two policies, one allowing to auto create all printers using the native driver, if available, otherwise using the Universal Print Driver; and second policy has a lower priority, and doesn't allow auto creation of any printers to groups not requiring the printers.

Answer: A

7. Harder Electronics plans to add a CRM application that has dependencies on Microsoft Excel 97 to their environment. The company currently has the full Microsoft 2003 Office Suite deployed on all servers. How should the CRM application and Excel 97 be deployed?

- A. The CRM application and Excel 97 should be segregated into a load managed group.
- B. The CRM application should be deployed as a standard application and Excel 97 should be installed into an application isolation environment.
- C. Both the CRM application and Excel 97 should be installed into separate application isolation environments.
- D. The CRM application should be deployed on one load managed group as a published desktop, with file type association configured to call Excel 97 from within another load managed group.

Answer: B

8. Why should a static port be defined?

- A. By defining a static port, system resources can be conserved.

- B. A static port will allow for License Server communication to be more secure; thus, this is optimal.
- C. There is no other way to establish communication over firewalls other than defining a static port.
- D. To avoid the unpredictability of a dynamic port, a static port should be defined because it is more secure.

Answer: B

9. Harder Electronics plans to implement Presentation Server for users in Shanghai. How should the Shanghai site be designed?

- A. Shanghai should be deployed as its own farm with its own License Server.
- B. Shanghai should be added to an existing production farm and zone and should share licenses with the corporate License Server.
- C. Shanghai should be deployed as its own zone with its own License Server.
- D. Shanghai should be deployed as its own zone and should share licenses with the corporate License Server.

Answer: B

10. If Harder decides to implement the default ports and again emphasizes the need to maximize security. Which port(s) need to be opened on the internal and external firewalls in order to facilitate locating the Web Interface server(s) and the server(s) hosting the Citrix XML Service within the internal network?

- A. TCP port 80 only on the internal firewall
- B. TCP port 443 only on both firewalls
- C. C.Both TCP 443 and TCP port 80 on both firewall.
- D. TCP port 443 on the external firewall and TCP port 80 on the internal firewall

Answer: C

11. The new version of MfgData+ that will be deployed uses significantly more CPU than the current version. Which configuration change should be made to ensure that the user experience is optimized?

- A. The assigned Load Evaluator should include the CPU Utilization rule with the setting deemed appropriate.
- B. A load managed group should be created to separate the MfgData+ application.
- C. CPU optimization should be enable.
- D. The Citrix CPU Utilization Mgmt/Resource Mgmt service should be set to manual and enabled only when CPU utilization is high.

Answer: A

12. If Harder Electronics wishes to closely monitor CPU usage, how should this be done within Resource Manager, and what archiving should be recommended?

- A. The default configuration of the Processor Time metric is likely optimal, and all data related to the metric should be recorded in the Summary Database.
- B. The default configuration of the Processor Time metric is likely optimal, and the metric should be recorded in the Summary Database based only on business hours.
- C. The Citrix CPU Utilization Mgmt User object and counters should be reviewed and configured as metrics if pertinent. All data relating to the metric(s). should be recorded in the Summary Database.
- D. The Citrix CPU Utilization Mgmt User object and counters should be reviewed and configured as metrics if pertinent. The metric(s) should be recorded in the Summary Database based only on business hours.

Answer: A

13. Harder Electronics has a network print server in each office and manufacturing facility. In addition, most users have one or more printers pre-configured on their client devices, some of which are network printers. Some users do not require the ability to print, and other users, such as Accounts Payable Managers, need to be able to print to attached printers such as check printers. Which printing solution should be implemented in order to facilitate user and administrative ease?

- A. Auto-create all client printers, including network printers for all user.
- B. Auto-create only the default client printer to all users.
- C. Assign network printers to users based on the physical location and auto-create all client printers.
- D. Auto-create all client printers to users who need it, and disallow auto-create for users who do not require printing.

Answer: A

14. Based upon the given environment and requirements of Harder Electronics and the design decisions you're made so far, would you recommend a dedicated zone data collector?

- A. No, instead apply the default load evaluator so that the server is subject to lower user load.
- B. No, because Harder Electronics does not have the minimum recommended number of servers in its farms for dedicating a zone data collector.
- C. Yes, combine the functions of the data collector and data store on a single server, as Harder Electronics is considering upgrading to SQL Server.
- D. Yes, this will enable Harder Electronic the ability to expand the number of servers in the farm without impacting the overall performance of the Presentation Server environment.

Answer: B

15. Why should an administrator create two policies and give the second policy a lower priority?

- A. Having two policies allows different printing settings to be given to different sets of users. The first policys is more restrictive and applies to a smaller set of users.
- B. Having two policies allows different printing settings to be given to different sets of users. The second policy is more restrictive and applies to a smaller set of users.
- C. The first policy allows different printing settings to be given to different sets of users. The second policy is more restrictive and applies to a smaller set of users.
- D. The second policy allows different printing settings to be given to different sets of users. The first policy is more restrictive and applies to a smaller set of users.

Answer: A

16. Based upon the given environment and requirements of Harder Electronics and the design decisions you're made so far, how would you design the zones?

- A. Consolidate the eight data centers into one data center in New York based on a single zone.
- B. Consolidate the three MEX zones into a single zone and the two PROD zones into a single, separate zone.
- C. Consolidate the three MEX zones into a single zone and segregate the test/development zone within the PROD farm into a separate farm.
- D. Segregate each data center into a zone, as the number of servers at each site is equivalent and adequate bandwidth exists across data centers.

Answer: C

17. Why should the Presentation Servers hosting MfgData+ be deployed in all locations?

- A. For redundancy purposes it is good to have Presentation Servers in multiple locations.
- B. Other sites have lower operating costs which offset the higher costs of NT, London and Sydney.
- C. There are users located in all sites.
- D. This way thee users can be as close as possible to the Presentation Servers so they will have fast access.

Answer: A

18. Why should this data be uploaded to the Summary Database based only on data from business hours?

- A. By basing it on business hours, only the pertinent data is archived, leading to smaller database size.
- B. Because the Summary Database needs non-business hours to parse the information in the database.
- C. Because regular maintenance and support of the Database server hosting the Summary Database needs to occur during non-business hours.
- D. By taking into account non-business hour data, it would cause CPU optimization to incorrectly allocate system resources.

Answer: A

19. How should the data store be designed?

- A. An MSDE data store database should be deployed in New York with daily incremental backups and weekly full backups.
- B. The Access data store database should be retained since it already contains all farm information.
- C. An Oracle data store database should be deployed in New York with updates occurring only once per day.

D. A SQL Server data store database should be deployed in New York with daily incremental backups and weekly full backups.

Answer: D

20. Why is TCP port 443 required on the external firewall and TCP port 80 required on the internal firewall?

A. Securing external traffic is the most vulnerable, so SSL/TLS would be used for external traffic. Using TCP port 80 for Citrix XML traffic is common and enables for future troubleshooting if needed.

B. By offloading SSL encryption you improve the performance of the Web Interface server(s). Port 80 is required for XML Service.

C. This is the only way to ensure that a single public certificate is required, and thereby helps to keep costs under control.

D. Open port 80 on the internal firewall so that internal users can access the Web Interface server(s), Port 443 is required to secure internal and external access.

Answer: A

[More 1Y0-614 Information](#)

Related 1Y0-614 Exams

[1Y0-A05](#) *Implementing Citrix XenApp 5.0 for Windows Server 2008*

[1Y0-264](#) *Citrix Presentation Server 4.5: Support Exam*

[1Y0-308](#) *Citrix Access Gateway 4.5 Advanced Edition: Administration*

[1Y0-256](#) *Citrix MetaFrame Presentation Server 4.0 Administration*

[1Y0-A02](#) *Citrix XenServer Enterprise Edition 4.1: Administration*

[1Y0-A09](#) *Implementing Citrix XenServer 5.0*

[1Y0-A08](#) *Advanced Administration for Citrix XenApp 5.0 for Windows Se*

[1Y0-A03](#) *Citrix XenDesktop 2.0 Enterprise Edition: Administration*

[1Y0-A11](#) *Basic Administration for Citrix NetScaler 9.0*

[1Y0-731](#) *Citrix NetScaler 8.0: Administration Exam*

[1Y0-A04](#) *Gateway 8.1. Enterprise Edition: Administration*

[1Y0-A06](#) *Implementing Citrix Provisioning Server 5.0*

[1Y0-740](#) *Citrix WANScaler 4.2: Administration Exam*

[1Y0-900](#) *Citrix Provisioning Server 4.5: Administration*

[1Y0-A13](#) *Implementing Citrix Access Gateway 9.0, Enterprise Edition*

[1Y0-326](#) *Citrix Password Manager 4.0 Administration*

[1Y0-800](#) *Citrix EdgeSight 4.5: Admin, Perf.Mon & Load Testing*

[1Y0-309](#) *Citrix Access Gateway 8.0 Enterprise Edition: Administration*

[1Y0-613](#) *Citrix Access Suite 4.0: Analysis*

[1Y0-A01](#) *Citrix XenServer Enterprise Edition 4.0: Administration*

Other Citrix Exams

[1Y0-A14](#) [1Y0-456](#) [1Y0-A04](#) [1Y0-700](#) [1Y0-222](#) [1Y0-A01](#) [1Y0-962](#) [1Y0-252](#)

[1Y0-A06](#) [1Y0-610](#) [1Y0-309](#) [1Y0-308](#) [1Y0-A13](#) [1Y0-A11](#) [1Y0-721](#) [1Y0-973](#)

[1Y0-900](#) [1Y0-258](#) [1Y0-722](#) [1Y0-223](#)