

Exam4Test 1Y0-731 Exams

Citrix Citrix Netsoaler 8.0: Administration Exam



Practice Exam: 1Y0-731

Exam Number/Code: 1Y0-731

Exam Name: Citrix Netsoaler 8.0: Administration Exam

Questions and Answers: 98 Q&As

Exam Description

Order : [1Y0-731 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 1Y0-731 Exam.

Exam4Test **Practice Exams** for 1Y0-731 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **Citrix Other Certification** exam and get your **Citrix Other Certification Certification**

We guarantee your success in the first attempt. If you do not pass the **Citrix Other Certification "1Y0-731"** (Citrix Netsoaler 8.0: Administration Exam on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test Citrix Other Certification 1Y0-731 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of Citrix Other Certification 1Y0-731 exam provides everything which you need to pass your exam. The Citrix Other Certification Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "1Y0-731 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first Citrix Netsoaler 8.0: Administration Exam(Citrix Other Certification) exam try, but also save your valuable time.

Comprehensive questions with complete details about 1Y0-731 exam.

1Y0-731 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real Citrix Other Certification exam. 1Y0-731 exam questions updated on regular basis.

Like actual Citrix Other Certification Certification exams, 1Y0-731 exam preparation is in multiple-choice questions (MCQs). Tested by many real Citrix Other Certification exams before publishing.

Try free Citrix Other Certification exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 1Y0-731 Exam: 100% Guarantee to Pass Your 1Y0-731 exam and get your Citrix Other Certification Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your Citrix Other Certification Certification.

original topic. With our completed Citrix Other Certification resources, you will minimize your Citrix Other Certification cost and be ready to pass your 1Y0-731 test on Your First Try, 100% Money Back Guarantee included!

1Y0-731 Exam Study Guide

1Y0-731 exam is regarded as one of the most favourite [Citrix Other Certification Certifications](#). Many IT professionals prefer to add 1Y0-731 exam among their credentials. Exam4Test not only caters you all the information regarding the 1Y0-731 exam but also provides you the excellent 1Y0-731 study guide which makes the certification exam easy for you.

Exam4Test Engine Features

Comprehensive questions and answers about 1Y0-731 exam

1Y0-731 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

1Y0-731 exam questions updated on regular basis

Same type as the certification exams, 1Y0-731 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 1Y0-731 exam demo before you decide to buy it in Exam4Test.com

Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Citrix 1Y0-731

Title : Citrix Netsoaler 8.0: Administration Exam

1. An SNMP manager attempted to poll for an OID but received the error message: "response timeout."
Which two options could the administrator have misconfigured for SNMPv2 to cause this error message? (Choose two.)

- A. SNMP user
- B. SNMP group
- C. SNMP manager
- D. SNMP community

Answer: CD

2. Scenario: An administrator introduced two new servers into a server farm that can handle more traffic than the older servers. The current load balancing method set for the virtual server managing the traffic for this group of servers is Least Connections. The administrator wants to maintain the load balancing method but also wants to use the new servers to improve performance by having them take more of the traffic than the older servers.
Which advanced option must the administrator configure to achieve this?

- A. Spillover
- B. Max Client
- C. Backup vserver
- D. Service Weights
- E. Global Setting Override

Answer: D

3. What does an administrator need to configure in order for a NetScaler system to advertise virtual IP addresses,

directly connected routes and static routes on the upstream routers?

- A. Static Routes
- B. Link Load Balancing
- C. Route Health Injection
- D. Front-end Health Check

Answer: C

4. What must an administrator configure the NetScaler log to record in order to know when someone has altered the system configurations?

- A. Access logs
- B. Event messages
- C. System counters
- D. Audited commands

Answer: D

5. Scenario: A company based in Beijing was unable to reach their data center for more than a week due to a nearby earthquake. The company now has Distributed Data Centers in multiple regions, including a disaster recovery center, to increase redundancy. The company wants their new NetScaler systems to load balance these centers.

Which NetScaler feature will allow load balancing across these centers only for redundancy?

- A. Global Server Load Balancing to make load balancing decisions between the two sites
- B. TCP-based content switching to make a decision between the load balance virtual servers
- C. Proximity-based Global Server Load Balancing based on the RTT of client requests to virtual servers
- D. SNMP load monitor bound to each location and bound to the default NetScaler metric table and with the appropriate SNMP OIDs to load balance the different locations

Answer: A

6. An administrator should configure Link Aggregation on a NetScaler system when _____. (Choose the correct option to complete the sentence.)

- A. redundancy on a half duplex operation is required
- B. redundancy on an operation across multiple data rates is required
- C. network connections between LAN switches and network servers require more than 1Gb/sec
- D. network connections between LAN switches and network servers require more than 8 Gb/sec

Answer: C

7. How many untagged VLANs can an administrator configure on a single interface?

- A. 1
- B. 2
- C. 16
- D. 256
- E. 4,096

Answer: A

8. Scenario: An administrator is configuring monitoring for web servers in the environment that often results in services being marked as DOWN because of slow back-end servers. The administrator wants to configure the virtual server and services so that existing connections stay open when a service is marked down but not when a virtual server is marked DOWN.

How must the administrator configure the service and virtual server to reflect this dependency?

- A. `set lb vserver lbv1 -downStateFlush DISABLED`
`set service svc1 -downStateFlush ENABLED`
- B. `set lb vserver lbv1 -downStateFlush ENABLED`
`set service svc1 -downStateFlush ENABLED`
- C. `set lb vserver lbv1 -downStateFlush DISABLED`
`set service svc1 -downStateFlush DISABLED`
- D. `set lb vserver lbv1 -downStateFlush ENABLED`

set service svc 1 -downStateFlush DISABLED

Answer: D

9. A large e-commerce company is planning on integrating NetScaler systems into their network environment. The company requires that the original client IP addresses be recorded in the web server logs.

Which two features on the NetScaler could accomplish this? (Choose two.)

- A. USIP
- B. RNAT
- C. USNIP
- D. Edge mode
- E. Client IP insertion

Answer: AE

10. A company is planning on implementing NetScaler systems in High Availability pairs.

Which entry in the NS.CONF file of the secondary system needs to be unique from those of the primary system?

- A. VMAC
- B. Node ID
- C. MIP address
- D. NSIP address

Answer: D

11. Scenario: An administrator is planning on deploying a NetScaler system into a network environment using SNMP. The administrator plans on enabling the 11 SNMP traps relating to request and response rates.

Which two objects must the administrator configure in order for the SNMP traps to send alerts? (Choose two.)

- A. SNMP destination
- B. Source IP address
- C. Threshold levels for the traps
- D. Additional IP addresses on which the SNMP service can respond to SNMP queries

Answer: AC

12. Which type of VLAN is used when an administrator leaves the NetScaler system interfaces on the default VLAN?

- A. Tagged
- B. Port-based
- C. MAC-based
- D. Protocol-based

Answer: B

13. Scenario: An administrator is planning to deploy NetScaler systems in an environment with multiple IP subnets, one of which is non-routable. The company is an online retailer and needs outbound connections from the non-routable subnet in order to verify credit cards.

What will an administrator need to configure to meet the company's requirements?

- A. SIP
- B. USIP
- C. RNAT
- D. USNIP
- E. Layer 2 mode

Answer: C

14. Scenario: A company has distributed Internet sites and installations are spread across multiple network locations and requires load balancing to be based on the client's proximity to the site, with the least amount of configuration.

What must the administrator do to ensure GSLB uses the appropriate load balancing method?

- A. Enable and configure Dynamic Proximity based Global Server Load Balancing.
- B. Enable Dynamic Network Proximity based on the RTT of the client accessing the load balancing virtual server.
- C. Enable DNS view based Static Proximity through an Advanced expression to extract the client IP and compare it

to the subnet of the site.

D. Enable Proximity based Global Server Load Balancing and use the location's database to enter the MAC address of all the clients and the corresponding site to which they should make the connection.

Answer: A

15. Scenario: A company is deploying a NetScaler system in a network environment with some subnets open to the public Internet and one non-routable subnet. The administrator plans on enabling Use-Subnet-IP mode and disabling Use-Source-IP mode.

Which two IP addresses can the administrator set as source IP addresses for connections to back-end servers?

(Choose two.)

- A. VIP
- B. MIP
- C. SNIP
- D. NSIP

Answer: BC

16. An administrator plans to configure a NetScaler system to resolve DNS queries using an external DNS server with an IP address of 10.10.10.1.

Which command could the administrator use to configure this?

- A. add nameserver DNS1 10.10.10.1
- B. add lb vserver DNS1 dns 10.10.10.1
- C. add server DNS1 10.10.10.1 -external
- D. add nameserver DNS1 dns 10.10.10.1 -local

Answer: A

17. Which two modes could a NetScaler system be deployed in if all traffic must pass through the NetScaler?

(Choose two.)

- A. HA inline
- B. HA one-arm
- C. Stand-alone inline
- D. Stand-alone one-arm

Answer: AC

18. A multinational company with two server farms wants to set-up a NetScaler system with High Availability as shown in the attached exhibit without using content switching.

How many virtual IP addresses will the administrator need for the environment set up to work?

Click the Exhibit button to view the environment.

- A. One
- B. Two
- C. Three
- D. Four

Answer: B

19. The auditing and security policy of a company requires that all transactions that can be logged must be logged.

Which option must an administrator configure a syslog server for to meet this requirement?

- A. Device counters
- B. System counters
- C. HTTP transactions
- D. Audited commands

Answer: D

20. Which option must an administrator enable on a NetScaler system to route packets that are not destined for the NetScaler?

- A. L2 mode

- B. L3 mode
- C. Static route advertisement
- D. Dynamic route advertisement

Answer: B

[More 1Y0-731 Information](#)

Related 1Y0-731 Exams

1Y0-A05	<i>Implementing Citrix XenApp 5.0 for Windows Server 2008</i>
1Y0-264	<i>Citrix Presentation Server 4.5: Support Exam</i>
1Y0-308	<i>Citrix Access Gateway 4.5 Advanced Edition: Administration</i>
1Y0-256	<i>Citrix MetaFrame Presentation Server 4.0 Administration</i>
1Y0-A02	<i>Citrix XenServer Enterprise Edition 4.1:Administration</i>
1Y0-A09	<i>Implementing Citrix XenServer 5.0</i>
1Y0-A08	<i>Advanced Administration for Citrix XenApp 5.0 for Windows Se</i>
1Y0-A03	<i>Citrix XenDesktop 2.0 Enterprise Edition: Administration</i>
1Y0-A11	<i>Basic Administration for Citrix NetScaler 9.0</i>
1Y0-731	<i>Citrix Netsoaler 8.0: Administration Exam</i>
1Y0-A04	<i>Gateway 8.1.Enterprise Edition: Administration</i>
1Y0-A06	<i>Implementing Citrix Provisioning Server 5.0</i>
1Y0-740	<i>Citrix WANScaler 4.2: Administration Exam</i>
1Y0-900	<i>Citrix Provisioning Server 4.5: Administration</i>
1Y0-A13	<i>Implementing Citrix Access Gateway 9.0, Enterprise Edition</i>
1Y0-326	<i>Citrix Password Manager 4.0 Administration</i>
1Y0-800	<i>Citrix EdgeSight 4.5: Admin, Perf.Mon & Load Testing</i>
1Y0-309	<i>Citrix Access Gateway 8.0 Enterprise Edition: Administration</i>
1Y0-613	<i>Citrix Access Suite 4.0: Analysis</i>
1Y0-A01	<i>Citrix XenServer Enterprise Edition 4.0: Administration</i>

Other Citrix Exams

1Y0-A15	1Y0-992	1Y0-A08	1Y0-259	1Y0-A04	1Y0-913	1Y0-611	1Y0-A11
1Y0-327	1Y0-A01	1Y0-310	1Y0-972	1Y0-614	1Y0-251	1Y0-613	1Y0-A02
1Y0-223	1Y0-731	1Y0-456	1Y0-740				