

## **Exam4Test 1Y0-A11 Exams**

### ***Citrix Basic Administration for Citrix NetScaler 9.0***



**Practice Exam:** 1Y0-A11

**Exam Number/Code:** 1Y0-A11

**Exam Name:** Basic Administration for Citrix NetScaler 9.0

**Questions and Answers:** 104 Q&As

#### ***Exam Description***

**Order :** [1Y0-A11 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 1Y0-A11 Exam.

Exam4Test **Practice Exams** for 1Y0-A11 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **Citrix Other Certification** exam and get your *Citrix Other Certification Certification*

We guarantee your success in the first attempt. If you do not pass the **Citrix Other Certification** "1Y0-A11" (Basic Administration for Citrix NetScaler 9.0 on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test Citrix Other Certification 1Y0-A11 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of Citrix Other Certification 1Y0-A11 exam provides everything which you need to pass your exam. The Citrix Other Certification Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "1Y0-A11 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first Basic Administration for Citrix NetScaler 9.0( Citrix Other Certification ) exam try, but also save your valuable time.

Comprehensive questions with complete details about 1Y0-A11 exam.

1Y0-A11 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real Citrix Other Certification exam. 1Y0-A11 exam questions updated on regular basis.

Like actual Citrix Other Certification Certification exams, 1Y0-A11 exam preparation is in multiple-choice questions (MCQs). Tested by many real Citrix Other Certification exams before publishing.

Try free Citrix Other Certification exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 1Y0-A11 Exam: 100% Guarantee to Pass Your 1Y0-A11 exam and get your Citrix Other Certification Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your Citrix Other Certification Certification.

original topic. With our completed Citrix Other Certification resources, you will minimize your Citrix Other Certification cost and be ready to pass your 1Y0-A11 test on Your First Try, 100% Money Back Guarantee included!

## **1Y0-A11 Exam Study Guide**

1Y0-A11 exam is regarded as one of the most favourite [Citrix Other Certification Certifications](#). Many IT professionals prefer to add 1Y0-A11 exam among their credentials. Exam4Test not only caters you all the information regarding the 1Y0-A11 exam but also provides you the excellent 1Y0-A11 study guide which makes the certification exam easy for you.

## **Exam4Test Engine Features**

Comprehensive questions and answers about 1Y0-A11 exam

1Y0-A11 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

1Y0-A11 exam questions updated on regular basis

Same type as the certification exams, 1Y0-A11 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 1Y0-A11 exam demo before you decide to buy it in Exam4Test.com

## **Exam4Test Help You Pass Any IT Exam**

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Citrix 1Y0-A11

Title : Basic Administration for Citrix NetScaler 9.0

1. Which SNMP trap must an administrator configure to be informed when the response time for a monitor probe that had exceeded the set threshold returns to normal?

- A. entityup
- B. entitydown
- C. monRespTimeoutAboveThresh
- D. monRespTimeoutBelowThresh

Answer: D

2. Scenario: An administrator is configuring the NetScaler-owned IP address for a network environment where the NetScaler IP, the mapped IP, and the back-end servers will be located on separate subnets. The administrator wants to create as few additional routes on devices, such as the servers, as possible while maintaining the communications between the NetScaler and the other devices.

Which two steps can the administrator take to achieve this? (Choose two.)

- A. Enable USIP mode
- B. Configure VIPs for the devices
- C. Ensure USNIP mode is enabled
- D. Make the MIP and the NSIP address the same
- E. Configure SNIPs on the subnets of the devices

Answer: CE

3. An administrator should configure Link Aggregation on a 7000 NetScaler system when \_\_\_\_\_. (Choose the correct option to complete the sentence.)

- A. redundancy on a half duplex operation is required
- B. redundancy on an operation across multiple data rates is required
- C. the bandwidth requirements inbound to or outbound from the Netscaler are greater than 1 Gb/sec
- D. the bandwidth requirements inbound to or outbound from the Netscaler are greater than 8 Gb/sec

Answer: C

4. A NetScaler system is running with high CPU usage frequently.

Which log can the administrator view to determine if the high CPU is being caused by the processes running in the user space?

- A. syslog
- B. nswlog
- C. newslog
- D. nsconmsg

Answer: C

5. Which command can an administrator use to set up a NetScaler system to use SNIPs instead of MIPs for connections to local resources?

- A. set ns ip snip -mip
- B. set ns mode USNIP
- C. add ns mode USNIP
- D. enable ns mode USNIP

Answer: D

6. Scenario: A network administrator is deploying a NetScaler system in an environment with a single subnet using this IP information:

subnet: 192.168.10.32 netmask: 255.255.255.224 default gateway: 192.168.10.40 The administrator already set up the NSIP and MIP addresses using the command line interface.

Which command could the administrator use to complete this set up successfully?

- A. add route 0.0.0.0 0.0.0.0 192.168.10.32
- B. add route 0.0.0.0 0.0.0.0 192.168.10.40
- C. add route 0.0.0.0 0.0.0.0 192.168.10.62
- D. add route 192.168.10.0 255.255.255.224 192.168.10.32
- E. add route 192.168.10.0 255.255.255.224 192.168.10.62

Answer: B

7. An administrator is deploying a NetScaler system using the command line interface and plans to configure the MIP as 10.48.192.17.

Which command must the administrator use to correctly configure the MIP for this NetScaler system?

- A. set ns config -ipaddress 10.48.192.17
- B. add ns ip 10.48.192.17 255.255.255.0 -type mip
- C. add ns config -ipaddress 10.48.192.17 -subnet mask 255.0.0.0
- D. set ns ip -ipaddress 10.48.192.17 -netmask 255.255.255.0 -mip

Answer: B

8. A company is planning on implementing NetScaler systems in high availability pairs.

Which entry in the NS.CONF file of the secondary system needs to be unique from those of the primary system?

- A. VMAC
- B. VIP address
- C. MIP address
- D. NSIP address

Answer: D

9. An administrator has just enabled caching and wants to make sure that this will positively impact server performance. Which information can the administrator get from the Dashboard to determine whether server

performance was positively affected by enabling caching?

- A. Client connection count increases
- B. Server side request rate increases
- C. Client connection count decreases
- D. Server side request rate decreases

Answer: D

10. Which event would trigger a failover in a high availability pair?

- A. The primary appliance reboots.
- B. A forced synchronization event fails.
- C. A monitored interface fails on the secondary node.
- D. The default gateway does not return a heartbeat packet from the primary node.

Answer: A

11. Scenario: An administrator installed a NetScaler system and configured the NSIP and MIP for the system. The NetScaler system will be used primarily for load balancing in this environment.

Which additional step must the administrator take to ensure that the NetScaler system can perform the necessary server load balancing in this environment?

- A. Disable USIP mode on both nodes
- B. Use the MIP as the NSIP for a high availability environment
- C. Create VIPs for the front-end connections to the back-end servers
- D. Enable USNIP mode for the front-end connections to the back-end servers

Answer: C

12. Where in the configuration utility can an administrator configure a NetScaler high availability pair to ensure that specific interfaces are NOT monitored?

- A. The root of the System node
- B. The root of the Network node
- C. The interface sub node in the System node
- D. The interface sub node in the Network node

Answer: D

13. Scenario: An administrator needs to create a health check that will mark an HTTP service down if the bound monitor probe fails. The administrator wants to create a monitor and configure the health check so that a trap is sent the monitor probe reply exceeds 20 milliseconds.

How can the administrator create the monitor for this health check using the command line interface?

- A. `set mon monitor-HTTP-1 HTTP -interval 20 milli`
- B. `add lb mon monitor-HTTP-1 HTTP -interval 20 milli`
- C. `set mon monitor-HTTP-1 HTTP -resptimeout 20 milli`
- D. `add lb mon monitor-HTTP-1 HTTP -resptimeout 20 milli`

Answer: D

14. Scenario: An administrator is planning the necessary configurations on a NetScaler system for an environment that requires the NetScaler system to advertise virtual IP addresses, directly connected routes and static routes on the upstream routers.

What must the administrator ensure is configured on the NetScaler system for this environment?

- A. Static Routes
- B. Link Load Balancing
- C. Route Health Injection
- D. Front-end Health Check

Answer: C

15. Scenario: An administrator must set up a NetScaler system network with USIP mode enabled. The NetScaler must be able to preserve client IP addresses in TCP/IP packets reaching the back-end servers except for connections

coming from particular IP addresses that are defined in an ACL. In the case of connections coming from the IP addresses defined in the ACL, the packets reaching the back-end servers should receive the NetScaler IP address instead of the client IP address. On which entity should RNAT be configured to meet the requirements in this scenario according to best practices?

- A. ACL
- B. Client
- C. Virtual server
- D. Back-end server

Answer: A

16. Scenario: An administrator is configuring a NetScaler system in one-armed mode. The NetScaler appliances are connected to the network through a switch and will be configured as a pair with high availability (HA) enabled. Which two steps should the administrator take to successfully configure HA in this environment? (Choose two.)

- A. Ensure the NSIP is identical on both systems
- B. Configure a unique nsroot password on each node of the HA pair
- C. Disable all system interfaces except the one connected to the switch
- D. Configure a Remote Procedural Call (RPC) node password on each node of the HA pair

Answer: CD

17. An administrator configured cache redirection and needs to provide a report of how that feature is functioning in the network environment.

What can the administrator use to see a graphical representation of the statistics for the vserver performing the cache redirection?

- A. The monitor view for the service bound to the correct vserver
- B. The chart option in the Dashboard once the correct vserver is selected
- C. The chart option in the Dashboard for the service bound to the correct vserver
- D. The request and response rates option in the Dashboard once the correct vserver is selected

Answer: B

18. An SNMP manager attempted to poll for an OID but received the error message: "response timeout." Which option could the administrator have misconfigured for SNMPv2 to cause this error message?

- A. SNMP trap
- B. SNMP user
- C. SNMP group
- D. SNMP community

Answer: D

19. An administrator is configuring a compression policy and does NOT want HTTP responses to be compressed. Which step should the administrator take to achieve this?

- A. Use the appropriate default compression policy
- B. Configure the compression policy for HTTP requests only
- C. Remove the "Accept-Encoding" header from the HTTP responses
- D. Use Re-write to remove "Accept-Encoding" header from the HTTP requests

Answer: D

20. How can an administrator configure a health check for a server receiving HTTP traffic so that it monitors the responses of the server to actual client requests as opposed to probes whenever possible?

- A. Use the default TCP monitor
- B. Configure an HTTP-ECV monitor
- C. Configure an HTTP-Inline monitor
- D. Use the TCP monitor with the transparent parameter selected
- E. Configure an HTTP monitor with the transparent parameter selected

Answer: C

**Related 1Y0-A11 Exams**

<a href="#">1Y0-A05</a>	<i>Implementing Citrix XenApp 5.0 for Windows Server 2008</i>
<a href="#">1Y0-264</a>	<i>Citrix Presentation Server 4.5: Support Exam</i>
<a href="#">1Y0-308</a>	<i>Citrix Access Gateway 4.5 Advanced Edition: Administration</i>
<a href="#">1Y0-256</a>	<i>Citrix MetaFrame Presentation Server 4.0 Administration</i>
<a href="#">1Y0-A02</a>	<i>Citrix XenServer Enterprise Edition 4.1:Administration</i>
<a href="#">1Y0-A09</a>	<i>Implementing Citrix XenServer 5.0</i>
<a href="#">1Y0-A08</a>	<i>Advanced Administration for Citrix XenApp 5.0 for Windows Se</i>
<a href="#">1Y0-A03</a>	<i>Citrix XenDesktop 2.0 Enterprise Edition: Administration</i>
<a href="#">1Y0-A11</a>	<i>Basic Administration for Citrix NetScaler 9.0</i>
<a href="#">1Y0-731</a>	<i>Citrix Netsoaler 8.0: Administration Exam</i>
<a href="#">1Y0-A04</a>	<i>Gateway 8.1.Enterprise Edition: Administration</i>
<a href="#">1Y0-A06</a>	<i>Implementing Citrix Provisioning Server 5.0</i>
<a href="#">1Y0-740</a>	<i>Citrix WANScaler 4.2: Administration Exam</i>
<a href="#">1Y0-900</a>	<i>Citrix Provisioning Server 4.5: Administration</i>
<a href="#">1Y0-A13</a>	<i>Implementing Citrix Access Gateway 9.0, Enterprise Edition</i>
<a href="#">1Y0-326</a>	<i>Citrix Password Manager 4.0 Administration</i>
<a href="#">1Y0-800</a>	<i>Citrix EdgeSight 4.5: Admin, Perf.Mon &amp; Load Testing</i>
<a href="#">1Y0-309</a>	<i>Citrix Access Gateway 8.0 Enterprise Edition: Administration</i>
<a href="#">1Y0-613</a>	<i>Citrix Access Suite 4.0: Analysis</i>
<a href="#">1Y0-A01</a>	<i>Citrix XenServer Enterprise Edition 4.0: Administration</i>

**Other Citrix Exams**

<a href="#">1Y0-721</a>	<a href="#">1Y0-900</a>	<a href="#">1Y0-A08</a>	<a href="#">1Y0-456</a>	<a href="#">1Y0-327</a>	<a href="#">1Y0-308</a>	<a href="#">1Y0-251</a>	<a href="#">1Y0-A16</a>
<a href="#">1Y0-A14</a>	<a href="#">1Y0-700</a>	<a href="#">1Y0-A02</a>	<a href="#">1Y0-309</a>	<a href="#">1Y0-610</a>	<a href="#">1Y0-992</a>	<a href="#">1Y0-740</a>	<a href="#">1Y0-A03</a>
<a href="#">1Y0-256</a>	<a href="#">1Y0-223</a>	<a href="#">1Y0-A15</a>	<a href="#">1Y0-613</a>				