

Exam4Test 1z0-036 Exams

Oracle Managing Oracle9i on linux



Practice Exam: 1z0-036

Exam Number/Code: 1z0-036

Exam Name: Managing Oracle9i on linux

Questions and Answers: 144 Q&As

Exam Description

Order : [1z0-036 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 1z0-036 Exam.

Exam4Test **Practice Exams** for 1z0-036 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **Other Oracle Certification** exam and get your *Other Oracle Certification Certification*.

We guarantee your success in the first attempt. If you do not pass the **Other Oracle Certification** "1z0-036" (Managing Oracle9i on linux on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test Other Oracle Certification 1z0-036 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of Other Oracle Certification 1z0-036 exam provides everything which you need to pass your exam. The Other Oracle Certification Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "1z0-036 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first Managing Oracle9i on linux (Other Oracle Certification) exam try, but also save your valuable time.

Comprehensive questions with complete details about 1z0-036 exam.

1z0-036 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real Other Oracle Certification exam. 1z0-036 exam questions updated on regular basis.

Like actual Other Oracle Certification Certification exams, 1z0-036 exam preparation is in multiple-choice questions (MCQs). Tested by many real Other Oracle Certification exams before publishing.

Try free Other Oracle Certification exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 1z0-036 Exam: 100% Guarantee to Pass Your 1z0-036 exam and get your Other Oracle Certification Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your Other Oracle Certification Certification.

Exam4Test professional provides Other Oracle Certification 1z0-036 the newest Q&A, completely covers 1z0-036 test original topic. With our completed Other Oracle Certification resources, you will minimize your Other Oracle Certification cost and be ready to pass your 1z0-036 test on Your First Try, 100% Money Back Guarantee included!

1z0-036 Exam Study Guide

1z0-036 exam is regarded as one of the most favourite [Other Oracle Certification Certifications](#). Many IT professionals prefer to add 1z0-036 exam among their credentials. Exam4Test not only caters you all the information regarding the 1z0-036 exam but also provides you the excellent 1z0-036 study guide which makes the certification exam easy for you.

Exam4Test Engine Features

Comprehensive questions and answers about 1z0-036 exam

1z0-036 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

1z0-036 exam questions updated on regular basis

Same type as the certification exams, 1z0-036 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 1z0-036 exam demo before you decide to buy it in Exam4Test.com

Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-036

Title : Managing Oracle9i on Linux

1. Which set of steps must user21a perform to schedule a cron task?

- A. Log in as root . Specify the crontab -e command.
- B. Log in as user21a . Specify the crontab -e command.
- C. Log in as user21a . Specify the crontab -l command. Save the cron task to the /etc/crontab file.
- D. Log in as root . Specify the crontab -l command. Save the cron task to the /var/spool/cron/user21a file.

Answer: B

2. Which package displays system usage graphs for CPU usage, memory usage, and system load?

- A. top
- B. free
- C. xosview
- D. xcpustate

Answer: C

3. You have the following entry in the /etc/fstab file:

```
/ dev/hda5 /opt ext3 data=writeback 1 0
```

What is true about the data=writeback part of the entry with respect to the ext3 file system?

- A. The entry resizes the file system.
- B. The entry changes the run level to single-user mode.
- C. The entry specifies a tuning parameter for asynchronous input/output (I/O).
- D. The entry sets the journaling level so that only the changes to the file system metadata are logged.

E. The entry sets the journaling level so that the changes to the file system data as well as the metadata are logged.

Answer: D

4. When you restarted the machine after editing the display settings, the monitor displays red, green, and blue lines. Which set of steps should you use to troubleshoot the problem?

A. Restart the system. Open a terminal window. Log in as root . Edit the XWindows configuration files. Start up the X Server. Specify the telinit 5 command.

B. Restart the system. Open a terminal window. Log in as root . Set the DISPLAY variable. Start up the X Server. Specify the telinit 5 command.

C. Switch to the text console. Log in as oracle . Edit the XWindows configuration files. Set the DISPLAY and PATH variables. Start up the X Server. Restart the system.

D. Switch to the text console. Log in as root . Turn off GUI by using the telinit 3 command. Edit the XWindows configuration files. Start up the X Server. Restart the system.

Answer: D

5. Which two methods would you use to boot to a nondefault runlevel? (Choose two.)

A. Specify the runlevel in the rc#.d directory.

B. Specify the runlevel in the init command.

C. Specify the runlevel in the chmod command.

D. Specify the runlevel as an argument for the inittab file.

E. Specify the runlevel at startup by using the boot loader program.

Answer: BE

6. Which three commands can you use to display an overview of the memory usage in a system? (Choose three.)

A. top

B. free

C. vmstat

D. mpstat

E. iostat

Answer: ABC

7. Which three statements about shared server configuration are true? (Choose three.)

A. There is a large pool area.

B. It reduces memory usage.

C. It increases the number of server processes.

D. Automatic undo management is recommended.

E. The user global area (UGA) memory is taken from buffer pool.

F. Portions of PGA are allocated from the System Global Area (SGA).

Answer: ABF

8. You executed the following command:

```
cat /proc/slabinfo | grep kio
```

You received the following output:

```
kiocx 270 270 128 9 9 1
```

```
kiocb 66080 66080 96 1652 1652 1
```

```
kiobuf 236 236 64 4 4 1
```

What do you infer from the output?

A. The CPU usage is 100%.

B. There are no inactive pages.

C. The disk activity needs to be tuned.

D. There are waits for the buffer cache.

E. The Linux system has asynchronous input/output (I/O) configured on it.

F. The value for the shmmax parameter needs to be increased.

Answer: E

9. You have scheduled a job on a remote host. At the scheduled time, the following is the scenario: - -You are not connected to the remote host.
- The Intelligent Agent (IA) is running on the remote host.
 - The Oracle Enterprise Manager (OEM) console and Oracle Management Server (OMS) are not running on your local host. What happens to the scheduled job?
- A. The job fails.
 - B. IA executes the job at the scheduled time.
 - C. IA executes the job at the scheduled time provided it is a Fixit job.
 - D. IA places the job in a queue and executes the job when you connect to the remote host.
 - E. IA executes the job at the scheduled time provided the local and remote hosts are using the same operating system.
 - F. IA places the job in a queue and executes the job when you run the O EM console and OMS on your local host.
- Answer: B

10. You are accessing a remote database by using the following username, password, and connect string:
user1/user1@orcl_hr
You need the following details:

- the host name on which the remote database resides
- whether the remote database is using dedicated server mode or shared server mode
- the protocol being used to access the remote database

Which command or utility will give you the desired information?

- A. tnsping command
- B. trcroute command
- C. Oracle Names Control utility
- D. Oracle Net Configuration Assistant
- E. Oracle Connection Manager Control utility

Answer: A

11. What are the four roles of the semaphores parameters? (Choose four.)

- A. The semmni parameter sets the maximum number of semaphore sets.
- B. The semmsl parameter sets the maximum number of semaphore sets.
- C. The semmsl parameter sets the maximum number of semaphores per set.
- D. The semmns parameter sets the maximum number of semaphores per set.
- E. The semmns parameter sets the total number of semaphores in the system.
- F. The semopm parameter sets the total number of semaphores in the system.
- G. The semmni parameter sets the maximum number of operations per semop call.
- H. The semopm parameter sets the maximum number of operations per semop call.

Answer: ACEH

12. Which four network components or services can be configured by using Oracle Net Manager? (Choose four.)

- A. profile
- B. listener
- C. names server
- D. service naming
- E. Oracle HTTP Server
- F. connection manager

Answer: ABCD

13. You have specified the configuration in the sysctl.conf file. However, when you restart the system, Linux does not start. Which statement describes the steps that you would take to troubleshoot the problem?

- A. Use the root login to mount the file system and edit the sysctl.conf file.
- B. Use the boot loader to enter the emergency mode and switch to runlevel 3.
- C. Use the boot loader program to boot into runlevel 1 and edit the sysctl.conf file.

- D. Use the boot loader program to access the available kernels and recompile the kernel.
- E. Use the root login to access the system in runlevel 6 and edit the /root/.bashrc file.
- F. Use the single-user mode to access the /proc file system and edit the kernel parameters.

Answer: C

14. Examine the following entry in the sysctl.conf file: fs.file-max = 65536 What is the significance of this entry?

- A. The entry sets the maximum number of open files for each process to 65536.
- B. The entry sets the maximum number of subprocesses that a process can spawn to 65536.
- C. The entry sets the maximum number of files in the operating system (OS) file system to 65536.
- D. The entry sets the maximum number of background processes of the Oracle database to 65536.

Answer: A

15. You want the default database to participate in automatic startup and have configured the startup script and runlevels. However, the dbstart script does not start the instance. Which two methods can you use to work around the problem? (Choose two.)

- A. Specify the command: SQL>CREATE PFILE = '?/dbs/init@.ora' FROM SPFILE = '?/dbs/spfile@.ora' ;
- B. Specify the command: SQL>CREATE SPFILE = '?/dbs/spfile@.ora' FROM PFILE = '?/dbs/init@.ora' ;
- C. Edit the dbstart script: Add the line: PFILE=\${ORACLE_HOME }/dbs/init@.ora' Replace the line: if [-f \$PFILE] ; then with if [-f \$PFILE -o -f \$SPFILE] ; then
- D. Edit the dbstart script: Add the line: SPFILE=\${ORACLE_HOME }/dbs/spfile\${ORACLE_SID }.ora Replace the line if [-f \$PFILE] ; then with if [-f \$PFILE -o -f \$SPFILE] ; then
- E. Edit the startup script: Add the line: CREATE SPFILE = '?/dbs/spfile@.ora' FROM PFILE = '?/dbs/init@.ora' ; Replace the line: if [-f \$PFILE] ; then with if [-f \$PFILE -o -f \$SPFILE] ; then

Answer: AD

16. You are creating a database using Database Configuration Assistant (DBCA). You need to save the SQL scripts that are being used to create the database. Which set of options would you select?

- A. Enable SQL tracing for the DBCA session
- B. Choose the "New Database" template and select the "Save as a Database Template" option while creating the database
- C. Choose the "General Purpose" template and select the "Save as a Database Template" option while creating the database
- D. Create the database using the "General Purpose" template and then create a new template from the existing database
- E. Choose the "New Database" template and select the "Generate Database Creation Scripts" option while creating the database

Answer: E

17. You have created the automatic database startup script oracle_start in /etc/rc.d/init.d . While starting up the server, you have been receiving the error service oracle_start does not support chkconfig . What must you do to fix this error?

- A. Schedule a cron task to start up the database.
- B. Specify the path to the startup script in the oratab file.
- C. Run the root.sh script to add the script to the runlevel directories.
- D. Include the line #chkconfig: 2345 20 90 in the oracle_start script.
- E. Place a copy of the oracle_start script in the rc2.d and rc3.d runlevel directories.

Answer: D

18. Which information about your system will help you determine if CPU is a bottleneck? (Choose three.)

- A. pages in
- B. bigpages
- C. load factor
- D. average load
- E. number of CPUs

Answer: CDE

19. Which statistics enable you to view the impact of SQL statements on input/output (I/O) statistics?

- A. file statistics in Performance Manager
- B. sorts and parse calls values in Top SQL
- C. CPU chart group in Performance Manager
- D. buffer gets and disk reads values in Top SQL
- E. statistics obtained from the sar and vmstat commands

Answer: D

20. Which two statements are true about Oracle Clustered File System (OCFS)? (Choose two.)

- A. There is no limit on the number of files on OCFS.
- B. You can create an OCFS on Logical Volume Manager (LVM).
- C. You can use OCFS for database files as well as general files.
- D. You must modify Linux kernel parameters before mounting OCFS.
- E. Standard file system commands, such as mkdir , rmdir , and mv , are available on OCFS.

Answer: AE

[More 1z0-036 Information](#)

Related 1z0-036 Exams

[1z0-047](#) Oracle Database SQL Expert

[1Z0-215](#) Oracle E-Business Suite R12: General Ledger and Payables Fundamentals

[1Z0-051](#) Oracle Database: SQL Fundamentals I

[1z0-036](#) Managing Oracle9i on linux

[1Z0-055](#) Oracle Database 11g: New Features for 9i OCPs

[1Z0-218](#) PeopleSoft HRMS Fundamentals

[1Z0-216](#) Oracle E-Business Suite R12: General Ledger and Receivables Fundamentals

[1z0-238](#) R12 Oracle: install, Patch and Maintain Oracle Applications

[1z0-233](#) Oracle 11i install. patch and maintain applications

[1z0-223](#) Oracle order management 11i fundamentals

[1z0-264](#) Hyperion Essbase Analytics 9.3 Developer

[1z0-225](#) Oracle EBS R12: Inventory and Purchasing Fundamentals

[1z0-231](#) Oracle implement workflow 11i/2.6

[1z0-222](#) Oracle purchasing 11i fundamentals

[1z0-403](#) Enterprise Linux System Administration

[1z0-213](#) Oracle receivables 11i fundamentals

[1Z1-225](#) Oracle EBS R12: Inventory and Purchasing Fundamentals

[1z0-204](#) Oracle EBS R12: E-Business Essentials

[1z0-211](#) Oracle 11i general ledger fundamentals

[1z0-235](#) Oracle 11i applications DBA: Fundamentals I

Other Oracle Exams

[1Z0-043](#) [1z0-640](#) [1z0-610](#) [1z0-238](#) [1Z0-052](#) [1z0-054](#) [1z0-007](#) [1Z1-238](#)

[1Z1-054](#) [1z0-020](#) [1z0-402](#) [1z0-630](#) [1z0-223](#) [1Z0-218](#) [1z0-222](#) [1Z1-241](#)

[1Z0-273](#) [1z0-046](#) [1z0-271](#) [1z0-045](#)