

## **Exam4Test 1z0-040 Exams**

### **Oracle oracle database 10g:new features for adminstrators**



**Practice Exam:** 1z0-040

**Exam Number/Code:** 1z0-040

**Exam Name:** oracle database 10g:new features for adminstrators

**Questions and Answers:** 140 Q&As

### **Exam Description**

Order : [1z0-040 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 1z0-040 Exam.

Exam4Test **Practice Exams** for 1z0-040 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **10g DBA** exam and get your **10g DBA Certification**.

We guarantee your success in the first attempt. If you do not pass the **10g DBA** "1z0-040" (oracle database 10g:new features for adminstrators on your first attempt, send us the official result. We will give you a FULLY REFUND of you purchasing fee and send you another same value product for free.

4. Exam4Test 10g DBA 1z0-040 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of 10g DBA 1z0-040 exam provides everything which you need to pass your exam. The 10g DBA Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "1z0-040 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first oracle database 10g:new features for adminstrators( 10g DBA ) exam try, but also save your valuable time.

Comprehensive questions with complete details about 1z0-040 exam.

1z0-040 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real 10g DBA exam. 1z0-040 exam questions updated on regular basis.

Like actual 10g DBA Certification exams, 1z0-040 exam preparation is in multiple-choice questions (MCQs). Tested by many real 10g DBA exams before publishing.

Try free 10g DBA exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 1z0-040 Exam: 100% Guarantee to Pass Your 1z0-040 exam and get your 10g DBA Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your 10g DBA Certification.

Exam4Test professional provides 10g DBA 1z0-040 the newest Q&A, completely covers 1z0-040 test original topic.

With our completed 10g DBA resources, you will minimize your 10g DBA cost and be ready to pass your 1z0-040

test on Your First Try, 100% Money Back Guarantee included!

## 1z0-040 Exam Study Guide

1z0-040 exam is regarded as one of the most favourite [10g DBA Certifications](#). Many IT professionals prefer to add 1z0-040 exam among their credentials. Exam4Test not only caters you all the information regarding the 1z0-040 exam but also provides you the excellent 1z0-040 study guide which makes the certification exam easy for you.

### Exam4Test Engine Features

Comprehensive questions and answers about 1z0-040 exam

1z0-040 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

1z0-040 exam questions updated on regular basis

Same type as the certification exams, 1z0-040 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 1z0-040 exam demo before you decide to buy it in Exam4Test.com

### Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-040

Title : Oracle(r) Database 10g:New Features For Adminsitrators

1. View the Exhibit and examine the highlighted alert.

You have received an alert with the Category specified as Snapshot Too Old. Which page would you open from the Advisor Central page to determine the system recommendations to avoid such alerts in future?

- A.ADDM
- B.Memory Advisor
- C.Segment Advisor
- D.Undo Management
- E.SQL Tuning Advisor
- F.SQL Access Advisor

Answer: D

2. View the exhibit and examine the sparsely populated EMP table segment.

You execute the following SQL command.

```
ALTER TABLE emp SHRINK SPACE;
```

Identify how the data in the segment will be reorganized as a result of the above statement.

- A. Exhibit 1.
- B. Exhibit 2.
- C. Exhibit 3
- D. Exhibit 4
- E. Exhibit 5

Answer: A

3. An online tablespace, TEST\_TBS, is full and you realize that no server-managed tablespace threshold alerts were generated for the TEST\_TBS tablespace. What could be the reason, if the TEST\_TBS tablespace does not include autoextensible data files?

- A. TEST\_TBS is a small file tablespace.
- B. TEST\_TBS is a bigfile tablespace (BFT).
- C. TEST\_TBS is the default temporary tablespace.
- D. TEST\_TBS is a dictionary-managed tablespace.
- E. Threshold values for the TEST\_TBS tablespace are not explicitly specified.

Answer: D

4. You want to perform the database backup when user activity on your system is low, such as between 12:00 a.m. and 2:00 a.m.

Which command terminates with an error if the backup is not complete at the end of the specified duration?

- A. RMAN> BACKUP DURATION 2:00 MINIMIZE LOAD DATABASE;
- B. RMAN> BACKUP DURATION 2:00 PARTIAL FILESPERSET 1 DATABASE;
- C. RMAN> BACKUP DURATION 2:00 PARTIAL MINIMIZE TIME DATABASE;
- D. RMAN> BACKUP AS COPY DURATION 2:00 PARTIAL MINIMIZE LOAD DATABASE;

Answer: A

5. You plan to create an external table from the EMPLOYEES, DEPARTMENTS, and LOCATIONS database tables. Which method or command should you use to create and populate the external table?

- A. the expdp and impdp commands
- B. conventional export and import
- C. CREATE TABLE.. and SQL\*Loader
- D. CREATE TABLE.. and INSERT INTO.. SELECT.. FROM..
- E. CREATE TABLE.. ORGANIZATION EXTERNAL ..AS SELECT.. FROM..

Answer: E

6. You created a locally managed tablespace by using the following SQL statement:

```
CREATE TABLESPACE hr_tbs
DATAFILE 'data.dat' SIZE 1M REUSE
AUTOEXTEND ON MAXSIZE 100M;
```

The warning and critical tablespace usage threshold values are set to 85% and 97%, respectively. Which two statements regarding the threshold-based alerts generation for the HR\_TBS tablespace are correct? (Choose two.)

- A. A critical alert will be generated when 97 MB space is used.
- B. A critical alert will be generated when 970 KB space is used.
- C. A warning alert will be generated when 85 MB space is used.
- D. A warning alert will be generated when 850 KB space is used.
- E. A critical alert will be generated when 970 KB is left as free space.
- F. A warning alert will be generated when 850 KB is left as free space.
- G. No critical alert will be generated because it is a small file tablespace.
- H. No warning alert will be generated because the tablespace is autoextensible.

Answer: AC

7. View the Exhibit and examine the SQL statement used to create the EMP table.

You need to shrink the EMP table segment. Which SQL statement would you execute as a prerequisite before you execute the ALTER TABLE emp SHRINK SPACE; command?

- A. ALTER TABLESPACE emp OFFLINE;
- B. ALTER TABLESPACE emp READ ONLY;
- C. ALTER TABLE emp DEALLOCATE UNUSED;
- D. ALTER TABLE emp ENABLE ROW MOVEMENT;
- E. ALTER TABLE emp DISABLE ALL TRIGGERS;
- F. ALTER TABLE emp ENABLE NOVALIDATE CONSTRAINT emp\_last\_name\_nn;

Answer: D

8. Which two statements regarding the FLASHBACK\_TRANSACTION\_QUERY view are correct? (Choose two.)

- A. You can find information about only active transactions from the view.

- B. You can find information about read only transactions from the view.
- C. You require the SELECT ANY TRANSACTION system privilege to access the view.
- D. You can find information about both active and committed transactions from the view.
- E. You require the SELECT ON FLASHBACK\_TRANSACTION\_QUERY object privilege to access the view.

Answer: CD

9. You have 100 segments in the USERS tablespace. You realize that the USERS tablespace is running low on space. You can use Segment Advisor to \_\_\_\_\_.

- A. add data files to the tablespace
- B. identify the segments that you should shrink
- C. modify the storage parameters for the tablespace
- D. automatically shrink the segments with unused space
- E. check the alerts generated for the tablespace that is running low on space

Answer: B

10. The system was running a normal workload during the last 24 hours. You need to ensure that with the same workload you should be able to flashback tables by three hours. What would you do to find the system recommendations for the undo retention period and the undo tablespace size?

- A. set DB\_FLASHBACK\_RETENTION\_TARGET=10800
- B. create a new scheduler window for the time period of 24 hours and use the optimizer statistics
- C. modify the Automatic Workload Repository (AWR) snapshot time interval to three hours and use ADDM findings
- D. specify New Undo Retention as three hours and Analysis Time period as Last One Day in the Undo Advisor page and use its recommendations

Answer: D

11. You have three production databases, HRDB, FINDB, and ORGDB, that use the same ASM instance. At the end of the day, you execute the following command on the ASM instance to shut down:

```
SQL> shutdown immediate;
```

What is the result of executing this command?

- A. All the instances, including the ASM instance, are shut down in the ABORT mode.
- B. The ASM instance is shut down, but the other instances are still running.
- C. The ASM instance is still functional, but the other instances are shut down.
- D. All the instances, including the ASM instance, are shut down in the IMMEDIATE mode.
- E. HRDB, FINDB, and ORGDB instances are shut down in the ABORT mode and the ASM instance is shut down in the IMMEDIATE mode.
- F. HRDB, FINDB, and ORGDB instances are shut down in the NORMAL mode and the ASM instance is shut down in the IMMEDIATE mode.

Answer: D

12. You have three temporary tablespace groups named G1, G2, and G3 in your database.

You are creating a new temporary tablespace as follows:

```
CREATE TEMPORARY TABLESPACE TEMP1 TEMPFILE 'u1/data/temp1.dbf' SIZE 10M TABLESPACE GROUP ";
```

Which statement regarding the above command is correct?

- A. It will create the tablespace TEMP1 in group G1.
- B. It will create the tablespace TEMP1 in group G3.
- C. It will not add the tablespace TEMP1 to any group.
- D. It will create the tablespace TEMP1 in the default group.
- E. It will throw an error with message 'specified group is not available'.
- F. It will create a new group with a system-generated name and add the tablespace TEMP1 to it.

Answer: C

13. You need to ensure that the database users should be able to use the various flashback query features in order to go back in time by four hours. What would you do to achieve this? (Choose two.)

- A. set SQL\_TRACE=True

B.set UNDO\_RETENTION=14400  
C.set FAST\_START\_MTTR\_TARGET=240  
D.set LOG\_CHECKPOINT\_INTERVAL=240  
E.set DB\_FLASHBACK\_RETENTION\_TARGET=14400  
F.issue ALTER DATABASE FLASHBACK ON; command  
G.set the RETENTION GUARANTEE clause for the undo tablespace  
Answer: BG

14. Which are the three levels at which the Segment Advisor generates advice? (Choose three.)

- A.block level
- B.object level
- C.schema level
- D.segment level
- E.tablespace level

Answer: BDE

15. You have 100 segments in the USERS tablespace. You get an alert that the USERS tablespace is running low on space. You decide to shrink some segments. Which option would you use to determine which segments to shrink?

- A.Segment Advisor
- B.SQL Tuning Advisor
- C.SQL Access Advisor
- D.Segment Resource Estimation
- EAutomatic Database Diagnostic Monitor (ADDM)

Answer: A

16. You are checking every 10 minutes for alerts regarding the violation of tablespace usage threshold. Some of the tablespaces' fullness was not detected on time. As a result the transactions were aborted before you had a chance to resolve the space issue. What would you do to avoid transaction failures?

- A.use bigfile tablespaces (BFTs)
- B.enable resumable space allocation
- C.modify the background process PMON settings
- D.modify the LOG\_CHECKPOINT\_TIMEOUT parameter
- E.reduce the default tablespace usage threshold values for the database

Answer: B

17. You executed the following SQL statement to shrink the EMPLOYEES table segment stored in the EXAMPLE tablespace:

```
ALTER TABLE employees SHRINK SPACE CASCADE;
```

Which statement is correct in this scenario?

- A.The data in the segment will be compacted but the high water mark will not be adjusted.
- B.The EMPLOYEES table will be changed to read-only mode during the shrink operation.
- C.The indexes created on the EMPLOYEES table will need to be rebuilt after the shrink operation is over.
- D.The shrink behavior will be cascaded to all dependent segments of the table that support a shrink operation.
- E.Data manipulation language (DML) operations will not be possible on the EMPLOYEES table during the COMPACTION phase of the shrink operation.

Answer: D

18. View the Exhibit and examine the recommendation graph provided for a test database by the Undo Advisor. The graph recommends that the size of undo tablespace should be set to \_\_\_\_\_.

- A.1 MB
- B.6 MB
- C.10 MB
- D.15 MB
- E.11 MB

Answer: E

19. You explicitly specified the tablespace usage threshold values while creating a tablespace. You need to revert to the database-wide default tablespace usage threshold values for the tablespace. Which PL/SQL package would you use?

- A.DBMS\_STATS
- B.DBMS\_ALERT
- C.DBMS\_SPACE
- D.DBMS\_MONITOR
- E.DBMS\_SERVER\_ALERT
- F.DBMS\_SPACE\_ADMIN

Answer: E

20. Which two statements regarding the Policy Framework in Enterprise Manager (EM) are correct? (Choose two.)

- A.Policy violations are prioritized as High, Medium, or Informational by category.
- B.Policies can be disabled completely, or flagged as ignored, for the specified target.
- C.Policies can be flagged as ignored, but never completely disabled, for the specified target.
- D.Policy violations must be corrected, otherwise the database will shut down until corrective action occurs.

Answer: AB

[More 1z0-040 Information](#)

#### Related 1z0-040 Exams

[1z0-042](#) *oracle database 10g:administration i*

[1Z0-043](#) *Oracle Database 10g: Administration II*

[1z0-048](#) *Oracle Database 10g R2: Administering RAC*

[1Z0-108](#) *Oracle WebLogic Server 10g System Administration*

[1z0-095](#) *Oracle 9i and 10g OCM Course Attendance Exam*

[1z1-046](#) *Oracle database 10g:Managing Oracle on Linux for DBAs*

[1z0-046](#) *Oracle Database 10g: Managing Oracle on Linux for DBAs*

[1z0-040](#) *oracle database 10g:new features for adminsitrators*

[1z0-312](#) *Oracle Application Server 10g: Administrator II*

#### Other Oracle Exams

[1z0-147](#)    [1z0-204](#)    [1z0-036](#)    [1z0-213](#)    [1z0-259](#)    [1z0-271](#)    [1Z1-241](#)    [1z1-312](#)

[1z0-040](#)    [1Z0-615](#)    [1Z1-202](#)    [1z0-264](#)    [1z0-042](#)    [1Z1-054](#)    [1Z0-200](#)    [1Z1-402](#)

[1z0-301](#)    [1z0-209](#)    [1z0-232](#)    [1z0-035](#)