

Exam4Test 1z0-147 Exams

Oracle oracle9i program with pl/sql



Practice Exam: 1z0-147

Exam Number/Code: 1z0-147

Exam Name: oracle9i program with pl/sql

Questions and Answers: 132 Q&As

Exam Description

Order : [1z0-147 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 1z0-147 Exam.

Exam4Test **Practice Exams** for 1z0-147 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **9i Internet Application Developer** exam and get your **9i Internet Application Developer Certification**.

We guarantee your success in the first attempt. If you do not pass the **9i Internet Application Developer "1z0-147"** (oracle9i program with pl/sql on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test 9i Internet Application Developer 1z0-147 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of 9i Internet Application Developer 1z0-147 exam provides everything which you need to pass your exam. The 9i Internet Application Developer Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "1z0-147 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first oracle9i program with pl/sql(9i Internet Application Developer) exam try, but also save your valuable time.

Comprehensive questions with complete details about 1z0-147 exam.

1z0-147 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real 9i Internet Application Developer exam. 1z0-147 exam questions updated on regular basis.

Like actual 9i Internet Application Developer Certification exams, 1z0-147 exam preparation is in multiple-choice questions (MCQs). Tested by many real 9i Internet Application Developer exams before publishing.

Try free 9i Internet Application Developer exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 1z0-147 Exam: 100% Guarantee to Pass Your 1z0-147 exam and get your 9i Internet Application Developer Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your 9i Internet Application Developer Certification.

Exam4Test professional provides 9i Internet Application Developer 1z0-147 the newest Q&A, completely covers 1z0-147 test original topic. With our completed 9i Internet Application Developer resources, you will minimize your 9i Internet Application Developer cost and be ready to pass your 1z0-147 test on Your First Try, 100% Money Back Guarantee included!

1z0-147 Exam Study Guide

1z0-147 exam is regarded as one of the most favourite [9i Internet Application Developer Certifications](#). Many IT professionals prefer to add 1z0-147 exam among their credentials. Exam4Test not only caters you all the information regarding the 1z0-147 exam but also provides you the excellent 1z0-147 study guide which makes the certification exam easy for you.

Exam4Test Engine Features

Comprehensive questions and answers about 1z0-147 exam

1z0-147 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

1z0-147 exam questions updated on regular basis

Same type as the certification exams, 1z0-147 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 1z0-147 exam demo before you decide to buy it in Exam4Test.com

Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Oracle 1Z0-147

Title : Oracle9i Program with PL/SQL

1. You have a table with the following definition: CREATE TABLE long_tab (id NUMBER, long_col LONG); You need to convert the LONG_COL column from a LONG data type to a LOB data type. Which statement accomplishes this task?

- A. ALTER TABLE long_tab MODIFY (LONG_COL CLOB);
- B. EXECUTE dbms_lob.migrate(long_tab, long_col, clob)
- C. EXECUTE dbms_manage.lob.migrate(long_tab, long_col, clob)
- D. EXECUTE utl_lob.migrate(long_tab, long_col, clob)
- E. EXECUTE utl_manage_lob.migrate(long_tab, long_col, clob)

Answer: A

2. The add_player , upd_player_stat , and upd_pitcher_stat procedures are grouped together in a package. A variable must be shared among only these procedures. Where should you declare this variable?

- A. in the package body
- B. in a database trigger
- C. in the package specification
- D. in each procedure's DECLARE section, using the exact same name in each

Answer: A

3. Procedure PROCESS_EMP references the table EMP . Procedure UPDATE_EMP updates rows of table EMP through procedure PROCESS_EMP . There is a remote procedure QUERY_EMP that queries the EMP table through

the local procedure PROCESS_EMP . The dependency mode is set to TIMESTAMP in this session. Which two statements are true? (Choose two.)

- A. If the signature of procedure PROCESS_EMP is modified and successfully recompiles, the EMP table is invalidated.
- B. If internal logic of procedure PROCESS_EMP is modified and successfully recompiles, UPDATE_EMP gets invalidated and will recompile when invoked for the first time.
- C. If the signature of procedure PROCESS_EMP is modified and successfully recompiles, UPDATE_EMP gets invalidated and will recompile when invoked for the first time.
- D. If internal logic of procedure PROCESS_EMP is modified and successfully recompiles, QUERY_EMP gets invalidated and will recompile when invoked for the first time.
- E. If internal logic of procedure PROCESS_EMP is modified and successfully recompiles, QUERY_EMP gets invalidated and will recompile when invoked for the second time.

Answer: BE

4. Examine this procedure: CREATE OR REPLACE PROCEDURE ADD_PLAYER (V_ID IN NUMBER, V_LAST_NAME VARCHAR2) IS BEGIN INSERT INTO PLAYER (ID, LAST_NAME) VALUES (V_ID, V_LAST_NAME) COMMIT; END; This procedure must invoke the UPD_BAT_STAT procedure and pass a parameter. Which statement when added to the above procedure, will successfully invoke the UPD_BAT_STAT procedure?

- A. EXECUTE UPD_BAT_STAT(V_ID);
- B. UPD_BAT_STAT(V_ID);
- C. RUN UPD_BAT_STAT(V_ID);
- D. START UPD_BAT_STAT(V_ID);

Answer: B

5. Examine this package: CREATE OR REPLACE PACKAGE pack_cur IS CURSOR c1 IS SELECT prodid FROM product ORDER BY prodid DESC; PROCEDURE proc1; PROCEDURE proc2; END pack_cur; / CREATE OR REPLACE PACKAGE BODY pack_cur IS v_prodid NUMBER; PROCEDURE proc1 IS BEGIN OPEN c1; LOOP FETCH c1 INTO v_prodid; DBMS_OUTPUT.PUT_LINE('Row is: ' || c1%ROWCOUNT); EXIT WHEN c1%ROWCOUNT >= 3; END LOOP; END proc1; PROCEDURE proc2 IS BEGIN LOOP FETCH c1 INTO v_prodid; DBMS_OUTPUT.PUT_LINE('Row is: ' || c1%ROWCOUNT); EXIT WHEN c1%ROWCOUNT >= 6; END LOOP; CLOSE c1; END proc2; END pack_cur; / The product table has more than 1000 rows. The SQL*Plus SERVEROUTPUT setting is turned on in your session. The product table has more than 1000 rows. The SQL*Plus SERVEROUTPUT setting is turned on in your session. The product table has more than 1000 rows. The SQL*Plus SERVEROUTPUT setting is turned on in your session. You execute the procedure PROC1 from SQL*Plus with the command: EXECUTE pack_cur.proc1 You execute the procedure PROC1 from SQL*Plus with the command: EXECUTE pack_cur.proc1 You execute the procedure PROC1 from SQL*Plus with the command: EXECUTE pack_cur.proc1 What is the output in your session? EXECUTE pack_cur.proc1 What is the output in your session? What is the output in your session? A. ERROR at line 1: What is the output in your session? A. ERROR at line 1: A. ERROR at line 1: B. Row is:

- A. ERROR at line 1:
- B. Row is:
- C. Row is:
- D. Row is: Row is:
- E. Row is: 1 Row is:
- F. Row is: 1 Row is: 2
- G. Row is: 1 Row is: 2 Row is: 3
- H. Row is: 1 Row is: 2 Row is: 3 Row is: 2 Row is: 3
- I. Row is: 4
- J. Row is: 4 Row is: 5
- K. Row is: 4 Row is: 5 Row is: 6 Row is: 5 Row is: 6

Answer: EFGH

6. You need to create a DML trigger. Which five pieces need to be identified? (Choose five.)

- A. table
 - B. DML event
 - C. trigger body
 - D. package body
 - E. package name
 - F. trigger name
 - G. system event
 - H. trigger timing
- Answer: ABCFH

7. This statement fails when executed: CREATE OR REPLACE TRIGGER CALC_TEAM_AVG AFTER INSERT ON PLAYER BEGIN INSERT INTO PLAYER_BAT_STAT (PLAYER_ID, SEASON_YEAR,AT_BATS,HITS) VALUES (:NEW.ID, 1997, 0,0); END; To which type must you convert the trigger to correct the error?

- A. row
- B. statement
- C. ORACLE FORM trigger
- D. before

Answer: A

8. What happens during the execute phase with dynamic SQL for INSERT, UPDATE, and DELETE operations?

- A. The rows are selected and ordered.
- B. The validity of the SQL statement is established.
- C. An area of memory is established to process the SQL statement.
- D. The SQL statement is run and the number of rows processed is returned.
- E. The area of memory established to process the SQL statement is released.

Answer: D

9. Which three are valid ways to minimize dependency failure? (Choose three.)

- A. querying with the SELECT * notation
- B. declaring variables with the %TYPE attribute
- C. specifying schema names when referencing objects
- D. declaring records by using the %ROWTYPE attribute
- E. specifying package.procedure notation while executing procedures

Answer: ABD

10. Examine this package:

Which statement is true?

- A. The value of DISCOUNT_RATE always remains 0.00 in a session.
- B. The value of DISCOUNT_RATE is set to 0.10 each time the package is invoked in a session.
- C. The value of DISCOUNT_RATE is set to 1.00 each time the procedure DISPLAY_PRICE is invoked.
- D. The value of DISCOUNT_RATE is set to 0.10 when the package is invoked for the first time in a session.

Answer: D

11. What can you do with the DBMS_LOB package?

- A. Use the DBMS_LOB.WRITE procedure to write data to a BFILE.
- B. Use the DBMS_LOB.BFILENAME function to locate an external BFILE.
- C. Use the DBMS_LOB.FILEEXISTS function to find the location of a BFILE.
- D. Use the DBMS_LOB.FILECLOSE procedure to close the file being accessed.

Answer: D

12. Which three describe a stored procedure? (Choose three.)

- A. A stored procedure is typically written in SQL.
- B. By default, a stored procedure executes with the privileges of its owner.
- C. A stored procedure has three parts: the specification, the body, and the exception handler part .

- D. A stored procedure is stored in the database and can be shared by a number of programs.
- E. A stored procedure offers some advantages over a standalone SQL statement, such as programmable functionality and compiled code.

Answer: BDE

13. Examine this code:

Which two statements are true? (Choose two.)

- A. This function is invalid.
- B. This function can be used against any table.
- C. This function cannot be used in a SELECT statement.
- D. This function can be used only if the two parameters passed in are not null values.
- E. This function will generate a string based on 2 character values passed into the function.
- F. This function can be used only on tables where there is a p_first and p_last column.

Answer: BE

14. Examine this code:

What type of trigger is it?

- A. DML trigger
- B. INSTEAD OF trigger
- C. application trigger
- D. system event trigger
- E. This is an invalid trigger.

Answer: E

15. Examine this package:

How many public procedures are in the MANAGE_EMPS package?

- A. one
- B. two
- C. three
- D. four
- E. five
- F. none

Answer: F

16. Examine this code:

Which statement is true?

- A. g_comm has a value of 15 at 9:06am for Smith.
- B. g_comm has a value of 15 at 9:06am for Jones.
- C. g_comm has a value of 20 at 9:06am for both Jones and Smith.
- D. g_comm has a value of 15 at 9:03am for both Jones and Smith.
- E. g_comm has a value of 10 at 9:06am for both Jones and Smith.
- F. g_comm has a value of 10 at 9:03 for both Jones and Smith.

Answer: B

17. All users currently have the INSERT privilege on the PLAYER table. You only want your users to insert into this table using the ADD_PLAYER procedure. Which two actions must you take? (Choose two.)

- A. GRANT SELECT ON ADD_PLAYER TO PUBLIC;
- B. GRANT EXECUTE ON ADD_PLAYER TO PUBLIC;
- C. GRANT INSERT ON PLAYER TO PUBLIC;
- D. GRANT EXECUTE,INSERT ON ADD_PLAYER TO PUBLIC;
- E. REVOKE INSERT ON PLAYER FROM PUBLIC;

Answer: BE

18. You need to remove the database trigger BUSINESS_HOUR. Which command do you use to remove the trigger i

the SQL*Plus environment?

- A. DROP TRIGGER business_hour;
- B. DELETE TRIGGER business_hour;
- C. REMOVE TRIGGER business_hour;
- D. ALTER TRIGGER business_hour REMOVE;
- E. DELETE FROM USER_TRIGGERS WHERE TRIGGER_NAME = 'BUSINESS_HOUR';

Answer: A

19. Examine this procedure: CREATE OR REPLACE PROCEDURE INSERT_TEAM (V_ID in NUMBER, V_CITY in VARCHAR2 DEFAULT 'AUSTIN', V_NAME in VARCHAR2) IS BEGIN INSERT INTO TEAM (id, city, name) VALUES (v_id, v_city, v_name); COMMIT; END; Which two statements will successfully invoke this procedure in SQL*Plus? (Choose two.)

- A. EXECUTE INSERT_TEAM;
- B. EXECUTE INSERT_TEAM(3, V_NAME=>'LONGHORNS', V_CITY=>'AUSTIN');
- C. EXECUTE INSERT_TEAM(3,'AUSTIN','LONGHORNS');
- D. EXECUTE INSERT_TEAM (V_ID := 3, V_NAME := 'LONGHORNS', V_CITY := 'AUSTIN');
- E. EXECUTE INSERT_TEAM (3,'LONGHORNS');

Answer: BC

20. Examine this code:

Which statement removes the function?

- A. DROP gen_email_name;
- B. REMOVE gen_email_name;
- C. DELETE gen_email_name;
- D. TRUNCATE gen_email_name;
- E. DROP FUNCTION gen_email_name;
- F. ALTER FUNCTION gen_email_name REMOVE;

Answer: E

[More 1z0-147 Information](#)

Related 1z0-147 Exams

[1z0-147](#) oracle9i program with pl/sql

[1z0-101](#) develop pl/sql program units

[1z0-001](#) 9i Internet Application Developer Introduction to Oracle: SQL and PL/SQL

[1z0-141](#) oracle9i forma developer:build internet applications

[1z0-140](#) oracle9i forms developer:new features

[1z0-131](#) 9i Internet Application Developer Oracle9i, Build Internet Applications I

[1z0-132](#) 9i Internet Application Developer Oracle9i, Build Internet Applications II

Other Oracle Exams

[1z1-047](#) [1z0-272](#) [1z0-047](#) [1Z0-273](#) [1z0-225](#) [1Z1-202](#) [1Z0-208](#) [1z0-610](#)

[1z0-630](#) [1Z0-055](#) [1z0-235](#) [1Z0-053](#) [1z0-048](#) [1z0-054](#) [1z0-233](#) [1Z0-215](#)

[1z1-050](#) [1z0-007](#) [1z0-036](#) [1Z0-242](#)