

## **Exam4Test 310-055 Exams**

### **SUN Sun Certified Programmer for the Java 2 Platform.SE 5.0**



**Practice Exam:** 310-055

**Exam Number/Code:** 310-055

**Exam Name:** Sun Certified Programmer for the Java 2 Platform.SE 5.0

**Questions and Answers:** 194 Q&As

#### **Exam Description**

Order : [310-055 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 310-055 Exam.

Exam4Test **Practice Exams** for 310-055 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **SCJP** exam and get your **SCJP Certification**.

We guarantee your success in the first attempt. If you do not pass the **SCJP** "310-055" (Sun Certified Programmer for the Java 2 Platform.SE 5.0) on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test SCJP 310-055 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of SCJP 310-055 exam provides everything which you need to pass your exam. The SCJP Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "310-055 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first Sun Certified Programmer for the Java 2 Platform.SE 5.0( SCJP ) exam try, but also save your valuable time.

Comprehensive questions with complete details about 310-055 exam.

310-055 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real SCJP exam. 310-055 exam questions updated on regular basis. Like actual SCJP Certification exams, 310-055 exam preparation is in multiple-choice questions (MCQs). Tested by many real SCJP exams before publishing.

Try free SCJP exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 310-055 Exam: 100% Guarantee to Pass Your 310-055 exam and get your SCJP Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your SCJP Certification.

Exam4Test professional provides SCJP 310-055 the newest Q&A, completely covers 310-055 test original topic. With our completed SCJP resources, you will minimize your SCJP cost and be ready to pass your 310-055 test on Your First Try, 100% Money Back Guarantee included!

## 310-055 Exam Study Guide

310-055 exam is regarded as one of the most favourite [SCJP Certifications](#). Many IT professionals prefer to add 310-055 exam among their credentials. Exam4Test not only caters you all the information regarding the 310-055 exam but also provides you the excellent 310-055 study guide which makes the certification exam easy for you.

### Exam4Test Engine Features

Comprehensive questions and answers about 310-055 exam

310-055 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

310-055 exam questions updated on regular basis

Same type as the certification exams, 310-055 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 310-055 exam demo before you decide to buy it in Exam4Test.com

### Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : SUN 310-055

Title : Sun Certified Programmer for the Java 2 Platform.SE 5.0

```
1. public int fubar( Foo foo ) { return foo.bar(); }
```

```
21.
```

```
22. public void testFoo() {
```

```
23.
```

```
24. class A implements Foo {
```

```
25. public int bar() { return 2; }
```

```
26. }
```

```
27.
```

```
28. System.out.println( fubar( new A() ) );
```

```
29. }
```

```
30.
```

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
2. }
```

```
19. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

```
3. return 420;
```

```
18. }
```

```
19. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

```
4. }
```

```
16. public int hashCode() {
```

```
17. return 420;
```

```
18. }
```

```
19. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

```
5. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
6. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

7. Click the Exhibit button.

```
1. public class SimpleCalc {
```

```
2. public int value;
```

```
3. public void calculate() { value += 7; }
4. }
```

And:

```
1. public class MultiCalc extends SimpleCalc{
2. public void calculate() { value -= 3; }
3. public void calculate(int multiplier) {
4. calculate();
5. super.calculate();
6. value *= multiplier;
7. }
8. public static void main(String[] args) {
9. MultiCalc calculator = new MultiCalc();
10. calculator.calculate(2);
11. System.out.println("Value is: " + calculator.value);
12. }
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
8. value *= multiplier;
7. }
8. public static void main(String[] args) {
9. MultiCalc calculator = new MultiCalc();
10. calculator.calculate(2);
11. System.out.println("Value is: " + calculator.value);
12. }
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
9. System.out.println("Value is: " + calculator.value);
12. }
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

10. Given:

```
11. public static Iterator reverse(List list) {  
12. Collections.reverse(list);  
13. return list.iterator();  
14. }  
15. public static void main(String[] args) {  
16. List list = new ArrayList();  
17. list.add("1"); list.add("2"); list.add("3");  
18. for (Object obj: reverse(list))  
19. System.out.print(obj + " ");  
20. }
```

What is the result?

- A. 3, 2, 1,
- B. 1, 2, 3,
- C. Compilation fails.
- D. The code runs with no output.
- E. An exception is thrown at runtime.

Answer: C

```
11. public static void main(String[] args) {  
9. MultiCalc calculator = new MultiCalc();  
10. calculator.calculate(2);  
11. System.out.println("Value is: " + calculator.value);  
12. }  
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

12. Which two statements are true? (Choose two.)

- A. An encapsulated, public class promotes re-use.
- B. Classes that share the same interface are always tightly encapsulated.
- C. An encapsulated class allows subclasses to overload methods, but does NOT allow overriding methods.
- D. An encapsulated class allows a programmer to change an implementation without affecting outside code.

Answer: AD

```
13. calculator.calculate(2);  
11. System.out.println("Value is: " + calculator.value);  
12. }  
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
14. }
8. public static void main(String[] args) {
9. MultiCalc calculator = new MultiCalc();
10. calculator.calculate(2);
11. System.out.println("Value is: " + calculator.value);
12. }
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
15. Click the Exhibit button.
10. public class ClassA {
11. public void methodA() {
12. ClassB classB = new ClassB();
13. classB.getValue();
14. }
15. }
```

And:

```
20. class ClassB {
21. public ClassC classC;
22.
23. public String getValue() {
24. return classC.getValue();
25. }
26. }
```

And:

```
30. class ClassC {
31. public String value;
32.
33. public String getValue() {
34. value = "ClassB";
35. return value;
36. }
37. }
```

Given:

```
ClassA a = new ClassA();
a.methodA();
```

What is the result?

- A. Compilation fails.
- B. ClassC is displayed.
- C. The code runs with no output.
- D. An exception is thrown at runtime.

Answer: D

```
16. this.name = name;
15. }
16. public int hashCode() {
17. return 420;
```

18. }

19. }

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

17. MultiCalc calculator = new MultiCalc();

10. calculator.calculate(2);

11. System.out.println("Value is: " + calculator.value);

12. }

13. }

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

18. Given:

11. String test = "a1b2c3";

12. String[] tokens = test.split("\d");

13. for(String s: tokens) System.out.print(s + " ");

What is the result?

- A. a b c
- B. 1 2 3
- C. a1b2c3
- D. a1 b2 c3
- E. Compilation fails.
- F. The code runs with no output.
- G. An exception is thrown at runtime.

Answer: A

19. public int hashCode() {

17. return 420;

18. }

19. }

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

20. }

13. }

What is the result?

- A. Value is: 8

- B. Compilation fails.
  - C. Value is: 12
  - D. Value is: -12
  - E. The code runs with no output.
  - F. An exception is thrown at runtime.
- Answer: A

[More 310-055 Information](#)

#### Related 310-055 Exams

- [310-065](#) Sun Certified Programmer for the Java 2 Platform. SE6.0

---

- [310-055](#) Sun Certified Programmer for the Java 2 Platform. SE 5.0

---

- [310-036](#) SUN CERTIFIED JAVA 2 PROGRAMMER 1.4 UPGRADE

---

- [212-055](#) Sun Certified Programmer for the Java 2 Platform. SE 5.0

---

- [310-035](#) SUN CERTIFIED PROGRAMMER FOR THE JAVA 2 PLATFORM 1.4

---

- [310-065Big5](#) Sun Certified Programmer for the Java 2 Platform. SE6.0

---

- [310-056](#) Sun Certified Programmer for J2SE 5.0 - Upgrade

---

- [310-055Big5](#) Sun Certified Programmer for the Java 2 Platform. SE 5.0

---

#### Other SUN Exams

- |                         |                         |                         |                         |                         |                         |                         |                         |
|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| <a href="#">310-879</a> | <a href="#">310-302</a> | <a href="#">310-025</a> | <a href="#">310-110</a> | <a href="#">310-877</a> | <a href="#">310-620</a> | <a href="#">310-016</a> | <a href="#">310-091</a> |
| <a href="#">310-203</a> | <a href="#">310-053</a> | <a href="#">310-052</a> | <a href="#">310-230</a> | <a href="#">310-231</a> | <a href="#">310-880</a> | <a href="#">310-019</a> | <a href="#">310-045</a> |
| <a href="#">310-625</a> | <a href="#">310-090</a> | <a href="#">310-012</a> | <a href="#">310-056</a> |                         |                         |                         |                         |