


## **Exam4Test 640-801 Exams**

### **Cisco Cisco Certified Network Associate (CCNA)**



**Practice Exam:** 640-801

**Exam Number/Code:** 640-801

**Exam Name:** Cisco Certified Network Associate (CCNA)

**Questions and Answers:** 212 Q&As

#### **Exam Description**

Order : [640-801 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 640-801 Exam.

Exam4Test **Practice Exams** for 640-801 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **CCNA** exam and get your *CCNA Certification*.

We guarantee your success in the first attempt. If you do not pass the **CCNA** "640-801" (Cisco Certified Network Associate (CCNA)) on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test CCNA 640-801 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of CCNA 640-801 exam provides everything which you need to pass your exam. The CCNA Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "640-801 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first Cisco Certified Network Associate (CCNA)( CCNA ) exam try, but also save your valuable time.

Comprehensive questions with complete details about 640-801 exam.

640-801 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real CCNA exam. 640-801 exam questions updated on regular basis

Like actual CCNA Certification exams, 640-801 exam preparation is in multiple-choice questions (MCQs). Tested by many real CCNA exams before publishing.

Try free CCNA exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 640-801 Exam: 100% Guarantee to Pass Your 640-801 exam and get your CCNA Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your CCNA Certification.

Exam4Test professional provides CCNA 640-801 the newest Q&A, completely covers 640-801 test original topic. With our completed CCNA resources, you will minimize your CCNA cost and be ready to pass your 640-801 test on Your First Try, 100% Money Back Guarantee included!

## 640-801 Exam Study Guide

640-801 exam is regarded as one of the most favourite [CCNA Certifications](#). Many IT professionals prefer to add 640-801 exam among their credentials. Exam4Test not only caters you all the information regarding the 640-801 exam but also provides you the excellent 640-801 study guide which makes the certification exam easy for you.

### Exam4Test Engine Features

Comprehensive questions and answers about 640-801 exam

640-801 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

640-801 exam questions updated on regular basis

Same type as the certification exams, 640-801 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 640-801 exam demo before you decide to buy it in Exam4Test.com

### Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : CISCO 640-801

Title : CCNA

1. Which connections allow the use of full-duplex Ethernet?(Choose three.)

- A. switch to host
- B. switch to switch
- C. hub to hub
- D. switch to hub
- E. host to host

Answer: ABE

2. Two routers named Atlanta and Brevard are connected by their serial interfaces as shown in the exhibit, but there is no data connectivity between them. The Atlanta router is known to have a correct configuration. Given the partial configurations shown in the exhibit, what is the problem on the Brevard router that is causing the lack of connectivity?

- A. A loopback is not set.
- B. The IP address is incorrect.
- C. The subnet mask is incorrect.
- D. The serial line encapsulations are incompatible.
- E. The maximum transmission unit (MTU) size is too large.
- F. The bandwidth setting is incompatible with the connected interface.

Answer: B

3. All WAN links inside the ABC University network use PPP with CHAP for authentication security. Which command will display the CHAP authentication process as it occurs between two routers in the network?

- A. show CHAP authentication
- B. show interface serial0
- C. debug PPP authentication
- D. debug CHAP authentication

E. show ppp authentication chap

Answer: C

4. Refer to the exhibit. To what does the 128 refer in the router output O 192.168.12.240/30 [110/128] via 192.168.12.233,00:35:36, Serial 0?

- A. OSPF cost
- B. OSPF priority
- C. OSPF hop count
- D. OSPF ID number
- E. OSPF administrative distance

Answer: A

5. Refer to the exhibit. The network shown in the exhibit has just been installed. Host B can access the Internet, but is unable to ping host C. What is the problem with this configuration?

- A. Host B should be in VLAN 13.
- B. The address of host C is incorrect.
- C. The gateway for host B is in a different subnet than the host is on.
- D. The switch port that sends VLAN 13 frames from the switch to the router is shut down.
- E. The switch port connected to the router is incorrectly configured as an access port.

Answer: B

6. If an ethernet port on a router was assigned an IP address of 172.16.112.1/20, what is the maximum number of hosts allowed on this subnet?

- A. 1024
- B. 2046
- C. 4094
- D. 4096
- E. 8190

Answer: C

7. Which routing protocols can be used within the enterprise network shown in the diagram? (Choose three.)

- A. RIP v1
- B. RIP v2
- C. IGRP
- D. OSPF
- E. BGP
- F. EIGRP

Answer: BDF

8. Refer to the topology and router output shown in the exhibit. A technician is troubleshooting host connectivity issues on the switches. The hosts in VLANs 10 and 15 on Sw11 are unable to communicate with hosts in the same VLANs on Sw12. Hosts in the Admin VLAN are able to communicate. The port-to-VLAN assignments are identical on the two switches. What could be the problem?

- A. The Fa0/1 port is not operational on one of the switches.
- B. The link connecting the switches has not been configured as a trunk.
- C. At least one port needs to be configured in VLAN 1 for VLANs 10 and 15 to be able to communicate.
- D. Port FastEthernet 0/1 needs to be configured as an access link on both switches.
- E. A router is required for hosts on SW11 in VLANs 10 and 15 to communicate with hosts in the same VLAN on Sw12.

Answer: B

9. The user of Host1 wants to ping the DSL modem/router at 192.168.1.254. Based on the Host1 ARP table that is shown in the exhibit, what will Host1 do?

- A. send a unicast ARP packet to the DSL modem/router

- B. send unicast ICMP packets to the DSL modem/router
- C. send Layer 3 broadcast packets to which the DSL modem/router responds
- D. send a Layer 2 broadcast that is received by Host2, the switch, and the DSL modem/router

Answer: B

10. An internetwork has been configured as shown in the diagram, with both routers using EIGRP routing for AS 44. Users on the Branch router are unable to reach any of the subnets on the HQ router. Which of the following commands is necessary to fix this problem?

- A. Branch(config-router)# version 2
- B. Branch(config-router)# no auto-summary
- C. Branch(config-router)# redistribute eigrp 44
- D. Branch(config-router)# eigrp log-neighbor-changes
- E. Branch(config-router)# default-information originate

Answer: B

11. Refer to the exhibit. What is the meaning of the term dynamic as displayed in the output of the show frame-relay map command shown?

- A. The Serial0/0 interface is passing traffic.
- B. The DLCI 100 was dynamically allocated by the router.
- C. The Serial0/0 interface acquired the IP address of 172.16.3.1 from a DHCP server.
- D. The DLCI 100 will be dynamically changed as required to adapt to changes in the Frame Relay cloud.
- E. The mapping between DLCI 100 and the end station IP address 172.16.3.1 was learned through Inverse ARP.

Answer: E

12. What does the "Inside Global" address represent in the configuration of NAT?

- A. the summarized address for all of the internal subnetted addresses
- B. the MAC address of the router used by inside hosts to connect to the Internet
- C. a globally unique, private IP address assigned to a host on the inside network
- D. a registered address that represents an inside host to an outside network

Answer: D

13. An access list was written with the four statements shown in the graphic. Which single access list statement will combine all four of these statements into a single statement that will have exactly the same effect?

- A. access-list 10 permit 172.29.16.0 0.0.0.255
- B. access-list 10 permit 172.29.16.0 0.0.1.255
- C. access-list 10 permit 172.29.16.0 0.0.3.255
- D. access-list 10 permit 172.29.16.0 0.0.15.255
- E. access-list 10 permit 172.29.0.0 0.0.255.255

Answer: C

14. Refer to the exhibit. The technician wants to upload a new IOS in the router while keeping the existing IOS. What is the maximum size of an IOS file that could be loaded if the original IOS is also kept in flash?

- A. 3 MB
- B. 4 MB
- C. 5 MB
- D. 7 MB
- E. 8 MB

Answer: B

15. Refer to the exhibit. A problem with network connectivity has been observed. It is suspected that the cable connected to switch port Fa0/9 on Switch1 is disconnected. What would be an effect of this cable being disconnected?

- A. Host B would not be able to access the server in VLAN9 until the cable is reconnected.
- B. Communication between VLAN3 and the other VLANs would be disabled.

- C. The transfer of files from Host B to the server in VLAN9 would be significantly slower.  
D. For less than a minute, Host B would not be able to access the server in VLAN9. Then normal network function would resume.

Answer: D

16. When a new trunk link is configured on an IOS based switch, which VLANs are allowed over the link?

- A. By default, all defined VLANs are allowed on the trunk.  
B. Each single VLAN, or VLAN range, must be specified with the switchport mode command.  
C. Each single VLAN, or VLAN range, must be specified with the vtp domain command.  
D. Each single VLAN, or VLAN range, must be specified with the vlan database command.

Answer: A

17. Which form of NAT maps multiple private IP addresses to a single registered IP address by using different ports?

- A. static NAT  
B. dynamic NAT  
C. overloading  
D. overlapping  
E. port loading

Answer: C

18. Refer to the exhibit. What is the most efficient summarization that R1 can use to advertise its networks to R2?

- A. 172.1.0.0/22  
B. 172.1.0.0/21  
C. 172.1.4.0/22  
D. 172.1.4.0/24 172.1.5.0/24 172.1.6.0/24 172.1.7.0/24  
E. 172.1.4.0/25 172.1.4.128/25 172.1.5.0/24 172.1.6.0/24 172.1.7.0/24

Answer: C

19. Which of the following are characteristics of a Frame Relay point-to-point subinterface? (Choose two.)

- A. requires use of Inverse ARP  
B. resolves NBMA split horizon issues  
C. requires the frame-relay map command  
D. maps one IP subnet per DLCI  
E. maps one IP subnet across multiple DLCIs

Answer: BD

20. Which line from the output of the show ip interface command indicates that there is a Layer 1 problem?

- A. Serial0/1 is up, line protocol is up  
B. Serial0/1 is up, line protocol is down  
C. Serial0/1 is down, line protocol is down  
D. Serial0/1 is administratively down, line protocol is down

Answer: C

[More 640-801 Information](#)

### Related 640-801 Exams

[640-802](#) Cisco Certified Network Associate

[640-822](#) Interconnecting Cisco Networking Devices Part 1

[640-816](#) Interconnecting Cisco Networking Devices Part 2

[640-801](#) Cisco Certified Network Associate (CCNA)

[640-553](#) IINS Implementing Cisco IOS Network Security

[640-721](#) Implementing Cisco Unified Wireless Networking Essentials (IUNWE)

---

[640-811](#) *Interconnecting Cisco Networking Devices*

---

[640-821](#) *Introduction to Cisco Networking Technologies*

---

**Other Cisco Exams**

[642-974](#)      [642-821](#)      [642-081](#)      [350-029](#)      [642-655](#)      [642-355](#)      [646-573](#)      [642-522](#)

[642-061](#)      [642-415](#)      [640-822](#)      [642-982](#)      [642-112](#)      [642-241](#)      [642-541](#)      [642-053](#)

[642-873](#)      [640-801](#)      [640-861](#)      [646-391](#)