


Exam4Test 642-456 Exams

Cisco Implementing Cisco Unified Communications Manager Part 2 (CIPT2 v6.0)



Practice Exam: 642-456

Exam Number/Code: 642-456

Exam Name: Implementing Cisco Unified Communications Manager Part 2 (CIPT2 v6.0)

Questions and Answers: 59 Q&As

Order : [642-456 Exam](#)

Exam Description

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 642-456 Exam.

Exam4Test **Practice Exams** for 642-456 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **Others** exam and get your *Others Certification*.

We guarantee your success in the first attempt. If you do not pass the **Others** "642-456" (Implementing Cisco Unified Communications Manager Part 2 (CIPT2 v6.0) on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test Others 642-456 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of Others 642-456 exam provides everything which you need to pass your exam. The Others Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "642-456 exam" question from different websites or books, but logic is the key. Our Product will help you not only pass in the first Implementing Cisco Unified Communications Manager Part 2 (CIPT2 v6.0)(Others) exam try, but also save your valuable time.

Comprehensive questions with complete details about 642-456 exam.

642-456 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real Others exam. 642-456 exam questions updated on regular basis

Like actual Others Certification exams, 642-456 exam preparation is in multiple-choice questions (MCQs). Tested by many real Others exams before publishing.

Try free Others exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the 642-456 Exam: 100% Guarantee to Pass Your 642-456 exam and get your Others Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your Others Certification.

Exam4Test professional provides Others 642-456 the newest Q&A, completely covers 642-456 test original topic.

With our completed Others resources, you will minimize your Others cost and be ready to pass your 642-456 test on Your First Try, 100% Money Back Guarantee included!

642-456 Exam Study Guide

642-456 exam is regarded as one of the most favourite [Others Certifications](#). Many IT professionals prefer to add 642-456 exam among their credentials. Exam4Test not only caters you all the information regarding the 642-456 exam but also provides you the excellent 642-456 study guide which makes the certification exam easy for you.

Exam4Test Engine Features

Comprehensive questions and answers about 642-456 exam

642-456 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

642-456 exam questions updated on regular basis

Same type as the certification exams, 642-456 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 642-456 exam demo before you decide to buy it in Exam4Test.com

Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : Cisco 642-456

Title : Implementing Cisco Unified Communications Manager Part 2 (CIPT2 v6.0)

1. Which debug command can be used to troubleshoot an issue with a Tcl script?

- A. debug tcl script
- B. debug call script
- C. debug custom script
- D. debug voice application

Answer: D

2. When configuring CAPF, user intervention is required when using which authentication mode?

- A. by existing certificate (precedence to LSC)
- B. by null string
- C. by existing certificate (precedence to MIC)
- D. by authentication string
- E. user intervention never required

Answer: D

3. Refer to the exhibit. Horst's Helicopters has a centralized Cisco Unified Communications Manager deployment, with SRST implemented on MGCP gateways at the remotes sites. The WAN link to Seattle has failed. All phones in Seattle have registered to the SRST gateway and can call each other internally, but all outside calls fail.

Based on the output shown in the exhibit, what is the most likely solution to the problem?

- A. Configure MCGP fallback on the gateway.
- B. Add the isdn outgoing-voice command to the configuration.
- C. Call the phone provider and report that the PRI link is down.
- D. Enable the outgoing POTS dial peer with the no shutdown command.

Answer: A

4. How is recovery from SRST mode back to Cisco Unified Communications Manager call processing accomplished?

- A. The IP phones receive Keepalives from Cisco Unified Communications Manager. They then register with Cisco Unified Communications Manager and cancel their registration with the SRST gateway.
- B. The IP phones receive a response to Keepalives sent to Cisco Unified Communications Manager. They then register with Cisco Unified Communications Manager and cancel their registration with the SRST gateway.
- C. The SRST gateway receives Keepalives from Cisco Unified Communications Manager. The SRST gateway then rejects the IP phone registrations with instructions to register with Cisco Unified Communications Manager.
- D. The SRST gateway receives a response to Keepalives sent to Cisco Unified Communications Manager. The SRST gateway then rejects the IP phone registrations with instructions to register with Cisco Unified Communications Manager.

Answer: B

5. What is the impact of setting an RSVP policy per location pair with a default interlocation RSVP service policy?

- A. additional bandwidth capacity will be added to the default interlocation RSVP service policy
- B. the RSVP policy will only be associated with one type of call; for example, if it is associated with video calls, audio calls will not be impacted
- C. an RSVP mandatory mid-call retry counter will be added to calls that encounter mid-call retry errors
- D. the default interlocation RSVP service policy will be overridden

Answer: D

6. Refer to the exhibit. On a router running Cisco IOS Release 12.3(14)T, an auto-attendant Tcl script is loaded and a warning message is displayed, stating that the operator parameter has not been registered. See the exhibit for an example of the error.

What must you do to continue?

- A. nothing, the warning may be ignored
- B. register the application with the gatekeeper
- C. register the application parameters with the gatekeeper
- D. register the application parameters with the application
- E. register the application with the Cisco Unified Communications Manager
- F. register the application parameters with the Cisco Unified Communications Manager

Answer: A

7. How are Cisco Unified CallManager location parameters used?

- A. Assign directory numbers to devices as they connect to the IP telephony network.
- B. Implement call admission control in a centralized call processing deployment.
- C. Provide alternate call routing when the primary call path is unavailable.
- D. Specify the bandwidth used for audio and video calls.

Answer: B

8. Which encryption algorithm does SRTP utilize?

- A. SEAL
- B. 3DES
- C. IPSEC
- D. AES

Answer: D

9. The Acme Corporation is experiencing poor, choppy audio quality on voice calls placed across their WAN link to and from Madison. What can be done to the Location parameter for Madison to help alleviate this problem?

- A. Increase the audio bandwidth setting in the Location configuration window for Madison.
- B. Nothing, the audio bandwidth Location parameter for Madison is not related to the problem.
- C. Remove the audio bandwidth parameter in the Location configuration window for Madison.
- D. Decrease the audio bandwidth setting in the Location configuration window for Madison.

Answer: D

10. What is required to effectively use the Cisco CTL client to activate security in an IP telephony network?

- A. H.323 gateway
- B. Security Tokens
- C. IPSEC
- D. Secure SRST

Answer: B

[More 642-456 Information](#)

Related 642-456 Exams

[642-436](#) *Cisco Voice over IP (CVOICE)*

[642-145](#) *Implementing Cisco IOS Unified Communications Advanced*

[642-456](#) *Implementing Cisco Unified Communications Manager Part 2 (CIPT2 v6.0)*

[642-524](#) *Securing Networks with ASA Foundation*

[642-504](#) *Securing Networks with Cisco Routers and Switches*

[640-460](#) *IIUC Implementing Cisco IOS Unified Communications (IIUC)*

[646-230](#) *Advanced Unified Communications AM*

[642-426](#) *Troubleshooting Unified Communications (TUC)*

[642-383](#) *Cisco Express Foundation for Field Engineers*

[646-223](#) *Unified Communications Express AM*

[646-656](#) *Wide Area Application Services for Account Managers*

[650-180](#) *SMBEN SMB Solutions for Engineers*

[642-972](#) *Data Center Application Services Design*

[646-363](#) *Cisco Express Foundation for Account Managers*

[642-373](#) *Cisco Express Foundation for Systems Engineers*

[646-976](#) *Data Center Networking Sales Specialist*

[642-971](#) *Data Center Networking Infrastructure Design Specialist*

[642-974](#) *Data Center Networking Infrastructure Support Specialist*

[642-973](#) *Cisco Data Center Networking Infrastructure*

[642-975](#) *Cisco Data Center Application Services Implementation*

Other Cisco Exams

[640-721](#) [646-656](#) [642-591](#) [642-533](#) [642-892](#) [642-112](#) [642-105](#) [642-371](#)

[642-801](#) [642-067](#) [642-654](#) [642-453](#) [350-021](#) [646-102](#) [350-026](#) [642-611](#)

[642-566](#) [642-381](#) [642-832](#) [650-059](#)