


Exam4Test EX0-106 Exams

EXIN, Inc SCNS Tactical Perimeter Defense



Practice Exam: EX0-106

Exam Number/Code: EX0-106

Exam Name: SCNS Tactical Perimeter Defense

Questions and Answers: 232 Q&As

Exam Description

Order : [EX0-106 Exam](#)

1. Exam4Test offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the EX0-106 Exam.

Exam4Test **Practice Exams** for EX0-106 are written to the highest standards of technical accuracy, provided by our certified subject matter experts and published authors for development.

3. 100% Guarantee to Pass Your **EXIN Inc Certification** exam and get your *EXIN Inc Certification Certification*.

We guarantee your success in the first attempt. If you do not pass the **EXIN Inc Certification** "EX0-106" (SCNS Tactical Perimeter Defense on your first attempt, send us the official result. We will give you a FULLY REFUND of your purchasing fee and send you another same value product for free.

4. Exam4Test EXIN Inc Certification EX0-106 Exam Downloadable.

Our PDF or Testing Engine Preparation Material of EXIN Inc Certification EX0-106 exam provides everything which you need to pass your exam. The EXIN Inc Certification Certification details are researched and produced by our Professional Certification Experts who are constantly using industry experience to produce precise, and logical. You may get "EX0-106 exam" questions from different websites or books, but logic is the key. Our Product will help you not only pass in the first SCNS Tactical Perimeter Defense(EXIN Inc Certification) exam try, but also save your valuable time.

Comprehensive questions with complete details about EX0-106 exam.

EX0-106 exam questions accompanied by exhibits. Verified Answers Researched by Industry Experts and almost 100% correct.

Drag and Drop questions as experienced in the Real EXIN Inc Certification exam. EX0-106 exam questions updated on regular basis.

Like actual EXIN Inc Certification Certification exams, EX0-106 exam preparation is in multiple-choice questions (MCQs). Tested by many real EXIN Inc Certification exams before publishing.

Try free EXIN Inc Certification exam demo before you decide to buy it in <http://www.Exam4Test.com>

High quality and Valued for the EX0-106 Exam: 100% Guarantee to Pass Your EX0-106 exam and get your EXIN Inc Certification Certification. Come to <http://www.Exam4Test.com> The easiest and quickest way to get your EXIN Inc Certification Certification.

original topic. With our completed EXIN Inc Certification resources, you will minimize your EXIN Inc Certification cost and be ready to pass your EX0-106 test on Your First Try, 100% Money Back Guarantee included!

EX0-106 Exam Study Guide

EX0-106 exam is regarded as one of the most favourite [EXIN Inc Certification Certifications](#). Many IT professionals prefer to add EX0-106 exam among their credentials. Exam4Test not only caters you all the information regarding the EX0-106 exam but also provides you the excellent EX0-106 study guide which makes the certification exam easy for you.

Exam4Test Engine Features

Comprehensive questions and answers about EX0-106 exam

EX0-106 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

EX0-106 exam questions updated on regular basis

Same type as the certification exams, EX0-106 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free EX0-106 exam demo before you decide to buy it in Exam4Test.com

Exam4Test Help You Pass Any IT Exam

[Exam4Test.com](#) offers incredible career enhancing opportunities. We are a team of IT professionals that focus on providing our customers with the most up to date material for any IT certification exam. This material is so effective that we Guarantee you will pass the exam or your money back.

Exam : EXIN EX0-106

Title : SCNS Tactical Perimeter Defense

1. In order to perform promiscuous mode captures using the Wireshark capture tool on a Windows Server 2003 machine, what must first be installed?

- A. IPv4 stack
- B. IPv6 stack
- C. WinPcap
- D. Nothing, it will capture by default
- E. At least two network adapters

Answer: C

2. You have just installed a new Intrusion Detection System in your network. You are concerned that there are functions this system will not be able to perform. What is a reason an IDS cannot manage hardware failures?

- A. The IDS can only manage RAID 5 failures.
- B. The IDS cannot be programmed to receive SNMP alert messages.
- C. The IDS cannot be programmed to receive SNMP trap messages.
- D. The IDS cannot be programmed to respond to hardware failures.
- E. The IDS can only inform you that an event happened.

Answer: E

3. You are monitoring the network traffic on your Frame-Relay Internet connection. You notice a large amount of unauthorized traffic on port 21. You examine the packets, and notice there are no files being transferred. Traffic on what other port must be examined to view any file contents?

- A. 20

- B. 119
 - C. 23
 - D. 80
 - E. 2021
- Answer: A

4. You are working on your companys IPTables Firewall; you wish to create a rule to address traffic using ports 1024 through 2048. Which of the following would you use during the creation of your rule?

- A. p:1024 P:2048
- B. P:1024 p2048
- C. p=1024-2048
- D. 1024-2048
- E. 1024:2048

Answer: E

5. If you wish to create a new rule in ISA Server 2006 so that all file attachments with an .exe extension that come through the firewall are dropped, what would you select in the Toolbox to create this rule?

- A. Content Type
- B. User Group
- C. Destination Set
- D. Protocol Set
- E. Extension Type

Answer: A

6. You are planning on implementing a token-based authentication system in your network. The network currently is spread out over four floors of your building. There are plans to add three branch offices. During your research you are analyzing the different types of systems. Which of the following are the two common systems token-based authentication uses?

- A. Challenge/Response
- B. Random-code
- C. Time-based
- D. Challenge/Handshake
- E. Password-Synch

Answer: AC

7. You are configuring the rules on your firewall, and need to take into consideration that some clients in the network are using automatic addressing. What is the IP address range reserved for internal use for APIPA in Microsoft networks?

- A. 169.254.0.0 /4
- B. 169.254.0.0 /16
- C. 169.254.0.0 /8
- D. 169.254.0.0 /0
- E. 168.255.0.0 /16

Answer: B

8. During your review of the logs of your Cisco router, you see the following line. What is the meaning of this line?
%SYS-5-CONFIG_I: Configured from console by vty1 (172.16.10.1)

- A. A normal, but noteworthy event
- B. An informative message
- C. A warning condition has occurred
- D. A debugging message
- E. An error condition has occurred

Answer: A

9. You are configuring your new IDS machine, where you have recently installed Snort. While you are working with this machine, you wish to create some basic rules to test the ability to log traffic as you desire. Which of the following Snort rules will log any tcp traffic from any host other than 172.16.40.50 using any port, to any host in the 10.0.10.0/24 network using any port?

- A. log udp ! 172.16.40.50/32 any -> 10.0.10.0/24 any
- B. log tcp ! 172.16.40.50/32 any -> 10.0.10.0/24 any
- C. log udp ! 172.16.40.50/32 any <> 10.0.10.0/24 any
- D. log tcp ! 172.16.40.50/32 any <> 10.0.10.0/24 any
- E. log tcp ! 172.16.40.50/32 any <- 10.0.10.0/24 any

Answer: B

10. You have recently taken over the security of a mid-sized network. You are reviewing the current configuration of the IPTables firewall, and notice the following rule:

```
ipchains -A input -p TCP -d 0.0.0.0/0 12345 -j DENY
```

What is the function of this rule?

- A. This rule for the output chain states that all incoming packets from any host to port 12345 are to be denied.
- B. This rule for the input chain states that all incoming packets from any host to port 12345 are to be denied.
- C. This rule for the input chain states that any TCP traffic from any address destined for any IP address and to port 12345 is to be denied.
- D. This rule for the output chain states that any TCP traffic from any address destined for any IP address and to port 12345 is to be denied.
- E. This rule for the input chain states that all TCP packets inbound from any network destined to any network is to be denied for ports 1, 2, 3, 4, and 5.

Answer: C

11. The exhibit represents a simple routed network. Node 7 is a Windows 2000 Professional machine that establishes a TCP communication with Node 10, a Windows 2003 Server. The routers are Cisco 2500 series running IOS 12. While working at Node 10, you run a packet capture. Packets received by Node 10, and sent from Node 7 will reveal which of the following combination of source IP and source Physical addresses:

- A. Source IP address 10.0.10.115, Source Physical address for Node 7
- B. Source IP address 50.0.50.1, Source Physical address for Node 7
- C. Source IP address for Router D's Int E0, Source Physical address for Node 7
- D. Source IP address 10.0.10.115, Source Physical address Router D's Int E0
- E. Source IP addresses for both Nodes 7 and Router D's Int E0, Source Physical address for both Nodes 7 and Router D's Int E0.

Answer: D

12. For the new Snort rules you are building, it will be required to have Snort examine inside the content of the packet. Which keyword is used to tell Snort to ignore a defined number of bytes before looking inside the packet for a content match?

- A. Depth
- B. Offset
- C. Nocase
- D. Flow_Control
- E. Classtype

Answer: B

13. You are introducing a co-worker to the security systems in place in your organization. During the discussion you begin talking about the network, and how it is implemented. You mention something in RFC 791, and are asked what that is. What does RFC 791 specify the standards for?

- A. IP
- B. TCP
- C. UDP
- D. ICMP

E. Ethernet

Answer: A

14. At a policy meeting you have been given the task of creating the firewall policy. What are the two basic positions you can take when creating the policy?

- A. To deny all traffic and permit only that which is required.
- B. To permit only IP traffic and filter TCP traffic
- C. To permit only TCP traffic and filter IP traffic
- D. To permit all traffic and deny that which is required.
- E. To include your internal IP address as blocked from incoming to prevent spoofing.

Answer: AD

15. You have been given the task of building the new wireless networks for your office, and you need to verify that your equipment will not interfere with other wireless equipment frequencies. What wireless standard allows for up to 11 Mbps transmission rates and operates in the 2.4GHz range?

- A. 802.11b
- B. 802.11e
- C. 802.11a
- D. 802.11i
- E. 802.11g

Answer: A

16. When performing wireless network traffic analysis, what is the type and subtype for an 802.11 authentication packet?

- A. Type AA Subtype AAAA
- B. Type 00 Subtype 1011
- C. Type 0A Subtype 0A0A
- D. Type 11 Subtype 0000
- E. Type A0 Subtype A1A0

Answer: B

17. There are several options available to you for your new wireless networking technologies, and you are examining how different systems function. What transmission system uses short bursts combined together as a channel?

- A. Frequency Hopping Spread Spectrum (FHSS)
- B. Direct Sequence Spread Spectrum (DSSS)
- C. Lamar Anthell Transmission (LAT)
- D. Digital Band Hopping (DBH)
- E. Digital Channel Hopping (DCH)

Answer: A

18. You have implemented an IPSec policy, using only AH. You are analyzing your network traffic in Network Monitor which of the following statements are true about your network traffic?

- A. You will not be able to view the data in the packets, as it is encrypted.
- B. You will not be able to identify the upper layer protocol.
- C. You will be able to view the unencrypted data in the packets.
- D. You will be able to identify the encryption algorithm in use.
- E. You will not be able to view the packet header.

Answer: C

19. You are configuring a new IDS, running Snort, in your network. To better configure Snort, you are studying the configuration file. Which four of the following are the primary parts of the Snort configuration file?

- A. Postprocessors
- B. Variables
- C. Preprocessors

D. Output Plug-ins

E. Rulesets

Answer: BCDE

20. If you capture an 802.11 frame, and the ToDS bit is set to zero and the FromDS bit is set to zero, what type of WLAN is this frame a part of?

A. Mesh

B. Broadcast

C. Infrastructure

D. Hierarchical

E. Ad Hoc

Answer: E

[More EX0-106 Information](#)

Related EX0-106 Exams

EX0-101 *ITIL Foundation v.3*

EX0-100 *ITIL Foundation Certificate In It Service Management(Exin)*

EX0-105 *Information Security Foundation based on ISO/IEC 27002*

ex0-102 *Microsoft Operations Framework,MOFF*

ex0-103 *ISO/IEC 20000 Foundation*

EX0-107 *SCNP Strategic Infrastructure Security*

EX0-106 *SCNS Tactical Perimeter Defense*

Other EXIN,Inc Exams

EX0-101

EX0-106

EX0-107

ex0-103

ex0-102

EX0-100

EX0-105