

Exam : [Symantec ST0-47X](#)

Title : **Symantec NetBackup 6.5
(STS)**

Version : **Demo**

1. What are three options for locating and viewing Veritas NetBackup 6.5 manuals and other documentation?

(Select three.)

- A. NetBackup 6.5 media set (the CD-ROMs and/or DVD-ROMs)
- B. documentation files in /opt/opensv/goodies/hlp (UNIX/Linux)
- C. hard copy documentation provided with NetBackup 6.5
- D. online on the Symantec Corporation Support website
- E. help files in C:\Program Files\Veritas\NetBackup\goodies\help (Windows)

Answer: ACD

2. Which two cause the Policy Execution Manager to modify the Next Due Jobs worklist? (Select two.)

- A. when Enterprise Media Manager initiates a request to modify the worklist
- B. when a backup policy is added, modified, or removed
- C. when a job is initiated and completed
- D. when a user initiated backup is requested

Answer: BC

3. In Veritas NetBackup 6.5 there are currently three storage units (STU-A, STU-B and STU-C). STU-A is set as On Demand Only, and STU-B and STU-C do not have On Demand Only selected. Three policies have been created as follows: PolicyA is set up to use storage unit STU-A, PolicyB is set up as Any Available storage unit and PolicyC is set up to use STU-C.

If STU-B fills up, and STU-A and STU-C still have available space, what happens to future backups for PolicyB?

- A. Backups will use STU-A.
- B. Backups will use STU-C.
- C. Backups will remain queued waiting for available space on STU-B.
- D. Backups will fail with an error message indicating media is unavailable.

Answer: B

4. In your data center, application data is deemed to be the most important data. You use Platinum Data Classification in the policy to back up the Application data. You have UNIX clients that use Silver and

Bronze Data Classifications in their policies. There are Windows clients that do not use Data Classifications.

All data is backed up to DSSUs, have a one-year retention and have relocated to tape.

Which backup images are deleted first from the DSSUs when the disk becomes full?

- A. application backups
- B. UNIX client backups
- C. Windows client backups
- D. No backups are deleted.

Answer: C

5. Which three statements are true about exclude lists? (Select three.)

- A. They can be specific for schedules.
- B. They can be specific for policies.
- C. They can be used during user initiated backups.
- D. They can use wildcards for file names.
- E. They can be run after the include list.

Answer: ABD

6. What happens when a backup is started and there are no tapes in the pool specified in the policy?

- A. The backup automatically fails and a status code 96 is shown.
- B. The Media Manager tries to move a tape from the Scratch Pool to the specified pool.
- C. The oldest Full backup is deleted, and that tape is reused for the backup.
- D. The GUI pops up a message asking the administrator which action to take.

Answer: B

7. Which two disk-based features support data de-duplication? (Select two.)

- A. SAN Disk
- B. Flexible Disk
- C. OpenStorage Disk
- D. PureDisk Storage

Answer: CD

8. What are two features of the Flexible Disk Option? (Select two.)

- A. shared disk
- B. de-duplication
- C. replication
- D. advanced disk

Answer: AD

9. What is OpenStorage?

- A. the new Symantec physical disk array
- B. the software layer that interfaces with any type of disk
- C. the Veritas NetBackup 6.5 service that manages disks
- D. a new term for a Veritas NetBackup 6.5 Disk Storage Unit

Answer: B

10. What are two benefits of using OpenStorage to manage and control the use of disk-based storage by Veritas NetBackup 6.5? (Select two.)

- A. A Storage Unit can be configured to fail over from a Disk Pool to tape.
- B. Multiple Media Servers can access and share a Disk Pool.
- C. A Data Pool can be created, which allows load balancing of both tape and disk.
- D. Load balancing can be performed across the Media Servers for a Disk Pool.

Answer: BD